

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012921\
 Data File : BF123090.D
 Acq On : 29 Jan 2021 19:18
 Operator : JU/CG
 Sample : M1263-05
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 0053-048-COMP-G-ELUTRIATE

Quant Time: Feb 09 00:08:55 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF012721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 29 12:29:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	240764	20.00	ng	0.00
21) Naphthalene-d8	8.175	136	925837	20.00	ng	0.00
39) Acenaphthene-d10	9.933	164	487407	20.00	ng	0.00
64) Phenanthrene-d10	11.427	188	893779	20.00	ng	0.00
76) Chrysene-d12	14.074	240	760184	20.00	ng	-0.01
86) Perylene-d12	15.562	264	619276	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	1048784	67.19	ng	0.00
7) Phenol-d6	6.504	99	952250	45.01	ng	-0.01
23) Nitrobenzene-d5	7.451	82	1334057	72.52	ng	-0.01
42) 2,4,6-Tribromophenol	10.727	330	636906	120.37	ng	0.00
45) 2-Fluorobiphenyl	9.257	172	2298283	70.10	ng	0.00
79) Terphenyl-d14	13.021	244	2687955	69.47	ng	0.00
Target Compounds						Qvalue
10) Phenol	6.522	94	144204	6.87	ng	82
50) Dimethylphthalate	9.645	163	465632	12.18	ng	100
74) Di-n-butylphthalate	11.986	149	177021	3.02	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012921\
Data File : BF123090.D
Acq On : 29 Jan 2021 19:18
Operator : JU/CG
Sample : M1263-05
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
0053-048-COMP-G-ELUTRIATE

Quant Time: Feb 09 00:08:55 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF012721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 29 12:29:00 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.892 min Scan# 817
 Delta R.T. 0.000 min
 Lab File: BF123090.D
 Acq: 29 Jan 2021 19:18




Instrument :
 BNA_F
 ClientSampleId :
 0053-048-COMP-G-ELUTRIATE


Tgt Ion:152 Resp: 240764
 Ion Ratio Lower Upper
 152 100
 150 155.1 125.8 188.6
 115 58.4 49.3 73.9



#5
 2-Fluorophenol
 Concen: 67.19 ng
 RT: 5.504 min Scan# 581
 Delta R.T. -0.000 min
 Lab File: BF123090.D
 Acq: 29 Jan 2021 19:18

Tgt Ion:112 Resp: 1048784
 Ion Ratio Lower Upper
 112 100
 64 59.6 46.9 70.3
 63 29.9 24.5 36.7









#7
Phenol-d6
Concen: 45.01 ng
RT: 6.504 min Scan# 751
Delta R.T. -0.012 min
Lab File: BF123090.D
Acq: 29 Jan 2021 19:18




Instrument :
BNA_F
ClientSampleId :
0053-048-COMP-G-ELUTRIATE


Tgt Ion: 99 Resp: 952250
Ion Ratio Lower Upper
99 100
42 18.1 13.8 20.6
71 33.7 26.9 40.3



#10
Phenol
Concen: 6.87 ng
RT: 6.522 min Scan# 754
Delta R.T. -0.012 min
Lab File: BF123090.D
Acq: 29 Jan 2021 19:18


Tgt Ion: 94 Resp: 144204
Ion Ratio Lower Upper
94 100
65 24.8 11.2 51.2
66 31.5 25.8 65.8








#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.006 min
Lab File: BF123090.D
Acq: 29 Jan 2021 19:18

Instrument :
BNA_F
ClientSampleId :
0053-048-COMP-G-ELUTRIATE



Tgt Ion:136 Resp: 925837




Ion	Ratio	Lower	Upper
136	100		
137	11.3	8.8	13.2
54	8.0	5.5	8.3
68	6.3	4.6	6.8




#23
Nitrobenzene-d5
Concen: 72.52 ng
RT: 7.451 min Scan# 912
Delta R.T. -0.012 min
Lab File: BF123090.D
Acq: 29 Jan 2021 19:18

Tgt Ion: 82 Resp: 1334057


Ion	Ratio	Lower	Upper
82	100		
128	45.0	37.0	55.4
54	50.1	38.4	57.6








#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.933 min Scan# 1334
Delta R.T. -0.006 min
Lab File: BF123090.D
Acq: 29 Jan 2021 19:18

Instrument :
BNA_F
ClientSampleId :
0053-048-COMP-G-ELUTRIATE







Tgt Ion:164 Resp: 487407
Ion Ratio Lower Upper
164 100
162 102.3 80.8 121.2
160 44.9 35.4 53.0



#42
2,4,6-Tribromophenol
Concen: 120.37 ng
RT: 10.727 min Scan# 1469
Delta R.T. -0.006 min
Lab File: BF123090.D
Acq: 29 Jan 2021 19:18

Tgt Ion:330 Resp: 636906
Ion Ratio Lower Upper
330 100
332 95.6 77.5 116.3
141 30.9 23.8 35.8









#45
2-Fluorobiphenyl
Concen: 70.10 ng
RT: 9.257 min Scan# 1219
Delta R.T. -0.006 min
Lab File: BF123090.D
Acq: 29 Jan 2021 19:18




Instrument :
BNA_F
ClientSampleId :
0053-048-COMP-G-ELUTRIATE


Tgt Ion:172 Resp: 2298283
Ion Ratio Lower Upper
172 100
171 37.0 29.6 44.4
170 24.9 19.5 29.3



#50
Dimethylphthalate
Concen: 12.18 ng
RT: 9.645 min Scan# 1285
Delta R.T. -0.018 min
Lab File: BF123090.D
Acq: 29 Jan 2021 19:18

Tgt Ion:163 Resp: 465632
Ion Ratio Lower Upper
163 100
194 3.8 3.4 5.0
164 10.1 8.1 12.1









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.427 min Scan# 1588
Delta R.T. -0.006 min
Lab File: BF123090.D
Acq: 29 Jan 2021 19:18




Instrument :
BNA_F
ClientSampleId :
0053-048-COMP-G-ELUTRIATE


Tgt Ion:188 Resp: 893779
Ion Ratio Lower Upper
188 100
94 9.3 7.4 11.2
80 10.4 8.2 12.4



#74
Di-n-butylphthalate
Concen: 3.02 ng
RT: 11.986 min Scan# 1683
Delta R.T. -0.012 min
Lab File: BF123090.D
Acq: 29 Jan 2021 19:18

Tgt Ion:149 Resp: 177021
Ion Ratio Lower Upper
149 100
150 8.6 7.8 11.6
104 4.5 4.2 6.4









#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.074 min Scan# 2038
Delta R.T. -0.012 min
Lab File: BF123090.D
Acq: 29 Jan 2021 19:18




Instrument :
BNA_F
ClientSampleId :
0053-048-COMP-G-ELUTRIATE


Tgt Ion:240 Resp: 760184
Ion Ratio Lower Upper
240 100
120 12.2 8.6 12.8
236 25.6 20.3 30.5



#79
Terphenyl-d14
Concen: 69.47 ng
RT: 13.021 min Scan# 1859
Delta R.T. -0.006 min
Lab File: BF123090.D
Acq: 29 Jan 2021 19:18

Tgt Ion:244 Resp: 2687955
Ion Ratio Lower Upper
244 100
212 7.2 5.7 8.5
122 11.5 8.3 12.5





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.562 min Scan# 2291
 Delta R.T. -0.006 min
 Lab File: BF123090.D
 Acq: 29 Jan 2021 19:18

Instrument :
 BNA_F
 ClientSampleId :
 0053-048-COMP-G-ELUTRIATE

Tgt Ion:264	Resp:	619276
Ion Ratio	Lower	Upper
264	100	
260	23.3	18.6 28.0
265	21.0	17.0 25.6

