

Data Path : Z:\HPCHEM1\BNA F\Data\BF020215\
 Data File : BF077158.D
 Acq On : 2 Feb 2015 15:10
 Operator : TP/IZ
 Sample : PB81569BS
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Feb 03 00:25:23 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 03 00:09:26 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	32563	20.00	ng	0.00
21) Naphthalene-d8	10.59	136	135787	20.00	ng	-0.01
38) Acenaphthene-d10	14.72	164	73442	20.00	ng	0.00
63) Phenanthrene-d10	17.57	188	131491	20.00	ng	0.00
75) Chrysene-d12	21.08	240	128633	20.00	ng	0.00
86) Perylene-d12	22.73	264	110894	20.00	ng	0.01

System Monitoring Compounds

5) 2-Fluorophenol	4.69	112	237694	120.02	ng	-0.01
7) Phenol-d6	7.09	99	299313	119.80	ng	-0.01
23) Nitrobenzene-d5	8.99	82	181935	74.23	ng	-0.01
41) 2,4,6-Tribromophenol	16.45	330	70697	118.59	ng	0.00
44) 2-Fluorobiphenyl	13.25	172	375880	77.89	ng	0.00
78) Terphenyl-d14	19.81	244	384785	68.87	ng	0.00

Target Compounds

						Qvalue
2) 1,4-Dioxane	1.12	88	23051	27.18	ng	# 91
3) Pyridine	1.56	79	54057	24.63	ng	89
4) n-Nitrosodimethylamine	1.52	42	42031	38.67	ng	95
6) Aniline	6.97	93	87034	25.17	ng	99
8) 2-Chlorophenol	7.21	128	87780	38.45	ng	97
9) Benzaldehyde	6.69	77	18732	11.26	ng	96
10) Phenol	7.13	94	102375	38.59	ng	94
11) bis(2-Chloroethyl)ether	7.23	93	80319	38.69	ng	# 75
12) 1,3-Dichlorobenzene	7.53	146	90762	34.94	ng	95
13) 1,4-Dichlorobenzene	7.72	146	93788	34.05	ng	98
14) 1,2-Dichlorobenzene	8.03	146	88966	35.05	ng	98
15) Benzyl Alcohol	8.13	79	77080	38.13	ng	96
16) 2,2'-oxybis(1-Chloropropan	8.48	45	101189	36.26	ng	92
17) 2-Methylphenol	8.49	107	69373	37.18	ng	98
18) Hexachloroethane	8.78	117	34355	35.86	ng	94
19) n-Nitroso-di-n-propylamine	8.76	70	62519	35.75	ng	95
20) 3+4-Methylphenols	8.86	107	86199	34.89	ng	95
22) Acetophenone	8.68	105	129637	38.98	ng	98
24) Nitrobenzene	9.04	77	93330	37.38	ng	97
25) Isophorone	9.63	82	161648	36.21	ng	98
26) 2-Nitrophenol	9.78	139	44356	35.18	ng	96
27) 2,4-Dimethylphenol	10.06	122	75589	39.15	ng	95
28) bis(2-Chloroethoxy)methane	10.27	93	100815	39.74	ng	96
29) 2,4-Dichlorophenol	10.38	162	67605	37.57	ng	95
30) 1,2,4-Trichlorobenzene	10.51	180	74941	37.49	ng	97
31) Naphthalene	10.64	128	253503	36.26	ng	100
32) Benzoic acid	10.46	122	19161	17.91	ng	97
33) 4-Chloroaniline	10.90	127	72343	25.61	ng	96
34) Hexachlorobutadiene	11.01	225	43699	36.85	ng	97
35) Caprolactam	11.81	113	1458	2.75	ng	# 82
36) 4-Chloro-3-methylphenol	12.20	107	78183	37.94	ng	95
37) 2-Methylnaphthalene	12.29	142	175894	36.84	ng	96
39) 1,2,4,5-Tetrachlorobenzene	12.69	216	70160	38.64	ng	99
40) Hexachlorocyclopentadiene	12.68	237	70163	72.25	ng	97


Data Path : Z:\HPCHEM1\BNA F\Data\BF020215\
 Data File : BF077158.D
 Acq On : 2 Feb 2015 15:10
 Operator : TP/IZ
 Sample : PB81569BS
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Feb 03 00:25:23 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 03 00:09:26 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
42) 2,4,6-Trichlorophenol	13.06	196	48196	36.43	nq	91
43) 2,4,5-Trichlorophenol	13.15	196	47522	35.22	nq	94
45) 1,1'-Biphenyl	13.45	154	211938	38.93	nq	98
46) 2-Chloronaphthalene	13.43	162	168697	37.65	nq	98
47) 2-Nitroaniline	13.78	65	53364	39.26	nq	# 85
48) Acenaphthylene	14.36	152	270825	35.84	nq	99
49) Dimethylphthalate	14.33	163	202238	38.83	nq	98
50) 2,6-Dinitrotoluene	14.42	165	41999	40.36	nq	# 83
51) Acenaphthene	14.79	154	153755	35.86	nq	96
52) 3-Nitroaniline	14.77	138	35637	27.05	nq	88
53) 2,4-Dinitrophenol	15.06	184	31966	67.60	nq	94
54) Dibenzofuran	15.22	168	244829	39.20	nq	98
55) 4-Nitrophenol	15.38	139	52188	63.92	nq	95
56) 2,4-Dinitrotoluene	15.36	165	59521	38.59	nq	88
57) Fluorene	15.97	166	199168	37.64	nq	97
58) 2,3,4,6-Tetrachlorophenol	15.59	232	35391	36.02	nq	# 96
59) Diethylphthalate	15.99	149	206876	39.30	nq	97
60) 4-Chlorophenyl-phenylether	16.08	204	82832	38.26	nq	90
61) 4-Nitroaniline	16.13	138	42590	32.93	nq	93
62) Azobenzene	16.36	77	210539	38.39	nq	95
64) 4,6-Dinitro-2-methylphenol	16.21	198	26987	33.04	nq	94
65) n-Nitrosodiphenylamine	16.33	169	162054	34.56	nq	96
66) 4-Bromophenyl-phenylether	16.93	248	48280	36.24	nq	91
67) Hexachlorobenzene	16.96	284	50971	36.31	nq	92
68) Atrazine	17.32	200	57882	40.68	nq	93
69) Pentachlorophenol	17.32	266	42042	66.56	nq	97
70) Phenanthrene	17.61	178	287824	35.10	nq	98
71) Anthracene	17.68	178	288540	36.08	nq	99
72) Carbazole	17.97	167	273670	35.29	nq	100
73) Di-n-butylphthalate	18.58	149	349917	38.98	nq	100
74) Fluoranthene	19.25	202	300814	35.80	nq	99
76) Benzidine	19.51	184	133059	32.33	nq	99
77) Pyrene	19.54	202	318323	36.11	nq	99
79) Butylbenzylphthalate	20.48	149	159922	40.05	nq	# 81
80) Benzo(a)anthracene	21.07	228	301197	37.32	nq	97
81) 3,3'-Dichlorobenzidine	21.08	252	75007	29.25	nq	95
82) Chrysene	21.11	228	253900	34.50	nq	99
83) Bis(2-ethylhexyl)phthalate	21.22	149	223967	40.54	nq	# 96
84) Di-n-octyl phthalate	21.99	149	388284	40.50	nq	100
85) Indeno(1,2,3-cd)pyrene	23.84	276	277459	35.57	nq	# 84
87) Benzo(b)fluoranthene	22.32	252	348169	46.62	nq	# 97
88) Benzo(k)fluoranthene	22.32	252	348153	53.35	nq	100
89) Benzo(a)pyrene	22.67	252	261950	39.76	nq	97
90) Dibenzo(a,h)anthracene	23.86	278	237232	39.25	nq	98
91) Benzo(g,h,i)perylene	24.10	276	236450	39.35	nq	# 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed







#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.69 min Scan# 595
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Instrument :
BNA_F
ClientSampleId :




Tot Ion:152 Resp: 32563
Ion Ratio Lower Upper
152 100
150 148.5 121.7 182.5
115 56.2 47.0 70.6




#2

1,4-Dioxane
Concen: 27.18 ng
RT: 1.12 min Scan# 20
Delta R.T. 0.02 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion: 88 Resp: 23051
Ion Ratio Lower Upper
88 100
58 92.5 77.0 115.4
43 46.2 25.6 38.4#









#3
 Pvridine
 Concen: 24.63 ng
 RT: 1.56 min Scan# 59
 Delta R.T. 0.03 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
79	100		
52	77.2	70.1	105.1
51	36.7	35.1	52.7



#4
 n-Nitrosodimethylamine
 Concen: 38.67 ng
 RT: 1.52 min Scan# 55
 Delta R.T. 0.01 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion	Ratio	Lower	Upper
42	100		
74	109.9	92.4	138.6
44	7.2	6.2	9.2





#5

2-Fluorophenol

Concen: 120.02 ng

RT: 4.69 min Scan# 333


Delta R.T. -0.01 min

Lab File: BF077158.D




Acq: 2 Feb 2015 15:10

Instrument :
BNA_F
ClientSampled :

Tot Ion:	112	Resp:	237694
Ion	Ratio	Lower	Upper
112	100		
64	65.1	54.2	81.4
63	39.2	28.4	42.6



Abundance Ion 112.00 (111.70 to 112.70): E



#6

Aniline

Concen: 25.17 ng


RT: 6.97 min Scan# 532

Delta R.T. 0.00 min



Lab File: BF077158.D


Acq: 2 Feb 2015 15:10

Tgt Ion:	93	Resp:	87034
Ion	Ratio	Lower	Upper
93	100		
66	43.1	35.0	52.4
65	21.5	17.7	26.5



Abundance Ion 93.00 (92.70 to 93.70): BF0





#7

Phenol-d6

Concen: 119.80 ng

RT: 7.09 min Scan# 543

Delta R.T. -0.01 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10


Instrument :

BNA_F

ClientSampleId :

Tot Ion: 99 Resp: 299313

Ion	Ratio	Lower	Upper
99	100		
42	19.4	15.0	22.4
71	39.9	30.5	45.7






Abundance

Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#8

2-Chlorophenol

Concen: 38.45 ng

RT: 7.21 min Scan# 553


Delta R.T. -0.01 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10

Tgt Ion: 128 Resp: 87780

Ion	Ratio	Lower	Upper
128	100		
130	30.3	11.0	51.0
64	52.1	29.3	69.3






Abundance

Ion 128.00 (127.70 to 128.70): E

Ion 130.00 (129.70 to 130.70): E

Ion 64.00 (63.70 to 64.70): BF0









#9
Benzaldehyde
Concen: 11.26 ng
RT: 6.69 min Scan# 508
Delta R.T. 0.01 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10




Instrument :
BNA_F
ClientSampleId :


Tot Ion: 77 Resp: 18732
Ion Ratio Lower Upper
77 100
105 106.1 81.4 121.4
106 96.5 72.8 112.8



#10
Phenol
Concen: 38.59 ng
RT: 7.13 min Scan# 546
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion: 94 Resp: 102375
Ion Ratio Lower Upper
94 100
65 30.8 11.3 51.3
66 45.8 19.5 59.5









#11
bis(2-Chloroethyl)ether
Concen: 38.69 ng
RT: 7.23 min Scan# 555
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10




Instrument :
BNA_F
ClientSampled :


Tot Ion: 93 Resp: 80319
Ion Ratio Lower Upper
93 100
63 95.1 111.3 151.3#
95 33.2 13.8 53.8



#12
1,3-Dichlorobenzene
Concen: 34.94 ng
RT: 7.53 min Scan# 581
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion: 146 Resp: 90762
Ion Ratio Lower Upper
146 100
148 64.6 48.1 72.1
75 32.0 26.8 40.2









#13
 1,4-Dichlorobenzene
 Concen: 34.05 ng
 RT: 7.72 min Scan# 598
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:146 Resp: 93788
 Ion Ratio Lower Upper
 146 100
 148 62.8 51.5 77.3
 111 40.8 33.9 50.9




Abundance Ion 146.00 (145.70 to 146.70): E
 Ion 148.00 (147.70 to 148.70): E
 Ion 111.00 (110.70 to 111.70): E






#14
 1,2-Dichlorobenzene
 Concen: 35.05 ng
 RT: 8.03 min Scan# 625
 Delta R.T. -0.01 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion:146 Resp: 88966
 Ion Ratio Lower Upper
 146 100
 148 63.9 51.3 76.9
 111 45.4 34.5 51.7



Abundance Ion 146.00 (145.70 to 146.70): E
 Ion 148.00 (147.70 to 148.70): E
 Ion 111.00 (110.70 to 111.70): E





#15

Benzyl Alcohol

Concen: 38.13 ng

RT: 8.13 min Scan# 634

Delta R.T. 0.00 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10

Instrument :
BNA_F
ClientSampleId :


Tot Ion: 79 Resp: 77080

Ion Ratio Lower Upper




79 100

108 70.8 57.2 85.8

77 58.2 51.2 76.8



Abundance Ion 79.00 (78.70 to 79.70): BF0
Ion 108.00 (107.70 to 108.70): BF0
Ion 77.00 (76.70 to 77.70): BF0



#16

2,2'-oxybis(1-Chloropropane)

Concen: 36.26 ng

RT: 8.48 min Scan# 664

Delta R.T. -0.01 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10


Tgt Ion: 45 Resp: 101189

Ion Ratio Lower Upper



45 100


77 50.3 36.1 76.1

79 45.0 30.5 70.5



Abundance Ion 45.00 (44.70 to 45.70): BF0
Ion 77.00 (76.70 to 77.70): BF0
Ion 79.00 (78.70 to 79.70): BF0









#17
2-Methylphenol
Concen: 37.18 ng
RT: 8.49 min Scan# 665
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Instrument :
BNA_F
ClientSampleId :

Tot Ion:107 Resp: 69373
Ion Ratio Lower Upper
107 100
108 116.0 89.7 134.5
77 61.5 50.1 75.1
79 56.7 45.0 67.6




Abundance Ion 107.00 (106.70 to 107.70): E
Ion 108.00 (107.70 to 108.70): E
Ion 77.00 (76.70 to 77.70): BF0
Ion 79.00 (78.70 to 79.70): BF0








#18
Hexachloroethane
Concen: 35.86 ng
RT: 8.78 min Scan# 691
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:117 Resp: 34355
Ion Ratio Lower Upper
117 100
119 92.4 77.1 115.7
201 91.7 66.8 100.2



Abundance Ion 117.00 (116.70 to 117.70): E
Ion 119.00 (118.70 to 119.70): E
Ion 201.00 (200.70 to 201.70): E









#19
n-Nitroso-di-n-propylamine
Concen: 35.75 ng
RT: 8.76 min Scan# 689
Delta R.T. -0.01 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10


Instrument :
BNA_F
ClientSampleId :


Tot Ion	Ion	Ratio	Lower	Upper
70	100			
42	56.1	42.1	63.1	
101	8.7	7.8	11.8	
130	17.4	16.2	24.4	



#20
3+4-Methylphenols
Concen: 34.89 ng
RT: 8.86 min Scan# 698
Delta R.T. -0.01 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion	Ion	Ratio	Lower	Upper
107	100			
108	79.6	63.5	103.5	
77	33.8	14.0	54.0	
79	23.7	9.9	49.9	









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.59 min Scan# 849
Delta R.T. -0.01 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10




Instrument :
BNA_F
ClientSampleId :


Tot Ion:136	Resp:	135787
Ion Ratio	Lower	Upper
136 100		
137 11.5	8.1	12.1
54 8.0	7.0	10.4
68 4.3	3.7	5.5



#22
Acetophenone
Concen: 38.98 ng
RT: 8.68 min Scan# 682
Delta R.T. -0.01 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt	Ion:105	Resp:	129637
Ion	Ratio	Lower	Upper
105	100		
71	0.0	0.0	0.0
51	27.7	23.3	34.9
120	19.9	16.1	24.1









#23
 Nitrobenzene-d5
 Concen: 74.23 ng
 RT: 8.99 min Scan# 709
 Delta R.T. -0.01 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	82	Resp	181935
Ion Ratio	Lower	Upper	
82	100		
128	42.5	33.1	49.7
54	58.5	48.3	72.5



#24
 Nitrobenzene
 Concen: 37.38 ng
 RT: 9.04 min Scan# 713
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion	77	Resp	93330
Ion Ratio	Lower	Upper	
77	100		
123	45.9	35.2	52.8
65	15.1	11.4	17.2





#25

Isophorone

Concen: 36.21 ng

RT: 9.63 min Scan# 765

Delta R.T. -0.01 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10

Instrument :

BNA_F

ClientSampleId :





Tot Ion: 82 Resp: 161648

Ion Ratio Lower Upper

82 100

95 7.8 6.6 10.0

138 16.7 12.6 18.8



#26

2-Nitrophenol

Concen: 35.18 ng

RT: 9.78 min Scan# 778

Delta R.T. 0.00 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10




Tgt Ion: 139 Resp: 44356


Ion Ratio Lower Upper

139 100

109 31.3 21.3 31.9

65 50.1 39.4 59.0









#27
 2,4-Dimethylphenol
 Concen: 39.15 ng
 RT: 10.06 min Scan# 803
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:122 Resp: 75589
 Ion Ratio Lower Upper
 122 100
 107 124.5 95.2 142.8
 121 57.4 42.9 64.3



#28
 bis(2-Chloroethoxy)methane
 Concen: 39.74 ng
 RT: 10.27 min Scan# 821
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion: 93 Resp: 100815
 Ion Ratio Lower Upper
 93 100
 95 34.7 25.6 38.4
 123 10.4 8.9 13.3









#29
2,4-Dichlorophenol
Concen: 37.57 ng
RT: 10.38 min Scan# 831
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Instrument :
BNA_F
ClientSampleId :

Tot Ion:162 Resp: 67605
Ion Ratio Lower Upper
162 100
164 64.6 43.8 83.8
98 36.1 22.5 62.5




Abundance Ion 162.00 (161.70 to 162.70): E
Ion 164.00 (163.70 to 164.70): E
Ion 98.00 (97.70 to 98.70): BF0






#30
1,2,4-Trichlorobenzene
Concen: 37.49 ng
RT: 10.51 min Scan# 842
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:180 Resp: 74941
Ion Ratio Lower Upper
180 100
182 95.4 73.6 110.4
145 34.7 26.6 39.8



Abundance Ion 180.00 (179.70 to 180.70): E
Ion 182.00 (181.70 to 182.70): E
Ion 145.00 (144.70 to 145.70): E









#31
Naphthalene
Concen: 36.26 ng
RT: 10.64 min Scan# 853
Delta R.T. -0.01 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10




Instrument :
BNA_F
ClientSampleId :


Tot Ion:128 Resp: 253503
Ion Ratio Lower Upper
128 100
129 11.4 9.0 13.6
127 12.6 10.2 15.2



#32
Benzoic acid
Concen: 17.91 ng
RT: 10.46 min Scan# 838
Delta R.T. -0.05 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:122 Resp: 19161
Ion Ratio Lower Upper
122 100
105 134.1 111.3 151.3
77 95.3 79.2 119.2









#33
4-Chloroaniline
Concen: 25.61 ng
RT: 10.90 min Scan# 876
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Instrument :
BNA_F
ClientSampleId :

Tot Ion:127 Resp: 72343
Ion Ratio Lower Upper
127 100
129 31.4 25.3 37.9
65 31.9 27.8 41.6
92 17.4 16.5 24.7




Abundance Ion 127.00 (126.70 to 127.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 65.00 (64.70 to 65.70): BF0
Ion 92.00 (91.70 to 92.70): BF0






#34
Hexachlorobutadiene
Concen: 36.85 ng
RT: 11.01 min Scan# 886
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:225 Resp: 43699
Ion Ratio Lower Upper
225 100
223 62.9 49.1 73.7
227 62.3 47.5 71.3



Abundance Ion 225.00 (224.70 to 225.70): E
Ion 223.00 (222.70 to 223.70): E
Ion 227.00 (226.70 to 227.70): E





#35

Caprolactam

Concen: 2.75 ng

RT: 11.81 min Scan# 956

Delta R.T. 0.01 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10

Instrument :

BNA_F

ClientSampled :


Tot Ion:113 Resp: 1458

Ion Ratio Lower Upper

113 100

55 159.0 162.1 202.1#




56 128.7 133.7 173.7#



Abundance Ion 113.00 (112.70 to 113.70): E

Ion 55.00 (54.70 to 55.70): BF0

Ion 56.00 (55.70 to 56.70): BF0



#36

4-Chloro-3-methylphenol

Concen: 37.94 ng

RT: 12.20 min Scan# 990

Delta R.T. -0.01 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10


Tgt Ion:107 Resp: 78183

Ion Ratio Lower Upper

107 100

144 24.0 20.0 30.0



142 74.1 63.5 95.3




Abundance Ion 107.00 (106.70 to 107.70): E

Ion 144.00 (143.70 to 144.70): E

Ion 142.00 (141.70 to 142.70): E









#37
2-Methylnaphthalene
Concen: 36.84 ng
RT: 12.29 min Scan# 998
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10




Instrument :
BNA_F
ClientSampleId :


Tot Ion:142 Resp: 175894
Ion Ratio Lower Upper
142 100
141 88.4 74.5 111.7
115 37.7 29.7 44.5



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.72 min Scan# 1210
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:164 Resp: 73442
Ion Ratio Lower Upper
164 100
162 98.3 82.4 123.6
160 40.6 34.8 52.2









#39
 1,2,4,5-Tetrachlorobenzene
 Concen: 38.64 ng
 RT: 12.69 min Scan# 1033
 Delta R.T. -0.01 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:216	Resp:	70160
Ion Ratio	Lower	Upper
216	100	
214	80.9	64.9 97.3
179	23.5	18.6 28.0
108	23.9	18.1 27.1



#40
 Hexachlorocyclopentadiene
 Concen: 72.25 ng
 RT: 12.68 min Scan# 1032
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion:237	Resp:	70163
Ion Ratio	Lower	Upper
237	100	
235	61.8	40.4 80.4
272	10.2	0.0 33.2









#41
 2,4,6-Tribromophenol
 Concen: 118.59 ng
 RT: 16.45 min Scan# 1362
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:330 Resp: 70697
 Ion Ratio Lower Upper
 330 100
 332 99.3 77.8 116.6
 141 49.7 38.5 57.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#42
 2,4,6-Trichlorophenol
 Concen: 36.43 ng
 RT: 13.06 min Scan# 1065
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion:196 Resp: 48196
 Ion Ratio Lower Upper
 196 100
 198 99.1 72.0 108.0
 200 34.0 23.4 35.2



Abundance Ion 196.00 (195.70 to 196.70): E
 Ion 198.00 (197.70 to 198.70): E
 Ion 200.00 (199.70 to 200.70): E









#43
 2,4,5-Trichlorophenol
 Concen: 35.22 ng
 RT: 13.15 min Scan# 1073
 Delta R.T. 0.01 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
196	100		
198	89.7	76.6	115.0
97	51.5	43.4	65.0
132	33.7	23.7	35.5



#44
 2-Fluorobiphenyl
 Concen: 77.89 ng
 RT: 13.25 min Scan# 1082
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.2	26.6	40.0
170	23.0	18.0	27.0





#45

1,1'-Biphenyl

Concen: 38.93 ng

RT: 13.45 min Scan# 1099

Delta R.T. 0.00 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10

Instrument :

BNA_F

ClientSampleId :


Tot Ion:154 Resp: 211938

Ion Ratio Lower Upper

154 100

153 39.5 20.2 60.2




76 10.4 0.0 29.0



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 76.00 (75.70 to 76.70): BF0



#46

2-Chloronaphthalene

Concen: 37.65 ng

RT: 13.43 min Scan# 1097

Delta R.T. 0.00 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10


Tgt Ion:162 Resp: 168697

Ion Ratio Lower Upper

162 100

127 40.5 33.8 50.6



164 33.2 26.8 40.2




Abundance Ion 162.00 (161.70 to 162.70): E

Ion 127.00 (126.70 to 127.70): E

Ion 164.00 (163.70 to 164.70): E









#47
 2-Nitroaniline
 Concen: 39.26 ng
 RT: 13.78 min Scan# 1128
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion: 65 Resp: 53364
 Ion Ratio Lower Upper
 65 100
 92 64.6 47.3 70.9
 138 108.2 71.4 107.2#



#48
 Acenaphthylene
 Concen: 35.84 ng
 RT: 14.36 min Scan# 1179
 Delta R.T. -0.01 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion: 152 Resp: 270825
 Ion Ratio Lower Upper
 152 100
 151 20.3 15.9 23.9
 153 13.6 10.2 15.4









#49
Dimethylphthalate
Concen: 38.83 ng
RT: 14.33 min Scan# 1176
Delta R.T. -0.01 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10




Instrument :
BNA_F
ClientSampleId :


Tot Ion:163 Resp: 202238
Ion Ratio Lower Upper
163 100
194 3.4 2.6 4.0
164 10.2 7.5 11.3



#50
2,6-Dinitrotoluene
Concen: 40.36 ng
RT: 14.42 min Scan# 1184
Delta R.T. -0.01 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:165 Resp: 41999
Ion Ratio Lower Upper
165 100
63 78.0 48.1 72.1#
89 66.8 47.2 70.8





#51

Acenaphthene

Concen: 35.86 ng

RT: 14.79 min Scan# 1216

Delta R.T. -0.01 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10

Instrument :

BNA_F

ClientSampleId :


Tot Ion:154 Resp: 153755

Ion Ratio Lower Upper

154 100

153 112.7 87.0 130.6




152 51.6 43.5 65.3



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#52

3-Nitroaniline

Concen: 27.05 ng

RT: 14.77 min Scan# 1215

Delta R.T. 0.00 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10


Tgt Ion:138 Resp: 35637

Ion Ratio Lower Upper

138 100

108 10.0 8.3 12.5



92 114.7 80.9 121.3




Abundance Ion 138.00 (137.70 to 138.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 92.00 (91.70 to 92.70): BF0









#53
 2,4-Dinitrophenol
 Concen: 67.60 ng
 RT: 15.06 min Scan# 1240
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampled :


Tot Ion:184 Resp: 31966
 Ion Ratio Lower Upper
 184 100
 63 84.0 63.0 94.6
 154 76.7 65.5 98.3



#54
 Dibenzofuran
 Concen: 39.20 ng
 RT: 15.22 min Scan# 1254
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion:168 Resp: 244829
 Ion Ratio Lower Upper
 168 100
 139 42.6 33.4 50.2
 169 12.2 10.6 15.8









#55
4-Nitrophenol
Concen: 63.92 ng
RT: 15.38 min Scan# 1268
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10




Instrument :
BNA_F
ClientSampleId :


Tot Ion:139 Resp: 52188
Ion Ratio Lower Upper
139 100
109 82.0 61.0 101.0
65 107.9 96.6 136.6



#56
2,4-Dinitrotoluene
Concen: 38.59 ng
RT: 15.36 min Scan# 1266
Delta R.T. -0.01 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:165 Resp: 59521
Ion Ratio Lower Upper
165 100
63 62.9 44.8 67.2
89 82.1 56.2 84.2
182 2.1 1.5 2.3









#57
 Fluorene
 Concen: 37.64 ng
 RT: 15.97 min Scan# 1320
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:166 Resp: 199168
 Ion Ratio Lower Upper
 166 100
 165 94.7 78.5 117.7
 167 13.1 10.4 15.6



#58
 2,3,4,6-Tetrachlorophenol
 Concen: 36.02 ng
 RT: 15.59 min Scan# 1286
 Delta R.T. 0.01 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion:232 Resp: 35391
 Ion Ratio Lower Upper
 232 100
 131 61.2 45.0 67.6
 130 2.1 2.6 3.8#
 166 38.8 30.9 46.3









#59
Diethylphthalate
Concen: 39.30 ng
RT: 15.99 min Scan# 1321
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10




Instrument :
BNA_F
ClientSampleId :


Tot Ion:149 Resp: 206876
Ion Ratio Lower Upper
149 100
177 20.4 15.0 22.6
150 12.8 9.4 14.0



#60
4-Chlorophenyl-phenylether
Concen: 38.26 ng
RT: 16.08 min Scan# 1329
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:204 Resp: 82832
Ion Ratio Lower Upper
204 100
206 34.5 24.2 36.2
141 73.7 66.7 100.1









#61
 4-Nitroaniline
 Concen: 32.93 ng
 RT: 16.13 min Scan# 1334
 Delta R.T. -0.01 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:138 Resp: 42590
 Ion Ratio Lower Upper
 138 100
 92 54.6 26.7 66.7
 108 88.4 64.5 104.5



#62
 Azobenzene
 Concen: 38.39 ng
 RT: 16.36 min Scan# 1354
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion: 77 Resp: 210539
 Ion Ratio Lower Upper
 77 100
 182 17.3 2.0 42.0
 105 20.2 2.3 42.3
 51 32.4 10.7 50.7









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 17.57 min Scan# 1460
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:188 Resp: 131491
 Ion Ratio Lower Upper
 188 100
 94 6.8 6.0 9.0
 80 6.4 6.9 10.3#




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0






#64
 4,6-Dinitro-2-methylphenol
 Concen: 33.04 ng
 RT: 16.21 min Scan# 1341
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion:198 Resp: 26987
 Ion Ratio Lower Upper
 198 100
 51 50.8 24.2 64.2
 105 45.6 24.0 64.0



Abundance Ion 198.00 (197.70 to 198.70): E
 Ion 51.00 (50.70 to 51.70): BF0
 Ion 105.00 (104.70 to 105.70): E









#65
n-Nitrosodiphenylamine
Concen: 34.56 ng
RT: 16.33 min Scan# 1351
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Instrument :
BNA_F
ClientSampleId :

Tot Ion:169 Resp: 162054
Ion Ratio Lower Upper
169 100
168 70.4 53.8 80.6
167 37.7 27.8 41.6




Abundance Ion 169.00 (168.70 to 169.70): E
Ion 168.00 (167.70 to 168.70): E
Ion 167.00 (166.70 to 167.70): E






#66
4-Bromophenyl-phenylether
Concen: 36.24 ng
RT: 16.93 min Scan# 1404
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:248 Resp: 48280
Ion Ratio Lower Upper
248 100
250 100.6 77.1 115.7
141 123.6 88.2 132.4



Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E









#67
Hexachlorobenzene
Concen: 36.31 ng
RT: 16.96 min Scan# 1406
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Instrument :
BNA_F
ClientSampled :

Tot Ion:284 Resp: 50971
Ion Ratio Lower Upper
284 100
142 39.0 38.2 57.4
249 34.3 28.2 42.2




Abundance Ion 283.80 (283.50 to 284.50): E
Ion 142.00 (141.70 to 142.70): E
Ion 249.00 (248.70 to 249.70): E






#68
Atrazine
Concen: 40.68 ng
RT: 17.32 min Scan# 1438
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:200 Resp: 57882
Ion Ratio Lower Upper
200 100
173 25.5 6.6 46.6
215 36.8 22.9 62.9



Abundance Ion 200.00 (199.70 to 200.70): E
Ion 173.00 (172.70 to 173.70): E
Ion 215.00 (214.70 to 215.70): E









#69
 Pentachlorophenol
 Concen: 66.56 ng
 RT: 17.32 min Scan# 1438
 Delta R.T. -0.01 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:266 Resp: 42042
 Ion Ratio Lower Upper
 266 100
 268 59.8 48.6 72.8
 264 57.8 49.5 74.3



#70
 Phenanthrene
 Concen: 35.10 ng
 RT: 17.61 min Scan# 1463
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion:178 Resp: 287824
 Ion Ratio Lower Upper
 178 100
 176 18.7 15.1 22.7
 179 14.4 12.7 19.1









#71
 Anthracene
 Concen: 36.08 ng
 RT: 17.68 min Scan# 1469
 Delta R.T. -0.01 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:178 Resp: 288540
 Ion Ratio Lower Upper
 178 100
 176 19.2 15.4 23.0
 179 15.5 11.9 17.9



#72
 Carbazole
 Concen: 35.29 ng
 RT: 17.97 min Scan# 1495
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion:167 Resp: 273670
 Ion Ratio Lower Upper
 167 100
 166 21.4 17.0 25.6
 139 14.2 11.3 16.9





#73

Di-n-butylphthalate

Concen: 38.98 ng

RT: 18.58 min Scan# 1548

Delta R.T. 0.00 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10


Instrument :

BNA_F

ClientSampleId :

Tot Ion:149 Resp: 349917




Ion	Ratio	Lower	Upper
149	100		
150	8.4	6.9	10.3
104	4.7	3.7	5.5



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 104.00 (103.70 to 104.70): E



#74

Fluoranthene

Concen: 35.80 ng

RT: 19.25 min Scan# 1607


Delta R.T. 0.00 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10

Tgt Ion:202 Resp: 300814



Ion	Ratio	Lower	Upper
202	100		
101	11.4	0.0	30.7
203	17.4	0.0	36.9




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 21.08 min Scan# 1767
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampleID :


Tot Ion:240 Resp: 128633
 Ion Ratio Lower Upper
 240 100
 120 8.3 10.4 15.6#
 236 24.2 20.2 30.2



#76
 Benzidine
 Concen: 32.33 ng
 RT: 19.51 min Scan# 1629
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion:184 Resp: 133059
 Ion Ratio Lower Upper
 184 100
 185 14.6 11.4 17.2
 183 12.0 9.0 13.6









#77
Pvrene
Concen: 36.11 ng
RT: 19.54 min Scan# 1632
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10




Instrument :
BNA_F
ClientSampleId :


Tot Ion:202 Resp: 318323
Ion Ratio Lower Upper
202 100
200 20.6 16.7 25.1
203 17.2 14.0 21.0



#78
Terphenyl-d14
Concen: 68.87 ng
RT: 19.81 min Scan# 1656
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:244 Resp: 384785
Ion Ratio Lower Upper
244 100
212 7.3 6.3 9.5
122 12.5 10.1 15.1









#79
Butylbenzylphthalate
Concen: 40.05 ng
RT: 20.48 min Scan# 1714
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10




Instrument :
BNA_F
ClientSampleId :


Tot Ion:149 Resp: 159922
Ion Ratio Lower Upper
149 100
91 81.0 50.6 76.0#
206 13.2 12.8 19.2



#80
Benzo(a)anthracene
Concen: 37.32 ng
RT: 21.07 min Scan# 1766
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:228 Resp: 301197
Ion Ratio Lower Upper
228 100
226 25.9 22.1 33.1
229 18.3 15.5 23.3









#81
 3,3'-Dichlorobenzidine
 Concen: 29.25 ng
 RT: 21.08 min Scan# 1767
 Delta R.T. 0.00 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10




Instrument :
 BNA_F
 ClientSampled :


Tot Ion:252 Resp: 75007
 Ion Ratio Lower Upper
 252 100
 254 66.7 50.2 75.4
 126 12.7 11.5 17.3



#82
 Chrysene
 Concen: 34.50 ng
 RT: 21.11 min Scan# 1769
 Delta R.T. -0.01 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Tgt Ion:228 Resp: 253900
 Ion Ratio Lower Upper
 228 100
 226 30.0 23.4 35.0
 229 19.5 15.4 23.0





#83

Bis(2-ethylhexyl)phthalate

Concen: 40.54 ng

RT: 21.22 min Scan# 1779

Delta R.T. 0.00 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10

Instrument :

BNA_F

ClientSampleId :


Tot Ion:149 Resp: 223967

Ion Ratio Lower Upper

149 100

167 23.5 20.6 30.8




279 1.8 2.2 3.2#



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#84

Di-n-octyl phthalate

Concen: 40.50 ng

RT: 21.99 min Scan# 1846

Delta R.T. 0.00 min

Lab File: BF077158.D

Acq: 2 Feb 2015 15:10


Tgt Ion:149 Resp: 388284

Ion Ratio Lower Upper

149 100

167 1.4 1.1 1.7



43 8.4 6.6 10.0




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 43.00 (42.70 to 43.70): BF0









#85
Indeno(1,2,3-cd)pyrene
Concen: 35.57 ng
RT: 23.84 min Scan# 2008
Delta R.T. 0.02 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Instrument :
BNA_F
ClientSampleId :

Tot Ion:276 Resp: 277459
Ion Ratio Lower Upper
276 100
138 26.4 14.6 22.0#
277 24.9 14.8 22.2#




Abundance Ion 276.00 (275.70 to 276.70): E
Ion 138.00 (137.70 to 138.70): E
Ion 277.00 (276.70 to 277.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 22.73 min Scan# 1911
Delta R.T. 0.01 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:264 Resp: 110894
Ion Ratio Lower Upper
264 100
260 23.0 19.0 28.4
265 22.6 18.1 27.1



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E









#87
Benzo(b)fluoranthene
Concen: 46.62 ng
RT: 22.32 min Scan# 1875
Delta R.T. 0.00 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10




Instrument :
BNA_F
ClientSampleId :


Tot Ion:252 Resp: 348169
Ion Ratio Lower Upper
252 100
253 21.4 17.5 26.3
125 8.7 9.4 14.0#



#88
Benzo(k)fluoranthene
Concen: 53.35 ng
RT: 22.32 min Scan# 1875
Delta R.T. -0.03 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:252 Resp: 348153
Ion Ratio Lower Upper
252 100
253 21.4 17.2 25.8
125 8.7 7.1 10.7









#89
Benzo(a)pyrene
Concen: 39.76 ng
RT: 22.67 min Scan# 1906
Delta R.T. 0.01 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10




Instrument :
BNA_F
ClientSampleId :




Tot Ion:252 Resp: 261950
Ion Ratio Lower Upper
252 100
253 21.1 17.9 26.9
125 8.2 7.2 10.8



#90
Dibenzo(a,h)anthracene
Concen: 39.25 ng
RT: 23.86 min Scan# 2010
Delta R.T. 0.02 min
Lab File: BF077158.D
Acq: 2 Feb 2015 15:10

Tgt Ion:278 Resp: 237232
Ion Ratio Lower Upper
278 100
139 15.2 10.5 15.7
279 24.1 19.3 28.9





#91
 Benzo(a,h,i)perylene
 Concen: 39.35 ng
 RT: 24.10 min Scan# 2031
 Delta R.T. 0.01 min
 Lab File: BF077158.D
 Acq: 2 Feb 2015 15:10

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
276	100		
277	23.1	19.5	29.3
138	23.1	15.0	22.6

