

Data Path : Z:\HPCHEM1\BNA F\DATA\BF020217\
 Data File : BF092768.D
 Acq On : 3 Feb 2017 9:47
 Operator : SJ/MA
 Sample : I1647-05
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-03

Quant Time: Feb 03 10:23:18 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF013017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 30 14:50:05 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.93	152	150190	20.00	ng	-0.03
21) Naphthalene-d8	8.22	136	578620	20.00	ng	-0.03
38) Acenaphthene-d10	9.97	164	315018	20.00	ng	-0.03
63) Phenanthrene-d10	11.46	188	459308	20.00	ng	-0.03
75) Chrysene-d12	14.10	240	308044	20.00	ng	-0.05
86) Perylene-d12	15.56	264	301805	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.54	112	543487	62.08	ng	-0.03
7) Phenol-d6	6.57	99	513618	45.60	ng	-0.03
23) Nitrobenzene-d5	7.50	82	918614	88.41	ng	-0.03
41) 2,4,6-Tribromophenol	10.77	330	279344	122.61	ng	-0.03
44) 2-Fluorobiphenyl	9.30	172	1451973	83.50	ng	-0.03
78) Terphenyl-d14	13.05	244	1053826	80.38	ng	-0.03


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF020217\
Data File : BF092768.D
Acq On : 3 Feb 2017 9:47
Operator : SJ/MA
Sample : I1647-05
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-03

Quant Time: Feb 03 10:23:18 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF013017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 30 14:50:05 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.93 min Scan# 424

Delta R.T. -0.03 min

Lab File: BF092768.D

Acq: 3 Feb 2017 9:47

Instrument :

BNA_F

ClientSampleId :

MW-03


Tot Ion:152 Resp: 150190

Ion Ratio Lower Upper

152 100

150 157.2 124.9 187.3




115 59.3 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 62.08 ng

RT: 5.54 min Scan# 302

Delta R.T. -0.03 min

Lab File: BF092768.D

Acq: 3 Feb 2017 9:47


Tgt Ion:112 Resp: 543487

Ion Ratio Lower Upper

112 100

64 64.9 46.1 69.1



63 31.8 23.8 35.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 45.60 ng

RT: 6.57 min Scan# 392

Delta R.T. -0.03 min

Lab File: BF092768.D

Acq: 3 Feb 2017 9:47

Instrument :

BNA_F

ClientSampleId :

MW-03


Tot Ion: 99 Resp: 513618

Ion Ratio Lower Upper

99 100

42 20.8 15.6 23.4




71 32.6 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.22 min Scan# 537

Delta R.T. -0.03 min

Lab File: BF092768.D

Acq: 3 Feb 2017 9:47

Tgt Ion: 136 Resp: 578620


Ion Ratio Lower Upper

136 100

137 11.1 8.4 12.6

54 9.4 4.5 6.7#

68 6.5 3.6 5.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0




Ion 68.00 (67.70 to 68.70): BF0








Instrument :
BNA_F
ClientSampleId :
MW-03

Tot	Ion: 82	Resp:	918614
Ion	Ratio	Lower	Upper
82	100		
128	46.0	34.6	52.0
54	55.4	39.5	59.3



Tgt	Ion:164	Resp:	315018
Ion	Ratio	Lower	Upper
164	100		
162	101.0	80.2	120.2
160	43.9	36.9	55.3









#41
 2,4,6-Tribromophenol
 Concen: 122.61 ng
 RT: 10.77 min Scan# 760
 Delta R.T. -0.03 min
 Lab File: BF092768.D
 Acq: 3 Feb 2017 9:47




Instrument :
 BNA_F
 ClientSampleId :
 MW-03


Tot Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.4	116.2
141	35.8	34.1	51.1



#44
 2-Fluorobiphenyl
 Concen: 83.50 ng
 RT: 9.30 min Scan# 631
 Delta R.T. -0.03 min
 Lab File: BF092768.D
 Acq: 3 Feb 2017 9:47

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	29.4	44.0
170	24.4	20.2	30.4









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.46 min Scan# 820
Delta R.T. -0.03 min
Lab File: BF092768.D
Acq: 3 Feb 2017 9:47




Instrument :
BNA_F
ClientSampleId :
MW-03


Tot Ion:188 Resp: 459308
Ion Ratio Lower Upper
188 100
94 12.9 10.0 15.0
80 13.9 11.2 16.8



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.10 min Scan# 1051
Delta R.T. -0.05 min
Lab File: BF092768.D
Acq: 3 Feb 2017 9:47

Tgt Ion:240 Resp: 308044
Ion Ratio Lower Upper
240 100
120 9.6 12.9 19.3#
236 25.8 20.9 31.3





#78

Terphenyl-d14

Concen: 80.38 ng

RT: 13.05 min Scan# 959

Delta R.T. -0.03 min

Lab File: BF092768.D

Acq: 3 Feb 2017 9:47

Instrument :

BNA_F

ClientSampleId :

MW-03


Tot Ion:244 Resp: 1053826

Ion Ratio Lower Upper

244 100

212 7.4 6.2 9.2




122 11.8 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.56 min Scan# 1179

Delta R.T. -0.05 min

Lab File: BF092768.D

Acq: 3 Feb 2017 9:47


Tgt Ion:264 Resp: 301805

Ion Ratio Lower Upper

264 100

260 24.1 19.2 28.8

265 21.4 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

