

Data Path : Z:\HPCHEM1\BNA F\DATA\BF020217\
 Data File : BF092769.D
 Acq On : 3 Feb 2017 10:15
 Operator : SJ/MA
 Sample : I1647-06
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-13

Quant Time: Feb 03 11:08:07 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF013017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 30 14:50:05 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.93	152	139651	20.00	ng	-0.03
21) Naphthalene-d8	8.22	136	535828	20.00	ng	-0.03
38) Acenaphthene-d10	9.97	164	258264	20.00	ng	-0.03
63) Phenanthrene-d10	11.46	188	370536	20.00	ng	-0.03
75) Chrysene-d12	14.10	240	329611	20.00	ng	-0.05
86) Perylene-d12	15.56	264	319116	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.54	112	564334	69.33	ng	-0.03
7) Phenol-d6	6.57	99	538528	51.42	ng	-0.03
23) Nitrobenzene-d5	7.50	82	889012	92.39	ng	-0.03
41) 2,4,6-Tribromophenol	10.77	330	251066	134.41	ng	-0.03
44) 2-Fluorobiphenyl	9.30	172	1328314	93.18	ng	-0.03
78) Terphenyl-d14	13.05	244	1112845	79.33	ng	-0.03


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF020217\
Data File : BF092769.D
Acq On : 3 Feb 2017 10:15
Operator : SJ/MA
Sample : I1647-06
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-13

Quant Time: Feb 03 11:08:07 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF013017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 30 14:50:05 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.93 min Scan# 424

Delta R.T. -0.03 min

Lab File: BF092769.D

Acq: 3 Feb 2017 10:15

Instrument :

BNA_F

ClientSampleId :

MW-13


Tot Ion:152 Resp: 139651

Ion Ratio Lower Upper

152 100

150 156.3 124.9 187.3




115 58.4 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 69.33 ng

RT: 5.54 min Scan# 302

Delta R.T. -0.03 min

Lab File: BF092769.D

Acq: 3 Feb 2017 10:15


Tgt Ion:112 Resp: 564334

Ion Ratio Lower Upper

112 100

64 65.0 46.1 69.1



63 31.7 23.8 35.6



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 51.42 ng

RT: 6.57 min Scan# 392

Delta R.T. -0.03 min

Lab File: BF092769.D

Acq: 3 Feb 2017 10:15

Instrument :

BNA_F

ClientSampleId :

MW-13


Tot Ion: 99 Resp: 538528

Ion Ratio Lower Upper

99 100

42 20.8 15.6 23.4




71 32.3 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.22 min Scan# 537

Delta R.T. -0.03 min

Lab File: BF092769.D

Acq: 3 Feb 2017 10:15

Tgt Ion: 136 Resp: 535828


Ion Ratio Lower Upper

136 100

137 10.9 8.4 12.6

54 9.0 4.5 6.7#

68 6.0 3.6 5.4#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 92.39 ng
 RT: 7.50 min Scan# 474
 Delta R.T. -0.03 min
 Lab File: BF092769.D
 Acq: 3 Feb 2017 10:15

Instrument :
 BNA_F
 ClientSampleId :
 MW-13

Tot Ion: 82 Resp: 889012
 Ion Ratio Lower Upper
 82 100
 128 46.2 34.6 52.0
 54 54.0 39.5 59.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.97 min Scan# 690
 Delta R.T. -0.03 min
 Lab File: BF092769.D
 Acq: 3 Feb 2017 10:15

Tgt Ion:164 Resp: 258264
 Ion Ratio Lower Upper
 164 100
 162 100.8 80.2 120.2
 160 42.9 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 134.41 ng
 RT: 10.77 min Scan# 760
 Delta R.T. -0.03 min
 Lab File: BF092769.D
 Acq: 3 Feb 2017 10:15

Instrument :
 BNA_F
 ClientSampleId :
 MW-13

Tot Ion:330 Resp: 251066
 Ion Ratio Lower Upper
 330 100
 332 97.2 77.4 116.2
 141 31.8 34.1 51.1#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 93.18 ng
 RT: 9.30 min Scan# 631
 Delta R.T. -0.03 min
 Lab File: BF092769.D
 Acq: 3 Feb 2017 10:15

Tgt Ion:172 Resp: 1328314
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.4 44.0
 170 24.5 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.46 min Scan# 820
Delta R.T. -0.03 min
Lab File: BF092769.D
Acq: 3 Feb 2017 10:15




Instrument :
BNA_F
ClientSampled :
MW-13


Tot Ion:188 Resp: 370536
Ion Ratio Lower Upper
188 100
94 11.2 10.0 15.0
80 12.1 11.2 16.8



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.10 min Scan# 1051
Delta R.T. -0.05 min
Lab File: BF092769.D
Acq: 3 Feb 2017 10:15

Tgt Ion:240 Resp: 329611
Ion Ratio Lower Upper
240 100
120 8.9 12.9 19.3#
236 25.9 20.9 31.3





#78

Terphenyl-d14

Concen: 79.33 ng

RT: 13.05 min Scan# 959

Delta R.T. -0.03 min

Lab File: BF092769.D

Acq: 3 Feb 2017 10:15

Instrument :

BNA_F

ClientSampleId :

MW-13


Tot Ion:244 Resp: 1112845

Ion Ratio Lower Upper

244 100

212 7.6 6.2 9.2




122 11.7 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.56 min Scan# 1179

Delta R.T. -0.05 min

Lab File: BF092769.D

Acq: 3 Feb 2017 10:15


Tgt Ion:264 Resp: 319116

Ion Ratio Lower Upper

264 100

260 24.4 19.2 28.8

265 21.2 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

