

Data Path : Z:\HPCHEM1\BNA F\Data\BF020315\
 Data File : BF077167.D
 Acq On : 3 Feb 2015 18:18
 Operator : TP/IZ
 Sample : PB81584BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB81584BL

Quant Time: Feb 04 01:26:21 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 04 01:16:25 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	24788	20.00	ng	0.00
21) Naphthalene-d8	10.59	136	97997	20.00	ng	0.00
38) Acenaphthene-d10	14.71	164	48917	20.00	ng	0.00
63) Phenanthrene-d10	17.56	188	101217	20.00	ng	0.00
75) Chrysene-d12	21.07	240	97495	20.00	ng	0.00
86) Perylene-d12	22.71	264	87755	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	4.69	112	184279	122.23	ng	0.00
7) Phenol-d6	7.08	99	230524	121.21	ng	0.00
23) Nitrobenzene-d5	8.98	82	135909	76.83	ng	-0.01
41) 2,4,6-Tribromophenol	16.44	330	49129	123.73	ng	0.00
44) 2-Fluorobiphenyl	13.24	172	294633	91.66	ng	0.00
78) Terphenyl-d14	19.81	244	357901	84.51	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\Data\BF020315\
Data File : BF077167.D
Acq On : 3 Feb 2015 18:18
Operator : TP/IZ
Sample : PB81584BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB81584BL

Quant Time: Feb 04 01:26:21 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 04 01:16:25 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.69 min Scan# 595
Delta R.T. 0.00 min
Lab File: BF077167.D
Acq: 3 Feb 2015 18:18

Instrument :
BNA_F
ClientSampleId :
PB81584BL

Tot Ion:152 Resp: 24788
Ion Ratio Lower Upper
152 100
150 143.0 121.7 182.5
115 63.1 47.0 70.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 122.23 ng
RT: 4.69 min Scan# 333
Delta R.T. 0.00 min
Lab File: BF077167.D
Acq: 3 Feb 2015 18:18

Tgt Ion:112 Resp: 184279
Ion Ratio Lower Upper
112 100
64 63.4 54.2 81.4
63 34.2 28.4 42.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 121.21 ng

RT: 7.08 min Scan# 542

Delta R.T. 0.00 min

Lab File: BF077167.D

Acq: 3 Feb 2015 18:18

Instrument :

BNA_F

ClientSampleId :

PB81584BL


Tot Ion: 99 Resp: 230524

Ion Ratio Lower Upper

99 100

42 17.6 15.0 22.4




71 37.2 30.5 45.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.59 min Scan# 849

Delta R.T. 0.00 min

Lab File: BF077167.D

Acq: 3 Feb 2015 18:18

Tgt Ion: 136 Resp: 97997


Ion Ratio Lower Upper

136 100

137 11.9 8.1 12.1

54 8.9 7.0 10.4

68 4.2 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 76.83 ng
 RT: 8.98 min Scan# 708
 Delta R.T. -0.01 min
 Lab File: BF077167.D
 Acq: 3 Feb 2015 18:18




Instrument :
 BNA_F
 ClientSampleID :
 PB81584BL


Tot Ion	82	Resp	135909
Ion Ratio	Lower	Upper	
82	100		
128	37.3	33.1	49.7
54	58.9	48.3	72.5



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.71 min Scan# 1209
 Delta R.T. 0.00 min
 Lab File: BF077167.D
 Acq: 3 Feb 2015 18:18

Tgt Ion	164	Resp	48917
Ion Ratio	Lower	Upper	
164	100		
162	105.7	82.4	123.6
160	44.8	34.8	52.2









#41
 2,4,6-Tribromophenol
 Concen: 123.73 ng
 RT: 16.44 min Scan# 1361
 Delta R.T. 0.00 min
 Lab File: BF077167.D
 Acq: 3 Feb 2015 18:18

Instrument :
 BNA_F
 ClientSampleId :
 PB81584BL

Tot Ion:330 Resp: 49129
 Ion Ratio Lower Upper
 330 100
 332 97.2 77.8 116.6
 141 53.6 38.5 57.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 91.66 ng
 RT: 13.24 min Scan# 1081
 Delta R.T. 0.00 min
 Lab File: BF077167.D
 Acq: 3 Feb 2015 18:18

Tgt Ion:172 Resp: 294633
 Ion Ratio Lower Upper
 172 100
 171 34.6 26.6 40.0
 170 22.9 18.0 27.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.56 min Scan# 1459

Delta R.T. 0.00 min

Lab File: BF077167.D

Acq: 3 Feb 2015 18:18

Instrument :

BNA_F

ClientSampled :

PB81584BL


Tot Ion:188 Resp: 101217

Ion Ratio Lower Upper

188 100

94 8.5 6.0 9.0

80 9.0 6.9 10.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0

100000

80000

60000

40000

20000



0

17.56

17.55

17.60

Time-->



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.07 min Scan# 1766

Delta R.T. 0.00 min

Lab File: BF077167.D

Acq: 3 Feb 2015 18:18


Tgt Ion:240 Resp: 97495

Ion Ratio Lower Upper

240 100

120 10.6 10.4 15.6

236 25.4 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E

100000

80000

60000

40000

20000

0


21.07


21.00

21.10

21.20

Time-->





#78

Terphenyl-d14

Concen: 84.51 ng

RT: 19.81 min Scan# 1656

Delta R.T. 0.00 min

Lab File: BF077167.D

Acq: 3 Feb 2015 18:18

Instrument :

BNA_F

ClientSampleId :

PB81584BL


Tot Ion:244 Resp: 357901

Ion Ratio Lower Upper

244 100

212 7.0 6.3 9.5




122 8.5 10.1 15.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 22.71 min Scan# 1909

Delta R.T. -0.01 min

Lab File: BF077167.D

Acq: 3 Feb 2015 18:18


Tgt Ion:264 Resp: 87755

Ion Ratio Lower Upper

264 100

260 24.2 19.0 28.4

265 21.8 18.1 27.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

