

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF020317\
 Data File : BF092781.D
 Acq On : 3 Feb 2017 17:59
 Operator : SJ/MA
 Sample : PB96705BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB96705BL

Quant Time: Feb 03 22:11:16 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF013017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 30 14:50:05 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.92	152	126549	20.00	ng	-0.05
21) Naphthalene-d8	8.21	136	529601	20.00	ng	-0.05
38) Acenaphthene-d10	9.97	164	329809	20.00	ng	-0.03
63) Phenanthrene-d10	11.46	188	487101	20.00	ng	-0.03
75) Chrysene-d12	14.10	240	445059	20.00	ng	-0.05
86) Perylene-d12	15.57	264	407724	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.54	112	1015378	137.65	ng	-0.03
7) Phenol-d6	6.57	99	1198142	126.24	ng	-0.03
23) Nitrobenzene-d5	7.49	82	866530	91.12	ng	-0.05
41) 2,4,6-Tribromophenol	10.76	330	283213	118.73	ng	-0.05
44) 2-Fluorobiphenyl	9.29	172	1610435	88.46	ng	-0.05
78) Terphenyl-d14	13.05	244	1397103	73.76	ng	-0.03
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.49	70	114442	18.94	ng	# 79
25) Isophorone	7.49	82	839878	47.39	ng	# 65
50) 2,6-Dinitrotoluene	9.97	165	41732	8.70	ng	# 30
56) 2,4-Dinitrotoluene	9.97	165	41734	6.53	ng	# 19
64) 4,6-Dinitro-2-methylphenol	10.76	198	534	2.84	ng	# 1
66) 4-Bromophenyl-phenylether	10.76	248	19252	3.78	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF020317\
Data File : BF092781.D
Acq On : 3 Feb 2017 17:59
Operator : SJ/MA
Sample : PB96705BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB96705BL

Quant Time: Feb 03 22:11:16 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF013017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 30 14:50:05 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.92 min Scan# 423

Delta R.T. -0.05 min

Lab File: BF092781.D

Acq: 3 Feb 2017 17:59

Instrument :

BNA_F

ClientSampleId :

PB96705BL


Tgt Ion:152 Resp: 126549

Ion Ratio Lower Upper

152 100

150 157.5 124.9 187.3




115 63.8 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 137.65 ng

RT: 5.54 min Scan# 302

Delta R.T. -0.03 min

Lab File: BF092781.D

Acq: 3 Feb 2017 17:59


Tgt Ion:112 Resp: 1015378

Ion Ratio Lower Upper

112 100

64 64.1 46.1 69.1



63 31.6 23.8 35.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 126.24 ng

RT: 6.57 min Scan# 392

Delta R.T. -0.03 min

Lab File: BF092781.D

Acq: 3 Feb 2017 17:59

Instrument :

BNA_F

ClientSampleId :

PB96705BL


Tgt Ion: 99 Resp: 1198142

Ion Ratio Lower Upper

99 100

42 20.2 15.6 23.4




71 33.5 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 18.94 ng

RT: 7.49 min Scan# 473

Delta R.T. 0.11 min

Lab File: BF092781.D

Acq: 3 Feb 2017 17:59

Tgt Ion: 70 Resp: 114442


Ion Ratio Lower Upper

70 100

42 49.0 49.4 74.0#

101 0.0 7.4 11.2#

130 2.0 14.2 21.4#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.21 min Scan# 536
Delta R.T. -0.05 min
Lab File: BF092781.D
Acq: 3 Feb 2017 17:59

Instrument :
BNA_F
ClientSampleId :
PB96705BL

Tgt Ion:	136	Resp:	529601
Ion	Ratio	Lower	Upper
136	100		
137	10.5	8.4	12.6
54	7.0	4.5	6.7#
68	5.1	3.6	5.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 91.12 ng
RT: 7.49 min Scan# 473
Delta R.T. -0.05 min
Lab File: BF092781.D
Acq: 3 Feb 2017 17:59

Tgt Ion:	82	Resp:	866530
Ion	Ratio	Lower	Upper
82	100		
128	46.2	34.6	52.0
54	53.9	39.5	59.3



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#25

Isophorone

Concen: 47.39 ng

RT: 7.49 min Scan# 473

Delta R.T. -0.30 min

Lab File: BF092781.D

Acq: 3 Feb 2017 17:59

Instrument :

BNA_F

ClientSampleId :

PB96705BL


Tgt Ion: 82 Resp: 839878

Ion Ratio Lower Upper




82 100

95 0.0 5.6 8.4#

138 0.0 14.6 22.0#



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 95.00 (94.70 to 95.70): BF0
Ion 138.00 (137.70 to 138.70): E



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.97 min Scan# 690

Delta R.T. -0.03 min

Lab File: BF092781.D

Acq: 3 Feb 2017 17:59


Tgt Ion:164 Resp: 329809

Ion Ratio Lower Upper



164 100


162 100.4 80.2 120.2

160 42.8 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 118.73 ng
 RT: 10.76 min Scan# 759
 Delta R.T. -0.05 min
 Lab File: BF092781.D
 Acq: 3 Feb 2017 17:59

Instrument :
 BNA_F
 ClientSampleId :
 PB96705BL

Tgt Ion:330 Resp: 283213
 Ion Ratio Lower Upper
 330 100
 332 96.2 77.4 116.2
 141 35.4 34.1 51.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 88.46 ng
 RT: 9.29 min Scan# 630
 Delta R.T. -0.05 min
 Lab File: BF092781.D
 Acq: 3 Feb 2017 17:59

Tgt Ion:172 Resp: 1610435
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.4 44.0
 170 24.4 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
 2,6-Dinitrotoluene
 Concen: 8.70 ng
 RT: 9.97 min Scan# 690
 Delta R.T. 0.18 min
 Lab File: BF092781.D
 Acq: 3 Feb 2017 17:59




Instrument :
 BNA_F
 ClientSampled :
 PB96705BL


Tgt Ion:165 Resp: 41732
 Ion Ratio Lower Upper
 165 100
 63 1.0 36.2 54.4#
 89 0.8 40.2 60.4#



#56
 2,4-Dinitrotoluene
 Concen: 6.53 ng
 RT: 9.97 min Scan# 690
 Delta R.T. -0.23 min
 Lab File: BF092781.D
 Acq: 3 Feb 2017 17:59

Tgt Ion:165 Resp: 41734
 Ion Ratio Lower Upper
 165 100
 63 1.0 40.2 60.4#
 89 0.8 62.5 93.7#
 182 0.0 1.8 2.8#









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.46 min Scan# 820
Delta R.T. -0.03 min
Lab File: BF092781.D
Acq: 3 Feb 2017 17:59

Instrument :
BNA_F
ClientSampleId :
PB96705BL

Tgt Ion:188 Resp: 487101
Ion Ratio Lower Upper
188 100
94 10.6 10.0 15.0
80 11.1 11.2 16.8#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#64
4,6-Dinitro-2-methylphenol
Concen: 2.84 ng
RT: 10.76 min Scan# 759
Delta R.T. 0.15 min
Lab File: BF092781.D
Acq: 3 Feb 2017 17:59

Tgt Ion:198 Resp: 534
Ion Ratio Lower Upper
198 100
51 176.3 6.7 46.7#
105 154.4 16.6 56.6#



Abundance Ion 198.00 (197.70 to 198.70): E
Ion 51.00 (50.70 to 51.70): BF0
Ion 105.00 (104.70 to 105.70): E









#66
 4-Bromophenyl-phenylether
 Concen: 3.78 ng
 RT: 10.76 min Scan# 759
 Delta R.T. -0.27 min
 Lab File: BF092781.D
 Acq: 3 Feb 2017 17:59

Instrument :
 BNA_F
 ClientSampleId :
 PB96705BL

Tgt Ion:248 Resp: 19252
 Ion Ratio Lower Upper
 248 100
 250 203.9 76.9 115.3#
 141 542.1 68.2 102.4#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 14.10 min Scan# 1051
 Delta R.T. -0.05 min
 Lab File: BF092781.D
 Acq: 3 Feb 2017 17:59

Tgt Ion:240 Resp: 445059
 Ion Ratio Lower Upper
 240 100
 120 14.6 12.9 19.3
 236 25.6 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 73.76 ng

RT: 13.05 min Scan# 959

Delta R.T. -0.03 min

Lab File: BF092781.D

Acq: 3 Feb 2017 17:59

Instrument :

BNA_F

ClientSampleID :

PB96705BL


Tgt Ion:244 Resp: 1397103

Ion Ratio Lower Upper

244 100

212 7.8 6.2 9.2




122 14.7 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.57 min Scan# 1180

Delta R.T. -0.03 min

Lab File: BF092781.D

Acq: 3 Feb 2017 17:59


Tgt Ion:264 Resp: 407724

Ion Ratio Lower Upper

264 100

260 23.7 19.2 28.8

265 21.5 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

