

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020321\
 Data File : BF123103.D
 Acq On : 3 Feb 2021 14:39
 Operator : JU/CG
 Sample : M1292-08
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OU421-003-1015

Quant Time: Feb 03 15:24:54 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF012721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 29 12:29:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	227399	20.00	ng	0.00
21) Naphthalene-d8	8.175	136	887615	20.00	ng	0.00
39) Acenaphthene-d10	9.933	164	483234	20.00	ng	0.00
64) Phenanthrene-d10	11.427	188	882950	20.00	ng	0.00
76) Chrysene-d12	14.074	240	666871	20.00	ng	-0.01
86) Perylene-d12	15.568	264	565962	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	1314174	89.15	ng	0.00
7) Phenol-d6	6.516	99	1687814	84.47	ng	0.00
23) Nitrobenzene-d5	7.451	82	1056872	59.92	ng	-0.01
42) 2,4,6-Tribromophenol	10.727	330	508164	96.87	ng	0.00
45) 2-Fluorobiphenyl	9.257	172	1898405	58.40	ng	0.00
79) Terphenyl-d14	13.021	244	2095868	61.75	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020321\
Data File : BF123103.D
Acq On : 3 Feb 2021 14:39
Operator : JU/CG
Sample : M1292-08
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OU421-003-1015

Quant Time: Feb 03 15:24:54 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF012721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 29 12:29:00 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.892 min Scan# 817
 Delta R.T. 0.000 min
 Lab File: BF123103.D
 Acq: 3 Feb 2021 14:39




Instrument :
 BNA_F
 ClientSampleId :
 OU421-003-1015


Tgt Ion:152 Resp: 227399
 Ion Ratio Lower Upper
 152 100
 150 156.4 125.8 188.6
 115 62.0 49.3 73.9



#5
 2-Fluorophenol
 Concen: 89.15 ng
 RT: 5.510 min Scan# 582
 Delta R.T. 0.006 min
 Lab File: BF123103.D
 Acq: 3 Feb 2021 14:39

Tgt Ion:112 Resp: 1314174
 Ion Ratio Lower Upper
 112 100
 64 58.3 46.9 70.3
 63 29.9 24.5 36.7









#7
Phenol-d6
Concen: 84.47 ng
RT: 6.516 min Scan# 753
Delta R.T. -0.000 min
Lab File: BF123103.D
Acq: 3 Feb 2021 14:39




Instrument :
BNA_F
ClientSampleId :
OU421-003-1015


Tgt Ion: 99 Resp: 1687814
Ion Ratio Lower Upper
99 100
42 17.9 13.8 20.6
71 33.4 26.9 40.3



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.006 min
Lab File: BF123103.D
Acq: 3 Feb 2021 14:39

Tgt Ion: 136 Resp: 887615
Ion Ratio Lower Upper
136 100
137 11.3 8.8 13.2
54 8.2 5.5 8.3
68 6.4 4.6 6.8





#23

Nitrobenzene-d5

Concen: 59.92 ng

RT: 7.451 min Scan# 912

Delta R.T. -0.012 min

Lab File: BF123103.D

Acq: 3 Feb 2021 14:39

Tgt Ion: 82 Resp: 1056872





Ion	Ratio	Lower	Upper
82	100		
128	44.3	37.0	55.4
54	50.3	38.4	57.6

Instrument :

BNA_F

ClientSampleId :

OU421-003-1015



#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.933 min Scan# 1334




Delta R.T. -0.006 min


Lab File: BF123103.D

Acq: 3 Feb 2021 14:39

Tgt Ion:164 Resp: 483234

Ion	Ratio	Lower	Upper
164	100		
162	101.7	80.8	121.2
160	44.9	35.4	53.0









#42
2,4,6-Tribromophenol
Concen: 96.87 ng
RT: 10.727 min Scan# 1469
Delta R.T. -0.006 min
Lab File: BF123103.D
Acq: 3 Feb 2021 14:39




Instrument :
BNA_F
ClientSampleId :
OU421-003-1015


Tgt Ion:330 Resp: 508164
Ion Ratio Lower Upper
330 100
332 97.5 77.5 116.3
141 32.1 23.8 35.8



#45
2-Fluorobiphenyl
Concen: 58.40 ng
RT: 9.257 min Scan# 1219
Delta R.T. -0.006 min
Lab File: BF123103.D
Acq: 3 Feb 2021 14:39

Tgt Ion:172 Resp: 1898405
Ion Ratio Lower Upper
172 100
171 36.7 29.6 44.4
170 24.2 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.427 min Scan# 1588
Delta R.T. -0.006 min
Lab File: BF123103.D
Acq: 3 Feb 2021 14:39




Instrument :
BNA_F
ClientSampleId :
OU421-003-1015


Tgt Ion:188 Resp: 882950
Ion Ratio Lower Upper
188 100
94 9.8 7.4 11.2
80 10.6 8.2 12.4



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.074 min Scan# 2038
Delta R.T. -0.012 min
Lab File: BF123103.D
Acq: 3 Feb 2021 14:39

Tgt Ion:240 Resp: 666871
Ion Ratio Lower Upper
240 100
120 12.6 8.6 12.8
236 26.1 20.3 30.5









#79
Terphenyl-d14
Concen: 61.75 ng
RT: 13.021 min Scan# 1859
Delta R.T. -0.006 min
Lab File: BF123103.D
Acq: 3 Feb 2021 14:39

Instrument :
BNA_F
ClientSampleId :
OU421-003-1015

Tgt Ion:244 Resp: 2095868
Ion Ratio Lower Upper
244 100
212 7.3 5.7 8.5
122 11.5 8.3 12.5



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.568 min Scan# 2292
Delta R.T. -0.000 min
Lab File: BF123103.D
Acq: 3 Feb 2021 14:39

Tgt Ion:264 Resp: 565962
Ion Ratio Lower Upper
264 100
260 23.1 18.6 28.0
265 21.1 17.0 25.6

