

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020425\
 Data File : BF141412.D
 Acq On : 04 Feb 2025 16:56
 Operator : RC/JU
 Sample : Q1262-03
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CONCRETE-PAD

Quant Time: Feb 04 17:21:34 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 17:41:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.787	152	69003	20.000	ng	-0.02
21) Naphthalene-d8	8.069	136	275893	20.000	ng	-0.02
39) Acenaphthene-d10	9.822	164	156816	20.000	ng	-0.02
64) Phenanthrene-d10	11.316	188	263787	20.000	ng	-0.01
76) Chrysene-d12	13.957	240	242944	20.000	ng	#-0.02
86) Perylene-d12	15.416	264	203062	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.410	112	249350	55.476	ng	0.00
7) Phenol-d6	6.428	99	366855	64.160	ng	-0.01
23) Nitrobenzene-d5	7.345	82	294531	56.278	ng	-0.02
42) 2,4,6-Tribromophenol	10.616	330	47228	32.851	ng	-0.02
45) 2-Fluorobiphenyl	9.145	172	589601	57.871	ng	-0.02
79) Terphenyl-d14	12.904	244	764232	48.513	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propyla...	7.345	70	39290	11.564	ng	# 79
25) Isophorone	7.345	82	291759	32.250	ng	# 64
50) Dimethylphthalate	9.822	163	21696	2.048	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020425\
Data File : BF141412.D
Acq On : 04 Feb 2025 16:56
Operator : RC/JU
Sample : Q1262-03
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CONCRETE-PAD

Quant Time: Feb 04 17:21:34 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 29 17:41:25 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.787 min Scan# 79
Delta R.T. -0.017 min
Lab File: BF141412.D
Acq: 04 Feb 2025 16:56




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PAD


Tgt Ion:152 Resp: 69003
Ion Ratio Lower Upper
152 100
150 158.1 125.9 188.9
115 66.8 49.7 74.5



#5
2-Fluorophenol
Concen: 55.476 ng
RT: 5.410 min Scan# 564
Delta R.T. -0.000 min
Lab File: BF141412.D
Acq: 04 Feb 2025 16:56

Tgt Ion:112 Resp: 249350
Ion Ratio Lower Upper
112 100
64 61.0 49.8 74.8
63 34.2 26.1 39.1









#7
Phenol-d6
Concen: 64.160 ng
RT: 6.428 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF141412.D
Acq: 04 Feb 2025 16:56




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PAD


Tgt Ion: 99 Resp: 366855
Ion Ratio Lower Upper
99 100
42 22.9 17.1 25.7
71 37.8 26.9 40.3



#19
n-Nitroso-di-n-propylamine
Concen: 11.564 ng
RT: 7.345 min Scan# 893
Delta R.T. 0.118 min
Lab File: BF141412.D
Acq: 04 Feb 2025 16:56

Tgt Ion: 70 Resp: 39290
Ion Ratio Lower Upper
70 100
42 58.3 56.8 85.2
101 0.0 7.7 11.5#
130 2.3 16.8 25.2#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.069 min Scan# 1016
Delta R.T. -0.018 min
Lab File: BF141412.D
Acq: 04 Feb 2025 16:56

Instrument :
BNA_F
ClientSampleId :
CONCRETE-PAD

Tgt Ion:136 Resp: 275893




Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	9.3	7.8	11.8
68	4.9	4.9	7.3




#23
Nitrobenzene-d5
Concen: 56.278 ng
RT: 7.345 min Scan# 893
Delta R.T. -0.024 min
Lab File: BF141412.D
Acq: 04 Feb 2025 16:56

Tgt Ion: 82 Resp: 294531

Ion	Ratio	Lower	Upper
82	100		
128	42.4	35.7	53.5
54	60.8	47.1	70.7









#25
Isophorone
Concen: 32.250 ng
RT: 7.345 min Scan# 89
Delta R.T. -0.282 min
Lab File: BF141412.D
Acq: 04 Feb 2025 16:56




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PAD


Tgt Ion: 82 Resp: 291759
Ion Ratio Lower Upper
82 100
95 0.0 5.8 8.6#
138 0.0 14.7 22.1#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.822 min Scan# 1314
Delta R.T. -0.018 min
Lab File: BF141412.D
Acq: 04 Feb 2025 16:56


Tgt Ion: 164 Resp: 156816
Ion Ratio Lower Upper
164 100
162 101.3 80.6 121.0
160 44.4 35.8 53.6








#42
2,4,6-Tribromophenol
Concen: 32.851 ng
RT: 10.616 min Scan# 1449
Delta R.T. -0.018 min
Lab File: BF141412.D
Acq: 04 Feb 2025 16:56

Instrument :
BNA_F
ClientSampleId :
CONCRETE-PAD







Tgt Ion:330 Resp: 47228
Ion Ratio Lower Upper
330 100
332 98.3 76.1 114.1
141 37.4 28.8 43.2



#45
2-Fluorobiphenyl
Concen: 57.871 ng
RT: 9.145 min Scan# 1199
Delta R.T. -0.018 min
Lab File: BF141412.D
Acq: 04 Feb 2025 16:56

Tgt Ion:172 Resp: 589601
Ion Ratio Lower Upper
172 100
171 35.5 28.8 43.2
170 23.1 19.0 28.6









#50
Dimethylphthalate
Concen: 2.048 ng
RT: 9.822 min Scan# 11
Delta R.T. 0.253 min
Lab File: BF141412.D
Acq: 04 Feb 2025 16:56




Instrument :
BNA_F
ClientSampleId :
CONCRETE-PAD


Tgt Ion:163 Resp: 21696
Ion Ratio Lower Upper
163 100
194 0.0 3.0 4.6#
164 580.2 8.0 12.0#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.316 min Scan# 1568
Delta R.T. -0.012 min
Lab File: BF141412.D
Acq: 04 Feb 2025 16:56

Tgt Ion:188 Resp: 263787
Ion Ratio Lower Upper
188 100
94 9.4 7.8 11.6
80 10.0 8.2 12.4





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.957 min Scan# 20

Delta R.T. -0.018 min

Lab File: BF141412.D

Acq: 04 Feb 2025 16:56

Instrument :

BNA_F

ClientSampleId :

CONCRETE-PAD





Tgt Ion:240 Resp: 242944

Ion Ratio Lower Upper

240 100

120 9.5 10.0 15.0#

236 25.8 19.7 29.5



#79

Terphenyl-d14

Concen: 48.513 ng

RT: 12.904 min Scan# 1838

Delta R.T. -0.012 min

Lab File: BF141412.D

Acq: 04 Feb 2025 16:56




Tgt Ion:244 Resp: 764232


Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0

122 10.2 8.8 13.2





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.416 min Scan# 21
 Delta R.T. -0.024 min
 Lab File: BF141412.D
 Acq: 04 Feb 2025 16:56

Instrument :
 BNA_F
 ClientSampleId :
 CONCRETE-PAD

Tgt Ion:264 Resp: 203062
 Ion Ratio Lower Upper
 264 100
 260 23.1 18.6 27.8
 265 21.4 16.7 25.1

