

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF020516\
 Data File : BF084858.D
 Acq On : 5 Feb 2016 14:32
 Operator : SJ/IZ
 Sample : H1329-10
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 S4-B009(10-12)

Quant Time: Feb 05 22:17:37 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF020116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 03 14:16:01 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.66	152	173011	20.00	ng	-0.02
21) Naphthalene-d8	7.95	136	715951	20.00	ng	-0.02
38) Acenaphthene-d10	9.70	164	338840	20.00	ng	-0.03
63) Phenanthrene-d10	11.17	188	624878	20.00	ng	-0.03
75) Chrysene-d12	13.80	240	494328	20.00	ng	-0.03
86) Perylene-d12	15.17	264	332167	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	1326064	119.38	ng	-0.02
7) Phenol-d6	6.32	99	1597178	115.99	ng	-0.02
23) Nitrobenzene-d5	7.23	82	964937	75.92	ng	-0.03
41) 2,4,6-Tribromophenol	10.49	330	472637	133.73	ng	-0.03
44) 2-Fluorobiphenyl	9.02	172	1656579	81.04	ng	-0.03
78) Terphenyl-d14	12.76	244	1421261	65.15	ng	-0.03
Target Compounds						
15) Benzyl Alcohol	6.82	79	20349	2.14	ng	# 47
19) n-Nitroso-di-n-propylamine	7.23	70	134962	15.64	ng	# 73
49) Dimethylphthalate	9.42	163	381919	14.80	ng	# 90
56) 2,4-Dinitrotoluene	9.70	165	43411	6.04	ng	# 22
66) 4-Bromophenyl-phenylether	10.49	248	31457	4.56	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF020516\
Data File : BF084858.D
Acq On : 5 Feb 2016 14:32
Operator : SJ/IZ
Sample : H1329-10
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
S4-B009(10-12)

Quant Time: Feb 05 22:17:37 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF020116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 03 14:16:01 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.66 min Scan# 400

Delta R.T. -0.02 min

Lab File: BF084858.D

Acq: 5 Feb 2016 14:32

Instrument :

BNA_F

ClientSampleId :

S4-B009(10-12)


Tgt Ion:152 Resp: 173011

Ion Ratio Lower Upper

152 100

150 157.8 123.0 184.4



115 68.7 51.4 77.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 119.38 ng

RT: 5.25 min Scan# 277

Delta R.T. -0.02 min

Lab File: BF084858.D

Acq: 5 Feb 2016 14:32


Tgt Ion:112 Resp: 1326064

Ion Ratio Lower Upper

112 100

64 64.9 36.6 55.0#



63 34.5 19.4 29.0#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 115.99 ng

RT: 6.32 min Scan# 370

Delta R.T. -0.02 min

Lab File: BF084858.D

Acq: 5 Feb 2016 14:32

Instrument :

BNA_F

ClientSampleId :

S4-B009(10-12)


Tgt Ion: 99 Resp: 1597178

Ion Ratio Lower Upper

99 100

42 21.0 12.8 19.2#




71 38.5 30.9 46.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#15

Benzyl Alcohol

Concen: 2.14 ng

RT: 6.82 min Scan# 414

Delta R.T. -0.02 min

Lab File: BF084858.D

Acq: 5 Feb 2016 14:32


Tgt Ion: 79 Resp: 20349

Ion Ratio Lower Upper

79 100

108 34.4 69.0 103.4#



77 99.3 50.0 75.0#





Abundance Ion 79.00 (78.70 to 79.70): BF0

Ion 108.00 (107.70 to 108.70): BF0

Ion 77.00 (76.70 to 77.70): BF0








#19
n-Nitroso-di-n-propylamine
Concen: 15.64 ng
RT: 7.23 min Scan# 450
Delta R.T. 0.11 min
Lab File: BF084858.D
Acq: 5 Feb 2016 14:32


Instrument :
BNA_F
ClientSampleId :
S4-B009(10-12)


Tgt Ion:	70	Resp:	134962
Ion	Ratio	Lower	Upper
70	100		
42	47.3	33.3	49.9
101	0.0	9.3	13.9#
130	1.7	23.4	35.0#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.95 min Scan# 513
Delta R.T. -0.02 min
Lab File: BF084858.D
Acq: 5 Feb 2016 14:32

Tgt Ion:	136	Resp:	715951
Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.7	13.1
54	6.2	5.8	8.8
68	3.6	4.2	6.2#









#23
 Nitrobenzene-d5
 Concen: 75.92 ng
 RT: 7.23 min Scan# 450
 Delta R.T. -0.03 min
 Lab File: BF084858.D
 Acq: 5 Feb 2016 14:32




Instrument :
 BNA_F
 ClientSampleId :
 S4-B009(10-12)


Tgt Ion: 82 Resp: 964937
 Ion Ratio Lower Upper
 82 100
 128 42.8 34.6 51.8
 54 57.2 38.4 57.6



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.70 min Scan# 666
 Delta R.T. -0.03 min
 Lab File: BF084858.D
 Acq: 5 Feb 2016 14:32

Tgt Ion: 164 Resp: 338840
 Ion Ratio Lower Upper
 164 100
 162 105.2 85.1 127.7
 160 49.2 37.5 56.3









#41
 2,4,6-Tribromophenol
 Concen: 133.73 ng
 RT: 10.49 min Scan# 735
 Delta R.T. -0.03 min
 Lab File: BF084858.D
 Acq: 5 Feb 2016 14:32




Instrument :
 BNA_F
 ClientSampleId :
 S4-B009(10-12)


Tgt Ion:330 Resp: 472637
 Ion Ratio Lower Upper
 330 100
 332 97.8 76.6 114.8
 141 37.3 27.8 41.6



#44
 2-Fluorobiphenyl
 Concen: 81.04 ng
 RT: 9.02 min Scan# 607
 Delta R.T. -0.03 min
 Lab File: BF084858.D
 Acq: 5 Feb 2016 14:32

Tgt Ion:172 Resp: 1656579
 Ion Ratio Lower Upper
 172 100
 171 36.3 28.9 43.3
 170 24.6 18.6 27.8









#49
Dimethylphthalate
Concen: 14.80 ng
RT: 9.42 min Scan# 642
Delta R.T. -0.05 min
Lab File: BF084858.D
Acq: 5 Feb 2016 14:32




Instrument :
BNA_F
ClientSampleId :
S4-B009(10-12)


Tgt Ion:163 Resp: 381919
Ion Ratio Lower Upper
163 100
194 3.0 8.0 12.0#
164 10.4 8.0 12.0



#56
2,4-Dinitrotoluene
Concen: 6.04 ng
RT: 9.70 min Scan# 666
Delta R.T. -0.23 min
Lab File: BF084858.D
Acq: 5 Feb 2016 14:32

Tgt Ion:165 Resp: 43411
Ion Ratio Lower Upper
165 100
63 1.5 36.7 55.1#
89 2.0 61.9 92.9#
182 0.0 2.0 3.0#





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.17 min Scan# 795

Delta R.T. -0.03 min

Lab File: BF084858.D

Acq: 5 Feb 2016 14:32

Instrument :

BNA_F

ClientSampleId :

S4-B009(10-12)


Tgt Ion:188 Resp: 624878

Ion Ratio Lower Upper

188 100

94 8.5 9.0 13.4#




80 8.6 9.6 14.4#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#66

4-Bromophenyl-phenylether

Concen: 4.56 ng

RT: 10.49 min Scan# 735

Delta R.T. -0.27 min

Lab File: BF084858.D

Acq: 5 Feb 2016 14:32


Tgt Ion:248 Resp: 31457

Ion Ratio Lower Upper

248 100

250 195.3 78.4 117.6#



141 443.1 44.0 66.0#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.80 min Scan# 1025

Delta R.T. -0.03 min

Lab File: BF084858.D

Acq: 5 Feb 2016 14:32

Instrument :

BNA_F

ClientSampleId :

S4-B009(10-12)


Tgt Ion:240 Resp: 494328

Ion Ratio Lower Upper

240 100

120 9.0 9.5 14.3#



236 25.8 20.6 31.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 65.15 ng

RT: 12.76 min Scan# 934

Delta R.T. -0.03 min

Lab File: BF084858.D

Acq: 5 Feb 2016 14:32


Tgt Ion:244 Resp: 1421261

Ion Ratio Lower Upper

244 100

212 7.7 5.7 8.5



122 13.5 7.4 11.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.17 min Scan# 1145
Delta R.T. -0.03 min
Lab File: BF084858.D
Acq: 5 Feb 2016 14:32

Instrument :
BNA_F
ClientSampleId :
S4-B009(10-12)

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.4	29.2
265	20.1	17.8	26.6



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

