

Data Path : Z:\HPCHEM1\BNA F\DATA\BF020516\
 Data File : BF084862.D
 Acq On : 5 Feb 2016 16:23
 Operator : SJ/IZ
 Sample : H1311-09
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SUP-B017(25-27)

Quant Time: Feb 05 22:31:15 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF020116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 03 14:16:01 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.66	152	174293	20.00	ng	-0.02
21) Naphthalene-d8	7.95	136	701730	20.00	ng	-0.02
38) Acenaphthene-d10	9.70	164	326551	20.00	ng	-0.03
63) Phenanthrene-d10	11.17	188	611077	20.00	ng	-0.03
75) Chrysene-d12	13.80	240	491502	20.00	ng	-0.03
86) Perylene-d12	15.17	264	331488	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	1371557	122.57	ng	-0.02
7) Phenol-d6	6.32	99	1663141	119.89	ng	-0.02
23) Nitrobenzene-d5	7.23	82	1050919	84.36	ng	-0.03
41) 2,4,6-Tribromophenol	10.49	330	483841	142.05	ng	-0.03
44) 2-Fluorobiphenyl	9.02	172	1759711	94.15	ng	-0.03
78) Terphenyl-d14	12.76	244	1573319	72.54	ng	-0.03
Target Compounds						
49) Dimethylphthalate	9.42	163	395302	15.89	ng	Qvalue # 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF020516\
Data File : BF084862.D
Acq On : 5 Feb 2016 16:23
Operator : SJ/IZ
Sample : H1311-09
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SUP-B017(25-27)

Quant Time: Feb 05 22:31:15 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF020116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 03 14:16:01 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.66 min Scan# 400

Delta R.T. -0.02 min

Lab File: BF084862.D

Acq: 5 Feb 2016 16:23

Instrument :

BNA_F

ClientSampleId :

SUP-B017(25-27)


Tot Ion:152 Resp: 174293

Ion Ratio Lower Upper

152 100

150 155.5 123.0 184.4




115 67.4 51.4 77.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 122.57 ng

RT: 5.25 min Scan# 277

Delta R.T. -0.02 min

Lab File: BF084862.D

Acq: 5 Feb 2016 16:23


Tgt Ion:112 Resp: 1371557

Ion Ratio Lower Upper

112 100

64 65.1 36.6 55.0#



63 34.5 19.4 29.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 119.89 ng

RT: 6.32 min Scan# 370

Delta R.T. -0.02 min

Lab File: BF084862.D

Acq: 5 Feb 2016 16:23

Instrument :





BNA_F

ClientSampleId :

SUP-B017(25-27)

Tot Ion: 99 Resp: 1663141

Ion	Ratio	Lower	Upper
99	100		
42	20.3	12.8	19.2#
71	37.8	30.9	46.3



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.95 min Scan# 513




Delta R.T. -0.02 min


Lab File: BF084862.D

Acq: 5 Feb 2016 16:23

Tgt Ion: 136 Resp: 701730

Ion	Ratio	Lower	Upper
136	100		
137	10.5	8.7	13.1
54	6.2	5.8	8.8
68	3.7	4.2	6.2#









#23
Nitrobenzene-d5
Concen: 84.36 ng
RT: 7.23 min Scan# 450
Delta R.T. -0.03 min
Lab File: BF084862.D
Acq: 5 Feb 2016 16:23




Instrument :
BNA_F
ClientSampleId :
SUP-B017(25-27)


Tot Ion: 82 Resp: 1050919
Ion Ratio Lower Upper
82 100
128 43.2 34.6 51.8
54 57.7 38.4 57.6#



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.70 min Scan# 666
Delta R.T. -0.03 min
Lab File: BF084862.D
Acq: 5 Feb 2016 16:23

Tgt Ion:164 Resp: 326551
Ion Ratio Lower Upper
164 100
162 104.7 85.1 127.7
160 48.5 37.5 56.3









#41
 2,4,6-Tribromophenol
 Concen: 142.05 ng
 RT: 10.49 min Scan# 735
 Delta R.T. -0.03 min
 Lab File: BF084862.D
 Acq: 5 Feb 2016 16:23




Instrument :
 BNA_F
 ClientSampleId :
 SUP-B017(25-27)


Tot Ion:330 Resp: 483841
 Ion Ratio Lower Upper
 330 100
 332 98.1 76.6 114.8
 141 40.8 27.8 41.6



#44
 2-Fluorobiphenyl
 Concen: 94.15 ng
 RT: 9.02 min Scan# 607
 Delta R.T. -0.03 min
 Lab File: BF084862.D
 Acq: 5 Feb 2016 16:23

Tgt Ion:172 Resp: 1759711
 Ion Ratio Lower Upper
 172 100
 171 36.7 28.9 43.3
 170 25.1 18.6 27.8









#49
Dimethylphthalate
Concen: 15.89 ng
RT: 9.42 min Scan# 642
Delta R.T. -0.05 min
Lab File: BF084862.D
Acq: 5 Feb 2016 16:23




Instrument :
BNA_F
ClientSampleId :
SUP-B017(25-27)


Tot Ion	Ratio	Lower	Upper
163	100		
194	2.9	8.0	12.0#
164	10.3	8.0	12.0



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.17 min Scan# 795
Delta R.T. -0.03 min
Lab File: BF084862.D
Acq: 5 Feb 2016 16:23

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.5	9.0	13.4#
80	8.7	9.6	14.4#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.80 min Scan# 1025

Delta R.T. -0.03 min

Lab File: BF084862.D

Acq: 5 Feb 2016 16:23

Instrument :

BNA_F

ClientSampleId :

SUP-B017(25-27)


Tot Ion:240 Resp: 491502

Ion Ratio Lower Upper

240 100

120 8.9 9.5 14.3#




236 25.9 20.6 31.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 72.54 ng

RT: 12.76 min Scan# 934

Delta R.T. -0.03 min

Lab File: BF084862.D

Acq: 5 Feb 2016 16:23


Tgt Ion:244 Resp: 1573319

Ion Ratio Lower Upper

244 100

212 7.7 5.7 8.5



122 13.3 7.4 11.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.17 min Scan# 1145
 Delta R.T. -0.03 min
 Lab File: BF084862.D
 Acq: 5 Feb 2016 16:23

Instrument :
 BNA_F
 ClientSampleId :
 SUP-B017(25-27)

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.4	29.2
265	21.9	17.8	26.6



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

