

Data Path : Z:\HPCHEM1\BNA F\DATA\BF020516\
 Data File : BF084865.D
 Acq On : 5 Feb 2016 17:47
 Operator : SJ/IZ
 Sample : H1311-03
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SUP-B007(11-12.5)

Quant Time: Feb 05 22:53:41 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF020116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 03 14:16:01 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.66	152	179757	20.00	ng	-0.02
21) Naphthalene-d8	7.95	136	720548	20.00	ng	-0.02
38) Acenaphthene-d10	9.70	164	344065	20.00	ng	-0.03
63) Phenanthrene-d10	11.17	188	635033	20.00	ng	-0.03
75) Chrysene-d12	13.80	240	496909	20.00	ng	-0.03
86) Perylene-d12	15.17	264	337065	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	1181854	102.41	ng	-0.02
7) Phenol-d6	6.32	99	1601117	111.91	ng	-0.02
23) Nitrobenzene-d5	7.23	82	927167	72.49	ng	-0.03
41) 2,4,6-Tribromophenol	10.49	330	449018	125.11	ng	-0.03
44) 2-Fluorobiphenyl	9.02	172	1561013	72.84	ng	-0.03
78) Terphenyl-d14	12.76	244	1447181	66.00	ng	-0.03
Target Compounds						
49) Dimethylphthalate	9.42	163	382710	14.60	ng	Qvalue # 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF020516\
Data File : BF084865.D
Acq On : 5 Feb 2016 17:47
Operator : SJ/IZ
Sample : H1311-03
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SUP-B007(11-12.5)

Quant Time: Feb 05 22:53:41 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF020116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 03 14:16:01 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.66 min Scan# 400

Delta R.T. -0.02 min

Lab File: BF084865.D

Acq: 5 Feb 2016 17:47

Instrument :

BNA_F

ClientSampleId :

SUP-B007(11-12.5)


Tot Ion:152 Resp: 179757

Ion Ratio Lower Upper

152 100

150 154.6 123.0 184.4




115 66.3 51.4 77.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 102.41 ng

RT: 5.25 min Scan# 277

Delta R.T. -0.02 min

Lab File: BF084865.D

Acq: 5 Feb 2016 17:47


Tgt Ion:112 Resp: 1181854

Ion Ratio Lower Upper

112 100

64 65.2 36.6 55.0#



63 34.4 19.4 29.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 111.91 ng

RT: 6.32 min Scan# 370

Delta R.T. -0.02 min

Lab File: BF084865.D

Acq: 5 Feb 2016 17:47

Instrument :





BNA_F

ClientSampleId :

SUP-B007(11-12.5)

Tot Ion: 99 Resp: 1601117

Ion	Ratio	Lower	Upper
99	100		
42	20.4	12.8	19.2#
71	37.5	30.9	46.3



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.95 min Scan# 513




Delta R.T. -0.02 min


Lab File: BF084865.D

Acq: 5 Feb 2016 17:47

Tgt Ion: 136 Resp: 720548

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.7	13.1
54	6.4	5.8	8.8
68	3.7	4.2	6.2#









#23
Nitrobenzene-d5
Concen: 72.49 ng
RT: 7.23 min Scan# 450
Delta R.T. -0.03 min
Lab File: BF084865.D
Acq: 5 Feb 2016 17:47




Instrument :
BNA_F
ClientSampleId :
SUP-B007(11-12.5)


Tot Ion	82	Resp	927167
Ion Ratio	Lower	Upper	
82	100		
128	42.0	34.6	51.8
54	57.5	38.4	57.6



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.70 min Scan# 666
Delta R.T. -0.03 min
Lab File: BF084865.D
Acq: 5 Feb 2016 17:47

Tgt Ion	164	Resp	344065
Ion Ratio	Lower	Upper	
164	100		
162	104.5	85.1	127.7
160	48.8	37.5	56.3









#41
2,4,6-Tribromophenol
Concen: 125.11 ng
RT: 10.49 min Scan# 735
Delta R.T. -0.03 min
Lab File: BF084865.D
Acq: 5 Feb 2016 17:47

Instrument :
BNA_F
ClientSampleId :
SUP-B007(11-12.5)

Tot Ion:330 Resp: 449018
Ion Ratio Lower Upper
330 100
332 95.7 76.6 114.8
141 35.4 27.8 41.6




Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#44
2-Fluorobiphenyl
Concen: 72.84 ng
RT: 9.02 min Scan# 607
Delta R.T. -0.03 min
Lab File: BF084865.D
Acq: 5 Feb 2016 17:47

Tgt Ion:172 Resp: 1561013
Ion Ratio Lower Upper
172 100
171 37.4 28.9 43.3
170 25.0 18.6 27.8



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 14.60 ng

RT: 9.42 min Scan# 642

Delta R.T. -0.05 min

Lab File: BF084865.D

Acq: 5 Feb 2016 17:47

Instrument :

BNA_F

ClientSampleId :

SUP-B007(11-12.5)


Tot Ion:163 Resp: 382710

Ion Ratio Lower Upper

163 100

194 3.1 8.0 12.0#




164 10.5 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.17 min Scan# 795

Delta R.T. -0.03 min

Lab File: BF084865.D

Acq: 5 Feb 2016 17:47


Tgt Ion:188 Resp: 635033

Ion Ratio Lower Upper

188 100

94 8.1 9.0 13.4#



80 8.3 9.6 14.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrvsene-d12

Concen: 20.00 ng

RT: 13.80 min Scan# 1025

Delta R.T. -0.03 min

Lab File: BF084865.D

Acq: 5 Feb 2016 17:47

Instrument :

BNA_F

ClientSampleId :

SUP-B007(11-12.5)


Tot Ion:240 Resp: 496909

Ion Ratio Lower Upper

240 100

120 9.1 9.5 14.3#



236 25.8 20.6 31.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 66.00 ng

RT: 12.76 min Scan# 934

Delta R.T. -0.03 min

Lab File: BF084865.D

Acq: 5 Feb 2016 17:47


Tgt Ion:244 Resp: 1447181

Ion Ratio Lower Upper

244 100

212 7.7 5.7 8.5



122 13.2 7.4 11.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.17 min Scan# 1145
Delta R.T. -0.03 min
Lab File: BF084865.D
Acq: 5 Feb 2016 17:47

Instrument :
BNA_F
ClientSampleId :
SUP-B007(11-12.5)

Tot Ion:264 Resp: 337065

Ion	Ratio	Lower	Upper
264	100		
260	23.9	19.4	29.2
265	21.3	17.8	26.6



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

