

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020525\
 Data File : BF141439.D
 Acq On : 05 Feb 2025 11:47
 Operator : RC/JU
 Sample : PB166294BS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB166294BS

Quant Time: Feb 05 12:09:44 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 17:41:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.792	152	72987	20.000	ng	-0.01
21) Naphthalene-d8	8.075	136	285622	20.000	ng	#-0.01
39) Acenaphthene-d10	9.827	164	157073	20.000	ng	-0.01
64) Phenanthrene-d10	11.316	188	268815	20.000	ng	-0.01
76) Chrysene-d12	13.963	240	187164	20.000	ng	-0.01
86) Perylene-d12	15.427	264	163935	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.416	112	630538	132.627	ng	0.00
7) Phenol-d6	6.434	99	771514	127.565	ng	0.00
23) Nitrobenzene-d5	7.357	82	515185	95.086	ng	-0.01
42) 2,4,6-Tribromophenol	10.622	330	222970	154.841	ng	-0.01
45) 2-Fluorobiphenyl	9.151	172	954571	93.540	ng	-0.01
79) Terphenyl-d14	12.904	244	1162048	95.750	ng	-0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.551	88	75727	36.218	ng	95
3) Pyridine	3.281	79	189020	37.521	ng	95
4) n-Nitrosodimethylamine	3.228	42	144996	50.383	ng	83
6) Aniline	6.451	93	193758	37.847	ng	# 5
8) 2-Chlorophenol	6.581	128	240737	47.243	ng	96
9) Benzaldehyde	6.339	77	21533	6.147	ng	97
10) Phenol	6.445	94	287555	44.852	ng	# 68
11) bis(2-Chloroethyl)ether	6.528	93	216614	44.066	ng	99
12) 1,3-Dichlorobenzene	6.728	146	251649	44.789	ng	98
13) 1,4-Dichlorobenzene	6.810	146	262713	46.544	ng	100
14) 1,2-Dichlorobenzene	6.957	146	245753	46.497	ng	99
15) Benzyl Alcohol	6.934	79	214068	51.793	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.063	45	367278	42.966	ng	59
17) 2-Methylphenol	7.051	107	185339	44.752	ng	# 92
18) Hexachloroethane	7.304	117	99805	47.931	ng	97
19) n-Nitroso-di-n-propyla...	7.204	70	168244	46.816	ng	100
20) 3+4-Methylphenols	7.204	107	239419	47.083	ng	93
22) Acetophenone	7.198	105	333018	49.051	ng	99
24) Nitrobenzene	7.375	77	257434	45.849	ng	99
25) Isophorone	7.610	82	442481	47.245	ng	99
26) 2-Nitrophenol	7.692	139	127059	47.983	ng	96
27) 2,4-Dimethylphenol	7.733	122	175845	52.172	ng	96
28) bis(2-Chloroethoxy)met...	7.822	93	262769	43.985	ng	99
29) 2,4-Dichlorophenol	7.939	162	197168	47.784	ng	99
30) 1,2,4-Trichlorobenzene	8.016	180	213686	45.347	ng	99
31) Naphthalene	8.092	128	691208	45.810	ng	100
32) Benzoic acid	7.857	122	138729	44.774	ng	95
33) 4-Chloroaniline	8.145	127	109963	21.491	ng	98
34) Hexachlorobutadiene	8.210	225	136347	49.340	ng	99
35) Caprolactam	8.510	113	38058	28.242	ng	96
36) 4-Chloro-3-methylphenol	8.639	107	217975	49.249	ng	95
37) 2-Methylnaphthalene	8.786	142	450445	46.970	ng	99
38) 1-Methylnaphthalene	8.886	142	421785	44.773	ng	100
40) 1,2,4,5-Tetrachloroben...	8.951	216	213361	47.747	ng	98
41) Hexachlorocyclopentadiene	8.939	237	243063	184.182	ng	99
43) 2,4,6-Trichlorophenol	9.069	196	139484	47.690	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020525\
 Data File : BF141439.D
 Acq On : 05 Feb 2025 11:47
 Operator : RC/JU
 Sample : PB166294BS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 PB166294BS


Quant Time: Feb 05 12:09:44 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 29 17:41:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.116	196	148386	46.613	ng	98
46) 1,1'-Biphenyl	9.251	154	568607	46.418	ng	99
47) 2-Chloronaphthalene	9.275	162	426849	44.705	ng	99
48) 2-Nitroaniline	9.375	65	147311	49.051	ng	95
49) Acenaphthylene	9.692	152	656250	49.100	ng	100
50) Dimethylphthalate	9.557	163	504634	47.568	ng	100
51) 2,6-Dinitrotoluene	9.616	165	110496	44.859	ng	94
52) Acenaphthene	9.863	154	432036	45.247	ng	99
53) 3-Nitroaniline	9.786	138	65366	27.076	ng	95
54) 2,4-Dinitrophenol	9.898	184	130643	114.095	ng	90
55) Dibenzofuran	10.039	168	602805	47.164	ng	97
56) 4-Nitrophenol	9.969	139	181575	102.840	ng	89
57) 2,4-Dinitrotoluene	10.022	165	157833	49.490	ng	91
58) Fluorene	10.380	166	482443	48.663	ng	98
59) 2,3,4,6-Tetrachlorophenol	10.116	232	132390	52.863	ng	94
60) Diethylphthalate	10.257	149	500958	48.702	ng	99
61) 4-Chlorophenyl-phenyle...	10.374	204	233801	48.279	ng	98
62) 4-Nitroaniline	10.404	138	114882	48.402	ng	90
63) Azobenzene	10.533	77	481359	46.750	ng	98
65) 4,6-Dinitro-2-methylph...	10.433	198	91087	57.286	ng	100
66) n-Nitrosodiphenylamine	10.492	169	421404	48.468	ng	99
67) 4-Bromophenyl-phenylether	10.863	248	145703	48.415	ng	99
68) Hexachlorobenzene	10.927	284	153026	47.936	ng	99
69) Atrazine	11.022	200	152376	52.417	ng	99
70) Pentachlorophenol	11.127	266	193550	103.538	ng	99
71) Phenanthrene	11.345	178	743871	51.479	ng	100
72) Anthracene	11.392	178	758044	53.540	ng	99
73) Carbazole	11.551	167	665174	52.983	ng	99
74) Di-n-butylphthalate	11.880	149	783458	51.494	ng	99
75) Fluoranthene	12.533	202	792604	55.552	ng	98
77) Benzidine	12.657	184	173242	28.873	ng	99
78) Pyrene	12.763	202	824927	45.916	ng	99
80) Butylbenzylphthalate	13.380	149	311075	49.562	ng	99
81) Benzo(a)anthracene	13.951	228	637983	49.397	ng	99
82) 3,3'-Dichlorobenzidine	13.915	252	98974	24.095	ng	98
83) Chrysene	13.992	228	562189	47.496	ng	100
84) Bis(2-ethylhexyl)phtha...	13.945	149	403170	50.636	ng	99
85) Di-n-octyl phthalate	14.574	149	602500	48.720	ng	98
87) Indeno(1,2,3-cd)pyrene	16.880	276	538149	50.861	ng	95
88) Benzo(b)fluoranthene	15.009	252	498092	48.302	ng	98
89) Benzo(k)fluoranthene	15.039	252	472495	51.723	ng	98
90) Benzo(a)pyrene	15.368	252	461267	52.934	ng	98
91) Dibenzo(a,h)anthracene	16.898	278	435153	51.119	ng	96
92) Benzo(g,h,i)perylene	17.315	276	407221	46.007	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Feb 05 12:09:44 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF012925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 29 17:41:25 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.792 min Scan# 79
 Delta R.T. -0.012 min
 Lab File: BF141439.D
 Acq: 05 Feb 2025 11:47




Instrument :
 BNA_F
 ClientSampleId :
 PB166294BS


Tgt Ion:152 Resp: 72987
 Ion Ratio Lower Upper
 152 100
 150 160.8 125.9 188.9
 115 63.3 49.7 74.5



#2
 1,4-Dioxane
 Concen: 36.218 ng
 RT: 2.551 min Scan# 78
 Delta R.T. 0.059 min
 Lab File: BF141439.D
 Acq: 05 Feb 2025 11:47

Tgt Ion: 88 Resp: 75727
 Ion Ratio Lower Upper
 88 100
 58 91.6 70.2 105.4
 43 38.9 27.6 41.4





#3

Pyridine

Concen: 37.521 ng

RT: 3.281 min Scan# 20

Delta R.T. 0.053 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :

PB166294BS





Tgt Ion: 79 Resp: 189020

Ion Ratio Lower Upper

79 100

52 92.0 70.3 105.5

51 47.4 34.3 51.5



#4

n-Nitrosodimethylamine

Concen: 50.383 ng

RT: 3.228 min Scan# 193

Delta R.T. 0.029 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47




Tgt Ion: 42 Resp: 144996


Ion Ratio Lower Upper

42 100

74 94.2 90.3 135.5

44 6.6 5.7 8.5









#5
2-Fluorophenol
Concen: 132.627 ng
RT: 5.416 min Scan# 50
Delta R.T. 0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:112 Resp: 630538
Ion Ratio Lower Upper
112 100
64 64.6 49.8 74.8
63 35.9 26.1 39.1



#6
Aniline
Concen: 37.847 ng
RT: 6.451 min Scan# 741
Delta R.T. -0.018 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion: 93 Resp: 193758
Ion Ratio Lower Upper
93 100
66 101.2 32.5 48.7#
65 63.6 17.0 25.6#









#7
Phenol-d6
Concen: 127.565 ng
RT: 6.434 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion: 99 Resp: 771514
Ion Ratio Lower Upper
99 100
42 23.5 17.1 25.7
71 38.2 26.9 40.3



#8
2-Chlorophenol
Concen: 47.243 ng
RT: 6.581 min Scan# 763
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:128 Resp: 240737
Ion Ratio Lower Upper
128 100
130 33.2 12.5 52.5
64 48.4 32.9 72.9









#9
Benzaldehyde
Concen: 6.147 ng
RT: 6.339 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion: 77 Resp: 21533
Ion Ratio Lower Upper
77 100
105 101.5 79.4 119.4
106 97.7 74.6 114.6



#10
Phenol
Concen: 44.852 ng
RT: 6.445 min Scan# 740
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion: 94 Resp: 287555
Ion Ratio Lower Upper
94 100
65 42.5 10.8 50.8
66 68.2 23.3 63.3#









#11
bis(2-Chloroethyl)ether
Concen: 44.066 ng
RT: 6.528 min Scan# 711
Delta R.T. -0.018 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion: 93 Resp: 216614
Ion Ratio Lower Upper
93 100
63 83.4 65.0 105.0
95 32.6 12.4 52.4



#12
1,3-Dichlorobenzene
Concen: 44.789 ng
RT: 6.728 min Scan# 788
Delta R.T. -0.018 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion: 146 Resp: 251649
Ion Ratio Lower Upper
146 100
148 64.2 51.2 76.8
75 35.2 26.2 39.4





#13

1,4-Dichlorobenzene

Concen: 46.544 ng

RT: 6.810 min Scan# 80

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :

PB166294BS





Tgt Ion:146 Resp: 262713

Ion Ratio Lower Upper

146 100

148 63.7 51.2 76.8

111 43.4 35.0 52.4



#14

1,2-Dichlorobenzene

Concen: 46.497 ng

RT: 6.957 min Scan# 827

Delta R.T. -0.018 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47




Tgt Ion:146 Resp: 245753


Ion Ratio Lower Upper

146 100

148 63.7 50.5 75.7

111 47.0 36.6 55.0









#15
Benzyl Alcohol
Concen: 51.793 ng
RT: 6.934 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion: 79 Resp: 214068
Ion Ratio Lower Upper
79 100
108 73.1 61.4 92.0
77 62.1 49.9 74.9



#16
2,2'-oxybis(1-Chloropropane)
Concen: 42.966 ng
RT: 7.063 min Scan# 845
Delta R.T. -0.018 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion: 45 Resp: 367278
Ion Ratio Lower Upper
45 100
77 27.5 0.0 31.8
79 24.0 0.0 29.1









#17
2-Methylphenol
Concen: 44.752 ng
RT: 7.051 min Scan# 843
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:107 Resp: 185339
Ion Ratio Lower Upper
107 100
108 112.5 90.8 136.2
77 57.3 36.2 54.4#
79 55.3 35.7 53.5#



#18
Hexachloroethane
Concen: 47.931 ng
RT: 7.304 min Scan# 886
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:117 Resp: 99805
Ion Ratio Lower Upper
117 100
119 94.6 76.6 114.8
201 98.9 74.8 112.2









#19
n-Nitroso-di-n-propylamine
Concen: 46.816 ng
RT: 7.204 min Scan# 869
Delta R.T. -0.024 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Instrument :
BNA_F
ClientSampleId :
PB166294BS

Tgt Ion: 70 Resp: 168244




Ion	Ratio	Lower	Upper
70	100		
42	71.3	56.8	85.2
101	9.6	7.7	11.5
130	21.4	16.8	25.2




#20
3+4-Methylphenols
Concen: 47.083 ng
RT: 7.204 min Scan# 869
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion: 107 Resp: 239419

Ion	Ratio	Lower	Upper
107	100		
108	89.2	70.9	110.9
77	132.4	98.5	138.5
79	31.6	9.5	49.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.075 min Scan# 1018
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:136	Resp: 285622
Ion Ratio	Lower Upper
136 100	
137 10.8	8.6 13.0
54 8.8	7.8 11.8
68 4.6	4.9 7.3#



#22
Acetophenone
Concen: 49.051 ng
RT: 7.198 min Scan# 868
Delta R.T. -0.018 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt	Ion:105	Resp:	333018
Ion	Ratio	Lower	Upper
105	100		
71	6.9	6.8	10.2
51	41.0	32.6	49.0
120	21.4	17.4	26.0





#23

Nitrobenzene-d5

Concen: 95.086 ng

RT: 7.357 min Scan# 895

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :

PB166294BS





Tgt Ion: 82 Resp: 515185

Ion Ratio Lower Upper

82 100

128 43.8 35.7 53.5

54 58.9 47.1 70.7



#24

Nitrobenzene

Concen: 45.849 ng

RT: 7.375 min Scan# 898

Delta R.T. -0.018 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47




Tgt Ion: 77 Resp: 257434


Ion Ratio Lower Upper

77 100

123 46.2 37.3 55.9

65 15.0 11.8 17.6









#25
Isophorone
Concen: 47.245 ng
RT: 7.610 min Scan# 91
Delta R.T. -0.018 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion: 82 Resp: 442481
Ion Ratio Lower Upper
82 100
95 7.8 5.8 8.6
138 17.9 14.7 22.1



#26
2-Nitrophenol
Concen: 47.983 ng
RT: 7.692 min Scan# 952
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:139 Resp: 127059
Ion Ratio Lower Upper
139 100
109 33.1 23.8 35.6
65 54.2 42.2 63.4









#27
2,4-Dimethylphenol
Concen: 52.172 ng
RT: 7.733 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:122 Resp: 175845
Ion Ratio Lower Upper
122 100
107 119.1 89.9 134.9
121 58.3 46.1 69.1



#28
bis(2-Chloroethoxy)methane
Concen: 43.985 ng
RT: 7.822 min Scan# 974
Delta R.T. -0.018 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion: 93 Resp: 262769
Ion Ratio Lower Upper
93 100
95 32.3 26.2 39.2
123 11.5 10.2 15.4









#29
2,4-Dichlorophenol
Concen: 47.784 ng
RT: 7.939 min Scan# 994
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:162 Resp: 197168
Ion Ratio Lower Upper
162 100
164 64.8 44.2 84.2
98 37.6 18.2 58.2



#30
1,2,4-Trichlorobenzene
Concen: 45.347 ng
RT: 8.016 min Scan# 1007
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:180 Resp: 213686
Ion Ratio Lower Upper
180 100
182 94.7 76.4 114.6
145 30.8 24.9 37.3









#31
Naphthalene
Concen: 45.810 ng
RT: 8.092 min Scan# 10
Delta R.T. -0.018 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:128 Resp: 691208
Ion Ratio Lower Upper
128 100
129 11.2 8.9 13.3
127 13.4 10.6 15.8



#32
Benzoic acid
Concen: 44.774 ng
RT: 7.857 min Scan# 980
Delta R.T. -0.024 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:122 Resp: 138729
Ion Ratio Lower Upper
122 100
105 128.1 103.4 143.4
77 96.0 70.9 110.9









#33
4-Chloroaniline
Concen: 21.491 ng
RT: 8.145 min Scan# 1030
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:	127	Resp:	109963
Ion	Ratio	Lower	Upper
127	100		
129	33.1	25.7	38.5
65	32.2	26.4	39.6
92	20.1	15.1	22.7



#34
Hexachlorobutadiene
Concen: 49.340 ng
RT: 8.210 min Scan# 1040
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:	225	Resp:	136347
Ion	Ratio	Lower	Upper
225	100		
223	61.1	50.4	75.6
227	64.3	51.3	76.9









#35
 Caprolactam
 Concen: 28.242 ng
 RT: 8.510 min Scan# 1109
 Delta R.T. -0.035 min
 Lab File: BF141439.D
 Acq: 05 Feb 2025 11:47




Instrument :
 BNA_F
 ClientSampleId :
 PB166294BS


Tgt Ion:113 Resp: 38058
 Ion Ratio Lower Upper
 113 100
 55 192.3 182.9 222.9
 56 147.6 127.9 167.9



#36
 4-Chloro-3-methylphenol
 Concen: 49.249 ng
 RT: 8.639 min Scan# 1113
 Delta R.T. -0.000 min
 Lab File: BF141439.D
 Acq: 05 Feb 2025 11:47

Tgt Ion:107 Resp: 217975
 Ion Ratio Lower Upper
 107 100
 144 24.2 20.7 31.1
 142 74.8 63.8 95.8





#37

2-Methylnaphthalene

Concen: 46.970 ng

RT: 8.786 min Scan# 1138

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :





PB166294BS

Tgt Ion:142 Resp: 450445

Ion Ratio Lower Upper

142 100

141 90.1 71.3 106.9



#38

1-Methylnaphthalene

Concen: 44.773 ng

RT: 8.886 min Scan# 1155

Delta R.T. -0.012 min

Lab File: BF141439.D




Acq: 05 Feb 2025 11:47


Tgt Ion:142 Resp: 421785

Ion Ratio Lower Upper

142 100

141 91.5 73.2 109.8









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.827 min Scan# 1165
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:164 Resp: 157073
Ion Ratio Lower Upper
164 100
162 100.6 80.6 121.0
160 43.7 35.8 53.6



#40
1,2,4,5-Tetrachlorobenzene
Concen: 47.747 ng
RT: 8.951 min Scan# 1166
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47


Tgt Ion:216 Resp: 213361
Ion Ratio Lower Upper
216 100
214 78.1 63.2 94.8
179 22.0 17.8 26.8
108 21.0 15.0 22.6








#41
Hexachlorocyclopentadiene
Concen: 184.182 ng
RT: 8.939 min Scan# 1164
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Instrument :
BNA_F
ClientSampleId :
PB166294BS







Tgt Ion:237 Resp: 243063
Ion Ratio Lower Upper
237 100
235 62.3 42.9 82.9
272 12.8 0.0 32.8



#42
2,4,6-Tribromophenol
Concen: 154.841 ng
RT: 10.622 min Scan# 1450
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:330 Resp: 222970
Ion Ratio Lower Upper
330 100
332 95.7 76.1 114.1
141 37.4 28.8 43.2





#43

2,4,6-Trichlorophenol

Concen: 47.690 ng

RT: 9.069 min Scan# 1186

Delta R.T. -0.006 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :

PB166294BS





Tgt Ion:196 Resp: 139484

Ion Ratio Lower Upper

196 100

198 100.9 81.8 122.6

200 32.3 26.3 39.5



#44

2,4,5-Trichlorophenol

Concen: 46.613 ng

RT: 9.116 min Scan# 1194

Delta R.T. -0.000 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Tgt Ion:196 Resp: 148386




Ion Ratio Lower Upper


196 100

198 101.7 80.5 120.7

97 56.7 42.8 64.2

132 29.8 23.5 35.3





#45

2-Fluorobiphenyl

Concen: 93.540 ng

RT: 9.151 min Scan# 11

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :

PB166294BS





Tgt Ion:172 Resp: 954571

Ion Ratio Lower Upper

172 100

171 35.4 28.8 43.2

170 23.4 19.0 28.6



#46

1,1'-Biphenyl

Concen: 46.418 ng

RT: 9.251 min Scan# 1217

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47




Tgt Ion:154 Resp: 568607


Ion Ratio Lower Upper

154 100

153 40.2 20.0 60.0

76 11.0 0.0 32.8





#47

2-Chloronaphthalene

Concen: 44.705 ng

RT: 9.275 min Scan# 11

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :

PB166294BS





Tgt Ion:162 Resp: 426849

Ion Ratio Lower Upper

162 100

127 42.6 33.7 50.5

164 32.9 25.9 38.9



#48

2-Nitroaniline

Concen: 49.051 ng

RT: 9.375 min Scan# 1238

Delta R.T. -0.006 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47




Tgt Ion: 65 Resp: 147311


Ion Ratio Lower Upper

65 100

92 63.4 53.3 79.9

138 99.5 83.6 125.4









#49
Acenaphthylene
Concen: 49.100 ng
RT: 9.692 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:152 Resp: 656250
Ion Ratio Lower Upper
152 100
151 20.3 16.2 24.2
153 13.8 11.0 16.6



#50
Dimethylphthalate
Concen: 47.568 ng
RT: 9.557 min Scan# 1269
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:163 Resp: 504634
Ion Ratio Lower Upper
163 100
194 4.0 3.0 4.6
164 10.0 8.0 12.0





#51

2,6-Dinitrotoluene

Concen: 44.859 ng

RT: 9.616 min Scan# 11

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :

PB166294BS





Tgt Ion:165 Resp: 110496

Ion Ratio Lower Upper

165 100

63 65.1 48.1 72.1

89 59.9 44.9 67.3



#52

Acenaphthene

Concen: 45.247 ng

RT: 9.863 min Scan# 1321

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47




Tgt Ion:154 Resp: 432036


Ion Ratio Lower Upper

154 100

153 112.9 89.0 133.4

152 51.0 40.2 60.4









#53
3-Nitroaniline
Concen: 27.076 ng
RT: 9.786 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:138 Resp: 65366
Ion Ratio Lower Upper
138 100
108 10.9 8.6 12.8
92 119.4 91.0 136.6



#54
2,4-Dinitrophenol
Concen: 114.095 ng
RT: 9.898 min Scan# 1327
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:184 Resp: 130643
Ion Ratio Lower Upper
184 100
63 74.1 54.1 81.1
154 72.5 50.7 76.1





#55

Dibenzofuran

Concen: 47.164 ng

RT: 10.039 min Scan# 1351

Delta R.T. -0.006 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :

PB166294BS





Tgt Ion:168 Resp: 602805

Ion Ratio Lower Upper

168 100

139 41.0 30.6 46.0

169 13.4 10.8 16.2



#56

4-Nitrophenol

Concen: 102.840 ng

RT: 9.969 min Scan# 1339

Delta R.T. 0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47




Tgt Ion:139 Resp: 181575


Ion Ratio Lower Upper

139 100

109 82.8 50.2 90.2


65 107.9 80.6 120.6








#57
2,4-Dinitrotoluene
Concen: 49.490 ng
RT: 10.022 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Instrument :
BNA_F
ClientSampleId :
PB166294BS







Tgt Ion:165 Resp: 157833
Ion Ratio Lower Upper
165 100
63 56.4 39.2 58.8
89 77.3 56.9 85.3
182 2.6 2.2 3.2



#58
Fluorene
Concen: 48.663 ng
RT: 10.380 min Scan# 1409
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:166 Resp: 482443
Ion Ratio Lower Upper
166 100
165 98.9 77.5 116.3
167 13.5 10.9 16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 52.863 ng
RT: 10.116 min Scan# 1364
Delta R.T. -0.047 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:232 Resp: 132390
Ion Ratio Lower Upper
232 100
131 42.1 36.4 54.6
130 2.4 1.9 2.9
166 25.4 24.1 36.1



#60
Diethylphthalate
Concen: 48.702 ng
RT: 10.257 min Scan# 1388
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:149 Resp: 500958
Ion Ratio Lower Upper
149 100
177 22.2 18.5 27.7
150 12.3 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 48.279 ng
RT: 10.374 min Scan# 1409
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:204 Resp: 233801
Ion Ratio Lower Upper
204 100
206 31.5 25.9 38.9
141 63.3 49.5 74.3



#62
4-Nitroaniline
Concen: 48.402 ng
RT: 10.404 min Scan# 1413
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:138 Resp: 114882
Ion Ratio Lower Upper
138 100
92 51.6 30.1 70.1
108 85.9 53.1 93.1





#63

Azobenzene

Concen: 46.750 ng

RT: 10.533 min Scan# 1435

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :

PB166294BS

Tgt Ion: 77 Resp: 481359





Ion Ratio Lower Upper

77 100

182 25.6 5.1 45.1

105 20.7 1.8 41.8

51 36.0 14.0 54.0



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.316 min Scan# 1568

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47




Tgt Ion:188 Resp: 268815


Ion Ratio Lower Upper

188 100

94 8.6 7.8 11.6

80 9.5 8.2 12.4









#65
4,6-Dinitro-2-methylphenol
Concen: 57.286 ng
RT: 10.433 min Scan# 1418
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:198 Resp: 91087
Ion Ratio Lower Upper
198 100
51 53.8 33.4 73.4
105 44.3 24.4 64.4



#66
n-Nitrosodiphenylamine
Concen: 48.468 ng
RT: 10.492 min Scan# 1428
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:169 Resp: 421404
Ion Ratio Lower Upper
169 100
168 66.9 53.0 79.4
167 36.4 28.8 43.2









#67
4-Bromophenyl-phenylether
Concen: 48.415 ng
RT: 10.863 min Scan# 1491
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:248 Resp: 145703
Ion Ratio Lower Upper
248 100
250 97.6 79.0 118.4
141 79.8 63.7 95.5



#68
Hexachlorobenzene
Concen: 47.936 ng
RT: 10.927 min Scan# 1502
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:284 Resp: 153026
Ion Ratio Lower Upper
284 100
142 37.7 29.5 44.3
249 32.7 25.4 38.2





#69

Atrazine

Concen: 52.417 ng

RT: 11.022 min Scan# 1519

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :

PB166294BS





Tgt Ion:200 Resp: 152376

Ion Ratio Lower Upper

200 100

173 24.8 5.9 45.9

215 45.2 25.2 65.2



#70

Pentachlorophenol

Concen: 103.538 ng

RT: 11.127 min Scan# 1536

Delta R.T. -0.006 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47




Tgt Ion:266 Resp: 193550


Ion Ratio Lower Upper

266 100

268 62.4 49.9 74.9

264 62.1 51.0 76.4









#71
Phenanthrene
Concen: 51.479 ng
RT: 11.345 min Scan# 1573
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:178 Resp: 743871
Ion Ratio Lower Upper
178 100
176 18.9 15.3 22.9
179 15.5 12.5 18.7



#72
Anthracene
Concen: 53.540 ng
RT: 11.392 min Scan# 1581
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47


Tgt Ion:178 Resp: 758044
Ion Ratio Lower Upper
178 100
176 18.6 15.0 22.6
179 15.7 12.3 18.5








#73
Carbazole
Concen: 52.983 ng
RT: 11.551 min Scan# 1608
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47


Instrument :
BNA_F
ClientSampleId :
PB166294BS





Tgt Ion:167 Resp: 665174
Ion Ratio Lower Upper
167 100
166 21.9 17.0 25.6
139 13.6 10.6 16.0




#74
Di-n-butylphthalate
Concen: 51.494 ng
RT: 11.880 min Scan# 1664
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47



Tgt Ion:149 Resp: 783458
Ion Ratio Lower Upper
149 100
150 9.3 7.4 11.2
104 5.4 3.9 5.9









#75
Fluoranthene
Concen: 55.552 ng
RT: 12.533 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:202 Resp: 792604
Ion Ratio Lower Upper
202 100
101 9.7 0.0 31.7
203 17.8 0.0 37.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.963 min Scan# 2018
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:240 Resp: 187164
Ion Ratio Lower Upper
240 100
120 10.3 10.0 15.0
236 26.0 19.7 29.5









#77
Benzidine
Concen: 28.873 ng
RT: 12.657 min Scan# 1796
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:184 Resp: 173242
Ion Ratio Lower Upper
184 100
185 14.4 11.9 17.9
183 12.1 9.5 14.3



#78
Pyrene
Concen: 45.916 ng
RT: 12.763 min Scan# 1814
Delta R.T. -0.006 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:202 Resp: 824927
Ion Ratio Lower Upper
202 100
200 21.3 17.0 25.4
203 17.2 14.3 21.5









#79
 Terphenyl-d14
 Concen: 95.750 ng
 RT: 12.904 min Scan# 11
 Delta R.T. -0.012 min
 Lab File: BF141439.D
 Acq: 05 Feb 2025 11:47




Instrument :
 BNA_F
 ClientSampleId :
 PB166294BS


Tgt Ion:244 Resp: 1162048
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.4 8.0
 122 10.9 8.8 13.2



#80
 Butylbenzylphthalate
 Concen: 49.562 ng
 RT: 13.380 min Scan# 1919
 Delta R.T. -0.012 min
 Lab File: BF141439.D
 Acq: 05 Feb 2025 11:47

Tgt Ion:149 Resp: 311075
 Ion Ratio Lower Upper
 149 100
 91 74.3 58.6 87.8
 206 20.6 16.7 25.1









#81
Benzo(a)anthracene
Concen: 49.397 ng
RT: 13.951 min Scan# 2010
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:228 Resp: 637983
Ion Ratio Lower Upper
228 100
226 27.1 21.4 32.2
229 19.8 15.5 23.3



#82
3,3'-Dichlorobenzidine
Concen: 24.095 ng
RT: 13.915 min Scan# 2010
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:252 Resp: 98974
Ion Ratio Lower Upper
252 100
254 62.9 51.3 76.9
126 10.8 10.0 15.0





#83

Chrysene

Concen: 47.496 ng

RT: 13.992 min Scan# 2015

Delta R.T. -0.006 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :

PB166294BS





Tgt Ion:228 Resp: 562189

Ion Ratio Lower Upper

228 100

226 29.8 24.1 36.1

229 19.6 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 50.636 ng

RT: 13.945 min Scan# 2015

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47




Tgt Ion:149 Resp: 403170


Ion Ratio Lower Upper

149 100

167 26.9 21.8 32.8

279 4.0 3.3 4.9





#85

Di-n-octyl phthalate

Concen: 48.720 ng

RT: 14.574 min Scan# 2124

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47

Instrument :

BNA_F

ClientSampleId :

PB166294BS





Tgt Ion:149 Resp: 602500

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9

43 11.6 9.8 14.8



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.427 min Scan# 2267

Delta R.T. -0.012 min

Lab File: BF141439.D

Acq: 05 Feb 2025 11:47




Tgt Ion:264 Resp: 163935


Ion Ratio Lower Upper

264 100

260 23.5 18.6 27.8


265 20.7 16.7 25.1








#87
Indeno(1,2,3-cd)pyrene
Concen: 50.861 ng
RT: 16.880 min Scan# 2114
Delta R.T. -0.018 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Instrument :
BNA_F
ClientSampleId :
PB166294BS







Tgt Ion:276 Resp: 538149
Ion Ratio Lower Upper
276 100
138 22.7 21.7 32.5
277 25.6 20.3 30.5



#88
Benzo(b)fluoranthene
Concen: 48.302 ng
RT: 15.009 min Scan# 2196
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:252 Resp: 498092
Ion Ratio Lower Upper
252 100
253 22.4 17.4 26.2
125 8.9 8.6 12.8









#89
Benzo(k)fluoranthene
Concen: 51.723 ng
RT: 15.039 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47




Instrument :
BNA_F
ClientSampleId :
PB166294BS


Tgt Ion:252 Resp: 472495
Ion Ratio Lower Upper
252 100
253 21.7 17.6 26.4
125 8.9 8.4 12.6



#90
Benzo(a)pyrene
Concen: 52.934 ng
RT: 15.368 min Scan# 2257
Delta R.T. -0.012 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:252 Resp: 461267
Ion Ratio Lower Upper
252 100
253 21.5 17.2 25.8
125 9.9 9.4 14.2









#91
Dibenzo(a,h)anthracene
Concen: 51.119 ng
RT: 16.898 min Scan# 21
Delta R.T. -0.024 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Instrument :
BNA_F
ClientSampleId :
PB166294BS

Tgt Ion:278 Resp: 435153
Ion Ratio Lower Upper
278 100
139 14.1 13.9 20.9
279 23.3 18.8 28.2



#92
Benzo(g,h,i)perylene
Concen: 46.007 ng
RT: 17.315 min Scan# 2588
Delta R.T. -0.030 min
Lab File: BF141439.D
Acq: 05 Feb 2025 11:47

Tgt Ion:276 Resp: 407221
Ion Ratio Lower Upper
276 100
277 23.6 19.2 28.8
138 19.7 19.0 28.4

