

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020625\
 Data File : BF141473.D
 Acq On : 06 Feb 2025 11:34
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005

Quant Time: Feb 06 16:00:09 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 15:49:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.787	152	89396	20.000	ng	0.00
21) Naphthalene-d8	8.069	136	358966	20.000	ng	0.00
39) Acenaphthene-d10	9.822	164	199514	20.000	ng	-0.01
64) Phenanthrene-d10	11.310	188	351213	20.000	ng	0.00
76) Chrysene-d12	13.951	240	295087	20.000	ng	-0.01
86) Perylene-d12	15.410	264	233325	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.410	112	55200	9.680	ng	0.00
7) Phenol-d6	6.422	99	72376	10.042	ng	-0.02
23) Nitrobenzene-d5	7.345	82	68257	9.918	ng	-0.02
42) 2,4,6-Tribromophenol	10.610	330	20060	10.009	ng	-0.02
45) 2-Fluorobiphenyl	9.145	172	136925	10.573	ng	0.00
79) Terphenyl-d14	12.892	244	166601	9.531	ng	-0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.487	88	11419	4.976	ng	95
3) Pyridine	3.228	79	23540	4.310	ng	97
4) n-Nitrosodimethylamine	3.152	42	16481	4.558	ng	# 96
6) Aniline	6.445	93	32993	4.880	ng	97
8) 2-Chlorophenol	6.575	128	31263	5.074	ng	99
9) Benzaldehyde	6.334	77	19944	5.207	ng	94
10) Phenol	6.440	94	37833	5.044	ng	97
11) bis(2-Chloroethyl)ether	6.522	93	28203	5.006	ng	97
12) 1,3-Dichlorobenzene	6.728	146	32913	5.060	ng	99
13) 1,4-Dichlorobenzene	6.804	146	34555	5.199	ng	97
14) 1,2-Dichlorobenzene	6.957	146	31141	5.049	ng	96
15) Benzyl Alcohol	6.928	79	26612	4.815	ng	96
16) 2,2'-oxybis(1-Chloropr...	7.063	45	49667	5.150	ng	99
17) 2-Methylphenol	7.045	107	24939	5.173	ng	96
18) Hexachloroethane	7.298	117	12043	4.896	ng	98
19) n-Nitroso-di-n-propyla...	7.192	70	21865	5.072	ng	97
20) 3+4-Methylphenols	7.198	107	32221	5.258	ng	94
22) Acetophenone	7.192	105	46441	5.201	ng	95
24) Nitrobenzene	7.363	77	33173	4.943	ng	99
25) Isophorone	7.604	82	54796	4.993	ng	99
26) 2-Nitrophenol	7.687	139	15331	4.592	ng	97
27) 2,4-Dimethylphenol	7.728	122	18659	4.784	ng	99
28) bis(2-Chloroethoxy)met...	7.816	93	34469	4.902	ng	100
29) 2,4-Dichlorophenol	7.934	162	25667	4.870	ng	97
30) 1,2,4-Trichlorobenzene	8.010	180	29321	5.109	ng	96
31) Naphthalene	8.092	128	95730	5.123	ng	99
32) Benzoic acid	7.798	122	12149	2.999	ng	95
33) 4-Chloroaniline	8.145	127	31729	4.864	ng	98
34) Hexachlorobutadiene	8.210	225	17323	5.028	ng	98
35) Caprolactam	8.475	113	7437	4.635	ng	94
36) 4-Chloro-3-methylphenol	8.628	107	27818	4.765	ng	98
37) 2-Methylnaphthalene	8.781	142	61742	5.078	ng	97
38) 1-Methylnaphthalene	8.881	142	61026	5.182	ng	98
40) 1,2,4,5-Tetrachloroben...	8.945	216	29023	5.028	ng	98
41) Hexachlorocyclopentadiene	8.934	237	5141	2.678	ng	89
43) 2,4,6-Trichlorophenol	9.063	196	18144	4.863	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020625\
 Data File : BF141473.D
 Acq On : 06 Feb 2025 11:34
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005

Quant Time: Feb 06 16:00:09 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 15:49:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.110	196	19204	4.750	ng	98
46) 1,1'-Biphenyl	9.245	154	78931	5.103	ng	100
47) 2-Chloronaphthalene	9.269	162	58201	5.088	ng	100
48) 2-Nitroaniline	9.369	65	18494	4.818	ng	98
49) Acenaphthylene	9.681	152	86721	5.097	ng	100
50) Dimethylphthalate	9.539	163	68921	5.088	ng	99
51) 2,6-Dinitrotoluene	9.604	165	14394	4.861	ng	94
52) Acenaphthene	9.857	154	59139	5.171	ng	99
53) 3-Nitroaniline	9.775	138	15563	4.884	ng	98
54) 2,4-Dinitrophenol	9.892	184	5392	3.064	ng	99
55) Dibenzofuran	10.028	168	88178	5.252	ng	99
56) 4-Nitrophenol	9.963	139	9482	4.008	ng	94
57) 2,4-Dinitrotoluene	10.010	165	19087	4.842	ng	# 96
58) Fluorene	10.369	166	67764	5.220	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.151	232	16570	4.760	ng	99
60) Diethylphthalate	10.239	149	69845	5.241	ng	99
61) 4-Chlorophenyl-phenyle...	10.363	204	32951	5.277	ng	99
62) 4-Nitroaniline	10.381	138	15711	4.855	ng	95
63) Azobenzene	10.522	77	67256	5.077	ng	99
65) 4,6-Dinitro-2-methylph...	10.422	198	8739	3.582	ng	98
66) n-Nitrosodiphenylamine	10.481	169	57063	5.076	ng	98
67) 4-Bromophenyl-phenylether	10.857	248	20012	5.098	ng	99
68) Hexachlorobenzene	10.922	284	20138	4.982	ng	98
69) Atrazine	11.010	200	17519	5.194	ng	93
70) Pentachlorophenol	11.122	266	10151	3.928	ng	98
71) Phenanthrene	11.333	178	100202	5.183	ng	100
72) Anthracene	11.386	178	102596	5.279	ng	98
73) Carbazole	11.545	167	89721	5.131	ng	100
74) Di-n-butylphthalate	11.875	149	102296	5.066	ng	100
75) Fluoranthene	12.522	202	109883	5.361	ng	98
77) Benzidine	12.651	184	34946	5.370	ng	99
78) Pyrene	12.751	202	112700	4.486	ng	100
80) Butylbenzylphthalate	13.374	149	38714	4.449	ng	98
81) Benzo(a)anthracene	13.939	228	101861	5.193	ng	99
82) 3,3'-Dichlorobenzidine	13.910	252	29306	5.216	ng	98
83) Chrysene	13.980	228	87555	4.834	ng	100
84) Bis(2-ethylhexyl)phtha...	13.933	149	43735	4.457	ng	98
85) Di-n-octyl phthalate	14.557	149	59200	4.229	ng	100
87) Indeno(1,2,3-cd)pyrene	16.839	276	57572	3.993	ng	99
88) Benzo(b)fluoranthene	14.986	252	75033	4.789	ng	99
89) Benzo(k)fluoranthene	15.016	252	64919	4.853	ng	98
90) Benzo(a)pyrene	15.345	252	63295	4.993	ng	98
91) Dibenzo(a,h)anthracene	16.857	278	46421	3.974	ng	98
92) Benzo(g,h,i)perylene	17.274	276	46952	3.841	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

BNA F

ClientSampleId :

SSTDICC005


Quant Time: Feb 06 16:00:09 2025


Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Thu Feb 06 15:49:10 2025

Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.787 min Scan# 79
 Delta R.T. -0.005 min
 Lab File: BF141473.D
 Acq: 06 Feb 2025 11:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Tgt Ion:152 Resp: 89396
 Ion Ratio Lower Upper
 152 100
 150 154.8 125.0 187.4
 115 65.4 53.6 80.4



#2
 1,4-Dioxane
 Concen: 4.976 ng
 RT: 2.487 min Scan# 67
 Delta R.T. 0.006 min
 Lab File: BF141473.D
 Acq: 06 Feb 2025 11:34

Tgt Ion: 88 Resp: 11419
 Ion Ratio Lower Upper
 88 100
 58 84.3 71.1 106.7
 43 41.7 30.6 46.0









#3
Pyridine
Concen: 4.310 ng
RT: 3.228 min Scan# 190
Delta R.T. 0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 79 Resp: 23540
Ion Ratio Lower Upper
79 100
52 92.5 73.7 110.5
51 51.5 37.5 56.3



#4
n-Nitrosodimethylamine
Concen: 4.558 ng
RT: 3.152 min Scan# 180
Delta R.T. -0.035 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 42 Resp: 16481
Ion Ratio Lower Upper
42 100
74 100.5 78.0 117.0
44 11.4 5.4 8.2









#5
2-Fluorophenol
Concen: 9.680 ng
RT: 5.410 min Scan# 50
Delta R.T. 0.000 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:112 Resp: 55200
Ion Ratio Lower Upper
112 100
64 61.8 51.1 76.7
63 35.1 28.4 42.6



#6
Aniline
Concen: 4.880 ng
RT: 6.445 min Scan# 740
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 93 Resp: 32993
Ion Ratio Lower Upper
93 100
66 75.0 62.6 94.0
65 47.4 38.3 57.5









#7
Phenol-d6
Concen: 10.042 ng
RT: 6.422 min Scan# 71
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 99 Resp: 72376
Ion Ratio Lower Upper
99 100
42 23.0 19.1 28.7
71 37.7 31.1 46.7



#8
2-Chlorophenol
Concen: 5.074 ng
RT: 6.575 min Scan# 762
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 128 Resp: 31263
Ion Ratio Lower Upper
128 100
130 32.3 12.7 52.7
64 49.0 28.3 68.3









#9
Benzaldehyde
Concen: 5.207 ng
RT: 6.334 min Scan# 719
Delta R.T. -0.005 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 77 Resp: 19944
Ion Ratio Lower Upper
77 100
105 106.6 79.4 119.4
106 99.2 75.1 115.1



#10
Phenol
Concen: 5.044 ng
RT: 6.440 min Scan# 739
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 94 Resp: 37833
Ion Ratio Lower Upper
94 100
65 46.1 23.7 63.7
66 71.1 49.3 89.3









#11
bis(2-Chloroethyl)ether
Concen: 5.006 ng
RT: 6.522 min Scan# 754
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 93 Resp: 28203
Ion Ratio Lower Upper
93 100
63 78.7 62.0 102.0
95 31.9 12.6 52.6



#12
1,3-Dichlorobenzene
Concen: 5.060 ng
RT: 6.728 min Scan# 788
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:146 Resp: 32913
Ion Ratio Lower Upper
146 100
148 65.3 51.9 77.9
75 34.3 28.2 42.2





#13

1,4-Dichlorobenzene

Concen: 5.199 ng

RT: 6.804 min Scan# 801

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDIC005





Tgt Ion:146 Resp: 34555

Ion Ratio Lower Upper

146 100

148 61.7 50.9 76.3

111 42.4 35.9 53.9



#14

1,2-Dichlorobenzene

Concen: 5.049 ng

RT: 6.957 min Scan# 827

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:146 Resp: 31141


Ion Ratio Lower Upper

146 100

148 67.4 51.8 77.6

111 48.8 37.0 55.4









#15
Benzyl Alcohol
Concen: 4.815 ng
RT: 6.928 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 79 Resp: 26612
Ion Ratio Lower Upper
79 100
108 70.0 57.4 86.2
77 68.2 50.9 76.3



#16
2,2'-oxybis(1-Chloropropane)
Concen: 5.150 ng
RT: 7.063 min Scan# 845
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 45 Resp: 49667
Ion Ratio Lower Upper
45 100
77 15.7 0.0 35.8
79 13.4 0.0 32.7









#17
2-Methylphenol
Concen: 5.173 ng
RT: 7.045 min Scan# 842
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:107 Resp: 24939




Ion	Ratio	Lower	Upper
107	100		
108	107.0	90.6	136.0
77	53.5	44.4	66.6
79	51.0	42.3	63.5




#18
Hexachloroethane
Concen: 4.896 ng
RT: 7.298 min Scan# 885
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:117 Resp: 12043

Ion	Ratio	Lower	Upper
117	100		
119	96.0	76.5	114.7
201	98.5	76.7	115.1









#19
n-Nitroso-di-n-propylamine
Concen: 5.072 ng
RT: 7.192 min Scan# 80
Delta R.T. -0.023 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:	70	Resp:	21865
Ion	Ratio	Lower	Upper
70	100		
42	74.5	57.4	86.2
101	10.5	8.0	12.0
130	21.6	16.9	25.3



#20
3+4-Methylphenols
Concen: 5.258 ng
RT: 7.198 min Scan# 868
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:	107	Resp:	32221
Ion	Ratio	Lower	Upper
107	100		
108	87.6	68.5	108.5
77	148.7	116.5	156.5
79	31.0	12.0	52.0









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.069 min Scan# 1016
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:136 Resp: 358966
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 9.0 7.2 10.8
68 4.9 3.7 5.5



#22
Acetophenone
Concen: 5.201 ng
RT: 7.192 min Scan# 867
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:105 Resp: 46441
Ion Ratio Lower Upper
105 100
71 8.3 5.7 8.5
51 37.4 33.7 50.5
120 20.5 17.0 25.6









#23
Nitrobenzene-d5
Concen: 9.918 ng
RT: 7.345 min Scan# 895
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion: 82 Resp: 68257
Ion Ratio Lower Upper
82 100
128 41.4 34.8 52.2
54 60.0 48.2 72.4



#24
Nitrobenzene
Concen: 4.943 ng
RT: 7.363 min Scan# 896
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 77 Resp: 33173
Ion Ratio Lower Upper
77 100
123 45.1 36.9 55.3
65 14.8 11.9 17.9









#25
Isophorone
Concen: 4.993 ng
RT: 7.604 min Scan# 91
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDIC005


Tgt Ion: 82 Resp: 54796
Ion Ratio Lower Upper
82 100
95 7.6 6.4 9.6
138 17.5 13.9 20.9



#26
2-Nitrophenol
Concen: 4.592 ng
RT: 7.687 min Scan# 951
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 139 Resp: 15331
Ion Ratio Lower Upper
139 100
109 37.1 27.0 40.6
65 57.7 47.1 70.7









#27
2,4-Dimethylphenol
Concen: 4.784 ng
RT: 7.728 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:122 Resp: 18659
Ion Ratio Lower Upper
122 100
107 118.7 94.3 141.5
121 58.4 46.0 69.0



#28
bis(2-Chloroethoxy)methane
Concen: 4.902 ng
RT: 7.816 min Scan# 973
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion: 93 Resp: 34469
Ion Ratio Lower Upper
93 100
95 32.9 26.1 39.1
123 12.0 9.5 14.3





#29

2,4-Dichlorophenol

Concen: 4.870 ng

RT: 7.934 min Scan# 994

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:162 Resp: 25667

Ion Ratio Lower Upper

162 100

164 61.1 44.6 84.6

98 37.1 17.2 57.2



#30

1,2,4-Trichlorobenzene

Concen: 5.109 ng

RT: 8.010 min Scan# 1006

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:180 Resp: 29321


Ion Ratio Lower Upper

180 100

182 91.6 76.8 115.2

145 30.0 24.2 36.4









#31
Naphthalene
Concen: 5.123 ng
RT: 8.092 min Scan# 10
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:128 Resp: 95730
Ion Ratio Lower Upper
128 100
129 10.6 8.9 13.3
127 12.9 10.7 16.1



#32
Benzoic acid
Concen: 2.999 ng
RT: 7.798 min Scan# 970
Delta R.T. -0.094 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:122 Resp: 12149
Ion Ratio Lower Upper
122 100
105 121.1 106.5 146.5
77 91.8 76.3 116.3





#33

4-Chloroaniline

Concen: 4.864 ng

RT: 8.145 min Scan# 1029

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005

Tgt Ion:127 Resp: 31729





Ion Ratio Lower Upper

127 100

129 31.4 26.5 39.7

65 33.7 26.4 39.6

92 18.8 15.3 22.9



#34

Hexachlorobutadiene

Concen: 5.028 ng

RT: 8.210 min Scan# 1040

Delta R.T. 0.000 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:225 Resp: 17323


Ion Ratio Lower Upper

225 100

223 63.9 50.1 75.1

227 62.0 51.0 76.6









#35
 Caprolactam
 Concen: 4.635 ng
 RT: 8.475 min Scan# 1108
 Delta R.T. -0.070 min
 Lab File: BF141473.D
 Acq: 06 Feb 2025 11:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Tgt Ion:113 Resp: 7437
 Ion Ratio Lower Upper
 113 100
 55 211.4 180.8 220.8
 56 161.1 133.6 173.6



#36
 4-Chloro-3-methylphenol
 Concen: 4.765 ng
 RT: 8.628 min Scan# 1111
 Delta R.T. -0.012 min
 Lab File: BF141473.D
 Acq: 06 Feb 2025 11:34

Tgt Ion:107 Resp: 27818
 Ion Ratio Lower Upper
 107 100
 144 26.2 19.7 29.5
 142 77.1 60.8 91.2









#37
2-Methylnaphthalene
Concen: 5.078 ng
RT: 8.781 min Scan# 1137
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:142 Resp: 61742
Ion Ratio Lower Upper
142 100
141 91.4 71.2 106.8



#38
1-Methylnaphthalene
Concen: 5.182 ng
RT: 8.881 min Scan# 1154
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:142 Resp: 61026
Ion Ratio Lower Upper
142 100
141 91.9 72.1 108.1









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.822 min Scan# 1165
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:164 Resp: 199514
Ion Ratio Lower Upper
164 100
162 101.2 81.3 121.9
160 44.9 35.9 53.9



#40
1,2,4,5-Tetrachlorobenzene
Concen: 5.028 ng
RT: 8.945 min Scan# 1165
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:216 Resp: 29023
Ion Ratio Lower Upper
216 100
214 79.2 62.3 93.5
179 23.4 18.0 27.0
108 18.2 15.0 22.6









#41
Hexachlorocyclopentadiene
Concen: 2.678 ng
RT: 8.934 min Scan# 1164
Delta R.T. -0.005 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:237	Resp:	5141
Ion Ratio	Lower	Upper
237	100	
235	70.3	41.4 81.4
272	16.0	0.0 32.4



#42
2,4,6-Tribromophenol
Concen: 10.009 ng
RT: 10.610 min Scan# 1448
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:330	Resp:	20060
Ion Ratio	Lower	Upper
330	100	
332	92.9	78.5 117.7
141	38.7	31.0 46.4









#43
2,4,6-Trichlorophenol
Concen: 4.863 ng
RT: 9.063 min Scan# 1185
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:196 Resp: 18144
Ion Ratio Lower Upper
196 100
198 100.6 80.6 121.0
200 34.0 25.5 38.3



#44
2,4,5-Trichlorophenol
Concen: 4.750 ng
RT: 9.110 min Scan# 1193
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:196 Resp: 19204
Ion Ratio Lower Upper
196 100
198 102.3 79.8 119.8
97 56.8 44.8 67.2
132 31.2 23.9 35.9





#45

2-Fluorobiphenyl

Concen: 10.573 ng

RT: 9.145 min Scan# 1199

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:172 Resp: 136925

Ion Ratio Lower Upper

172 100

171 36.1 28.7 43.1

170 23.6 18.9 28.3



#46

1,1'-Biphenyl

Concen: 5.103 ng

RT: 9.245 min Scan# 1216

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:154 Resp: 78931


Ion Ratio Lower Upper

154 100

153 40.4 20.4 60.4

76 10.6 0.0 30.8





#47

2-Chloronaphthalene

Concen: 5.088 ng

RT: 9.269 min Scan# 11

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:162 Resp: 58201

Ion Ratio Lower Upper

162 100

127 42.5 34.1 51.1

164 32.4 26.3 39.5



#48

2-Nitroaniline

Concen: 4.818 ng

RT: 9.369 min Scan# 1237

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion: 65 Resp: 18494


Ion Ratio Lower Upper

65 100

92 62.2 52.2 78.2

138 99.0 79.5 119.3





#49

Acenaphthylene

Concen: 5.097 ng

RT: 9.681 min Scan# 11

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:152 Resp: 86721

Ion Ratio Lower Upper

152 100

151 20.4 16.4 24.6

153 13.4 10.9 16.3



#50

Dimethylphthalate

Concen: 5.088 ng

RT: 9.539 min Scan# 1266

Delta R.T. -0.023 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:163 Resp: 68921


Ion Ratio Lower Upper

163 100

194 3.8 3.0 4.4

164 10.5 7.9 11.9





#51

2,6-Dinitrotoluene

Concen: 4.861 ng

RT: 9.604 min Scan# 11

Delta R.T. -0.017 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:165 Resp: 14394

Ion Ratio Lower Upper

165 100

63 66.5 49.4 74.0

89 62.5 46.5 69.7



#52

Acenaphthene

Concen: 5.171 ng

RT: 9.857 min Scan# 1320

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:154 Resp: 59139


Ion Ratio Lower Upper

154 100

153 113.1 89.2 133.8

152 48.9 39.8 59.8









#53
3-Nitroaniline
Concen: 4.884 ng
RT: 9.775 min Scan# 11
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:138 Resp: 15563
Ion Ratio Lower Upper
138 100
108 10.8 9.0 13.4
92 114.8 93.7 140.5



#54
2,4-Dinitrophenol
Concen: 3.064 ng
RT: 9.892 min Scan# 1326
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:184 Resp: 5392
Ion Ratio Lower Upper
184 100
63 76.2 61.0 91.6
154 75.8 59.9 89.9









#55
Dibenzenofuran
Concen: 5.252 ng
RT: 10.028 min Scan# 1349
Delta R.T. -0.011 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:168 Resp: 88178
Ion Ratio Lower Upper
168 100
139 41.2 32.7 49.1
169 13.1 10.8 16.2



#56
4-Nitrophenol
Concen: 4.008 ng
RT: 9.963 min Scan# 1338
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34


Tgt Ion:139 Resp: 9482
Ion Ratio Lower Upper
139 100
109 77.2 62.0 102.0
65 104.4 91.2 131.2








#57
2,4-Dinitrotoluene
Concen: 4.842 ng
RT: 10.010 min Scan# 11
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34


Instrument :
BNA_F
ClientSampleId :
SSTDICC005





Tgt Ion:165 Resp: 19087
Ion Ratio Lower Upper
165 100
63 54.8 46.4 69.6
89 74.0 61.8 92.6
182 3.4 2.2 3.2#




#58
Fluorene
Concen: 5.220 ng
RT: 10.369 min Scan# 1407
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34



Tgt Ion:166 Resp: 67764
Ion Ratio Lower Upper
166 100
165 98.8 78.2 117.2
167 13.5 10.7 16.1









#59
2,3,4,6-Tetrachlorophenol
Concen: 4.760 ng
RT: 10.151 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:232 Resp: 16570
Ion Ratio Lower Upper
232 100
131 50.2 39.2 58.8
130 2.5 2.1 3.1
166 31.0 25.1 37.7



#60
Diethylphthalate
Concen: 5.241 ng
RT: 10.239 min Scan# 1385
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:149 Resp: 69845
Ion Ratio Lower Upper
149 100
177 21.6 17.8 26.6
150 12.3 10.1 15.1









#61
4-Chlorophenyl-phenylether
Concen: 5.277 ng
RT: 10.363 min Scan# 1407
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:204 Resp: 32951
Ion Ratio Lower Upper
204 100
206 32.3 26.6 40.0
141 64.4 51.9 77.9



#62
4-Nitroaniline
Concen: 4.855 ng
RT: 10.381 min Scan# 1409
Delta R.T. -0.035 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:138 Resp: 15711
Ion Ratio Lower Upper
138 100
92 55.1 31.3 71.3
108 78.8 63.7 103.7





#63

Azobenzene

Concen: 5.077 ng

RT: 10.522 min Scan# 1434

Delta R.T. -0.011 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005

Tgt Ion: 77 Resp: 67256





Ion Ratio Lower Upper

77 100

182 26.2 4.7 44.7

105 20.9 0.4 40.4

51 36.5 16.5 56.5



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.310 min Scan# 1567

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion: 188 Resp: 351213


Ion Ratio Lower Upper

188 100

94 8.6 6.6 10.0

80 9.1 7.3 10.9









#65
4,6-Dinitro-2-methylphenol
Concen: 3.582 ng
RT: 10.422 min Scan# 1416
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:198 Resp: 8739
Ion Ratio Lower Upper
198 100
51 56.8 37.4 77.4
105 47.2 25.2 65.2



#66
n-Nitrosodiphenylamine
Concen: 5.076 ng
RT: 10.481 min Scan# 1426
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:169 Resp: 57063
Ion Ratio Lower Upper
169 100
168 66.9 53.3 79.9
167 34.7 29.4 44.2









#67
4-Bromophenyl-phenylether
Concen: 5.098 ng
RT: 10.857 min Scan# 1490
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:248 Resp: 20012
Ion Ratio Lower Upper
248 100
250 96.2 77.8 116.6
141 74.1 60.6 90.8



#68
Hexachlorobenzene
Concen: 4.982 ng
RT: 10.922 min Scan# 1501
Delta R.T. -0.006 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:284 Resp: 20138
Ion Ratio Lower Upper
284 100
142 35.5 28.0 42.0
249 34.3 25.8 38.8





#69

Atrazine

Concen: 5.194 ng

RT: 11.010 min Scan# 1516

Delta R.T. -0.011 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:200 Resp: 17519

Ion Ratio Lower Upper

200 100

173 26.9 5.9 45.9

215 51.9 25.9 65.9



#70

Pentachlorophenol

Concen: 3.928 ng

RT: 11.122 min Scan# 1535

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:266 Resp: 10151


Ion Ratio Lower Upper

266 100

268 63.2 50.1 75.1

264 64.8 50.1 75.1









#71
Phenanthrene
Concen: 5.183 ng
RT: 11.333 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:178 Resp: 100202
Ion Ratio Lower Upper
178 100
176 19.1 15.4 23.0
179 15.4 12.4 18.6



#72
Anthracene
Concen: 5.279 ng
RT: 11.386 min Scan# 1580
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:178 Resp: 102596
Ion Ratio Lower Upper
178 100
176 17.6 14.8 22.2
179 15.0 12.4 18.6









#73
 Carbazole
 Concen: 5.131 ng
 RT: 11.545 min Scan# 1607
 Delta R.T. -0.006 min
 Lab File: BF141473.D
 Acq: 06 Feb 2025 11:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Tgt Ion:167 Resp: 89721
 Ion Ratio Lower Upper
 167 100
 166 21.9 17.4 26.2
 139 13.4 10.9 16.3



#74
 Di-n-butylphthalate
 Concen: 5.066 ng
 RT: 11.875 min Scan# 1663
 Delta R.T. -0.006 min
 Lab File: BF141473.D
 Acq: 06 Feb 2025 11:34

Tgt Ion:149 Resp: 102296
 Ion Ratio Lower Upper
 149 100
 150 9.1 7.4 11.0
 104 5.2 4.2 6.2









#75
Fluoranthene
Concen: 5.361 ng
RT: 12.522 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:202 Resp: 109883
Ion Ratio Lower Upper
202 100
101 9.4 0.0 30.2
203 16.7 0.0 37.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.951 min Scan# 2016
Delta R.T. -0.012 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:240 Resp: 295087
Ion Ratio Lower Upper
240 100
120 10.2 8.0 12.0
236 25.7 19.8 29.8





#77

Benzidine

Concen: 5.370 ng

RT: 12.651 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:184 Resp: 34946

Ion Ratio Lower Upper

184 100

185 14.3 11.3 16.9

183 12.3 9.3 13.9



#78

Pyrene

Concen: 4.486 ng

RT: 12.751 min Scan# 1812

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:202 Resp: 112700


Ion Ratio Lower Upper

202 100

200 21.1 17.0 25.4

203 17.6 14.3 21.5









#79
 Terphenyl-d14
 Concen: 9.531 ng
 RT: 12.892 min Scan# 1836
 Delta R.T. -0.012 min
 Lab File: BF141473.D
 Acq: 06 Feb 2025 11:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005


Tgt Ion:244 Resp: 166601
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.6 8.4
 122 10.1 8.4 12.6



#80
 Butylbenzylphthalate
 Concen: 4.449 ng
 RT: 13.374 min Scan# 1918
 Delta R.T. -0.006 min
 Lab File: BF141473.D
 Acq: 06 Feb 2025 11:34

Tgt Ion:149 Resp: 38714
 Ion Ratio Lower Upper
 149 100
 91 70.4 57.8 86.8
 206 21.0 16.7 25.1





#81

Benzo(a)anthracene

Concen: 5.193 ng

RT: 13.939 min Scan# 2015

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:228 Resp: 101861

Ion Ratio Lower Upper

228 100

226 26.4 21.8 32.8

229 19.3 15.8 23.6



#82

3,3'-Dichlorobenzidine

Concen: 5.216 ng

RT: 13.910 min Scan# 2009

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:252 Resp: 29306


Ion Ratio Lower Upper

252 100

254 64.2 50.6 76.0

126 10.2 9.3 13.9





#83

Chrysene

Concen: 4.834 ng

RT: 13.980 min Scan# 2013

Delta R.T. -0.012 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:228 Resp: 87555

Ion Ratio Lower Upper

228 100

226 29.8 24.0 36.0

229 19.5 15.7 23.5



#84

Bis(2-ethylhexyl)phthalate

Concen: 4.457 ng

RT: 13.933 min Scan# 2013

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:149 Resp: 43735


Ion Ratio Lower Upper

149 100

167 25.8 21.4 32.0

279 3.4 3.1 4.7





#85

Di-n-octyl phthalate

Concen: 4.229 ng

RT: 14.557 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:149 Resp: 59200

Ion Ratio Lower Upper

149 100

167 1.4 1.3 1.9

43 12.0 9.5 14.3



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.410 min Scan# 2264

Delta R.T. -0.006 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:264 Resp: 233325


Ion Ratio Lower Upper

264 100

260 23.6 18.6 28.0

265 21.5 17.0 25.4









#87
Indeno(1,2,3-cd)pyrene
Concen: 3.993 ng
RT: 16.839 min Scan# 2150
Delta R.T. -0.035 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005


Tgt Ion:276 Resp: 57572
Ion Ratio Lower Upper
276 100
138 23.1 18.0 27.0
277 25.6 20.4 30.6



#88
Benzo(b)fluoranthene
Concen: 4.789 ng
RT: 14.986 min Scan# 2192
Delta R.T. -0.017 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:252 Resp: 75033
Ion Ratio Lower Upper
252 100
253 21.6 17.5 26.3
125 10.0 7.0 10.6





#89

Benzo(k)fluoranthene

Concen: 4.853 ng

RT: 15.016 min Scan# 2197

Delta R.T. -0.017 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:252 Resp: 64919

Ion Ratio Lower Upper

252 100

253 21.2 18.0 27.0

125 9.2 7.4 11.0



#90

Benzo(a)pyrene

Concen: 4.993 ng

RT: 15.345 min Scan# 2253

Delta R.T. -0.017 min

Lab File: BF141473.D

Acq: 06 Feb 2025 11:34




Tgt Ion:252 Resp: 63295


Ion Ratio Lower Upper

252 100

253 22.1 17.1 25.7

125 10.4 7.4 11.2









#91
Dibenzo(a,h)anthracene
Concen: 3.974 ng
RT: 16.857 min Scan# 2510
Delta R.T. -0.035 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:278 Resp: 46421
Ion Ratio Lower Upper
278 100
139 16.4 11.8 17.6
279 24.0 19.1 28.7



#92
Benzo(g,h,i)perylene
Concen: 3.841 ng
RT: 17.274 min Scan# 2581
Delta R.T. -0.041 min
Lab File: BF141473.D
Acq: 06 Feb 2025 11:34

Tgt Ion:276 Resp: 46952
Ion Ratio Lower Upper
276 100
277 23.2 18.6 28.0
138 20.5 15.9 23.9

