

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020923\
 Data File : BF132385.D
 Acq On : 09 Feb 2023 18:41
 Operator : CG\JU
 Sample : 01508-07
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PA-1

Quant Time: Feb 10 01:01:24 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF013123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 09 01:56:26 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.048	152	131970	20.000	ng	0.00
21) Naphthalene-d8	8.331	136	504920	20.000	ng	0.00
39) Acenaphthene-d10	10.095	164	264790	20.000	ng	0.00
64) Phenanthrene-d10	11.589	188	496265	20.000	ng	0.00
76) Chrysene-d12	14.248	240	282034	20.000	ng	0.00
86) Perylene-d12	15.818	264	298309	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.666	112	763532	92.998	ng	0.00
7) Phenol-d6	6.660	99	909922	89.896	ng	0.00
23) Nitrobenzene-d5	7.607	82	544337	59.991	ng	0.00
42) 2,4,6-Tribromophenol	10.889	330	314526	115.507	ng	0.00
45) 2-Fluorobiphenyl	9.407	172	1123399	65.516	ng	0.00
79) Terphenyl-d14	13.183	244	1252331	85.895	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020923\
Data File : BF132385.D
Acq On : 09 Feb 2023 18:41
Operator : CG\JU
Sample : 01508-07
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PA-1

Quant Time: Feb 10 01:01:24 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF013123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 09 01:56:26 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.048 min Scan# 71
 Delta R.T. 0.000 min
 Lab File: BF132385.D
 Acq: 09 Feb 2023 18:41




Instrument :
 BNA_F
 ClientSampleId :
 PA-1


Tgt Ion:152 Resp: 131970
 Ion Ratio Lower Upper
 152 100
 150 154.5 124.2 186.2
 115 56.5 47.3 70.9



#5
 2-Fluorophenol
 Concen: 92.998 ng
 RT: 5.666 min Scan# 481
 Delta R.T. 0.006 min
 Lab File: BF132385.D
 Acq: 09 Feb 2023 18:41

Tgt Ion:112 Resp: 763532
 Ion Ratio Lower Upper
 112 100
 64 44.0 40.0 60.0
 63 23.2 20.5 30.7









#7
Phenol-d6
Concen: 89.896 ng
RT: 6.660 min Scan# 61
Delta R.T. -0.006 min
Lab File: BF132385.D
Acq: 09 Feb 2023 18:41




Instrument :
BNA_F
ClientSampleId :
PA-1

Tgt Ion: 99 Resp: 909922
Ion Ratio Lower Upper
99 100
42 11.9 10.1 15.1
71 31.2 24.2 36.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.331 min Scan# 934
Delta R.T. -0.006 min
Lab File: BF132385.D
Acq: 09 Feb 2023 18:41

Tgt Ion: 136 Resp: 504920
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 5.4 4.9 7.3
68 4.9 4.7 7.1









#23
Nitrobenzene-d5
Concen: 59.991 ng
RT: 7.607 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF132385.D
Acq: 09 Feb 2023 18:41




Instrument :
BNA_F
ClientSampleId :
PA-1


Tgt Ion: 82 Resp: 544337
Ion Ratio Lower Upper
82 100
128 49.3 37.0 55.4
54 38.3 31.5 47.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.095 min Scan# 1234
Delta R.T. -0.006 min
Lab File: BF132385.D
Acq: 09 Feb 2023 18:41

Tgt Ion: 164 Resp: 264790
Ion Ratio Lower Upper
164 100
162 99.9 82.0 123.0
160 45.3 37.1 55.7





#42

2,4,6-Tribromophenol

Concen: 115.507 ng

RT: 10.889 min Scan# 1117

Delta R.T. -0.006 min

Lab File: BF132385.D

Acq: 09 Feb 2023 18:41

Instrument :

BNA_F

ClientSampleId :

PA-1





Tgt Ion:330 Resp: 314526

Ion Ratio Lower Upper

330 100

332 96.2 77.9 116.9

141 33.0 31.0 46.4



#45

2-Fluorobiphenyl

Concen: 65.516 ng

RT: 9.407 min Scan# 1117

Delta R.T. -0.006 min

Lab File: BF132385.D

Acq: 09 Feb 2023 18:41




Tgt Ion:172 Resp: 1123399


Ion Ratio Lower Upper

172 100

171 35.1 28.6 43.0

170 23.8 19.7 29.5









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.589 min Scan# 1494
Delta R.T. -0.006 min
Lab File: BF132385.D
Acq: 09 Feb 2023 18:41




Instrument :
BNA_F
ClientSampleId :
PA-1


Tgt Ion:188 Resp: 496265
Ion Ratio Lower Upper
188 100
94 10.1 8.2 12.2
80 9.8 8.3 12.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.248 min Scan# 1940
Delta R.T. -0.006 min
Lab File: BF132385.D
Acq: 09 Feb 2023 18:41

Tgt Ion:240 Resp: 282034
Ion Ratio Lower Upper
240 100
120 11.5 8.8 13.2
236 26.2 21.0 31.6









#79
 Terphenyl-d14
 Concen: 85.895 ng
 RT: 13.183 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF132385.D
 Acq: 09 Feb 2023 18:41

Instrument :
 BNA_F
 ClientSampleId :
 PA-1

Tgt Ion:244 Resp: 1252331
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.4 9.6
 122 10.8 10.5 15.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.818 min Scan# 2207
 Delta R.T. -0.006 min
 Lab File: BF132385.D
 Acq: 09 Feb 2023 18:41

Tgt Ion:264 Resp: 298309
 Ion Ratio Lower Upper
 264 100
 260 22.8 19.0 28.4
 265 21.2 17.4 26.2

