

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF021115\
 Data File : BF077267.D
 Acq On : 11 Feb 2015 22:45
 Operator : TP/IZ
 Sample : PB81706TB
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB81706TB

Quant Time: Feb 12 00:08:34 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF011415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 10 13:30:38 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.54	152	69676	20.00	ng	-0.06
21) Naphthalene-d8	10.45	136	284033	20.00	ng	-0.05
38) Acenaphthene-d10	14.57	164	137780	20.00	ng	-0.06
63) Phenanthrene-d10	17.47	188	249899	20.00	ng	-0.03
75) Chrysene-d12	20.98	240	234208	20.00	ng	-0.03
86) Perylene-d12	22.61	264	223719	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	4.54	112	227367	53.65	ng	-0.05
7) Phenol-d6	6.97	99	287223	53.73	ng	-0.05
23) Nitrobenzene-d5	8.85	82	177885	34.70	ng	-0.05
41) 2,4,6-Tribromophenol	16.34	330	60790	54.35	ng	-0.03
44) 2-Fluorobiphenyl	13.11	172	376789	41.62	ng	-0.06
78) Terphenyl-d14	19.72	244	354690	34.86	ng	-0.03


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF021115\
Data File : BF077267.D
Acq On : 11 Feb 2015 22:45
Operator : TP/IZ
Sample : PB81706TB
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB81706TB

Quant Time: Feb 12 00:08:34 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF011415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 10 13:30:38 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.54 min Scan# 582
Delta R.T. -0.06 min
Lab File: BF077267.D
Acq: 11 Feb 2015 22:45

Instrument :
BNA_F
ClientSampleId :
PB81706TB

Tgt Ion:152 Resp: 69676
Ion Ratio Lower Upper
152 100
150 159.0 121.7 182.5
115 63.0 47.0 70.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 53.65 ng
RT: 4.54 min Scan# 320
Delta R.T. -0.05 min
Lab File: BF077267.D
Acq: 11 Feb 2015 22:45

Tgt Ion:112 Resp: 227367
Ion Ratio Lower Upper
112 100
64 71.0 54.2 81.4
63 40.5 28.4 42.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 53.73 ng

RT: 6.97 min Scan# 532

Delta R.T. -0.05 min

Lab File: BF077267.D

Acq: 11 Feb 2015 22:45

Instrument :

BNA_F

ClientSampleId :

PB81706TB


Tgt Ion: 99 Resp: 287223

Ion Ratio Lower Upper

99 100

42 18.8 15.0 22.4



71 38.8 30.5 45.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.45 min Scan# 837

Delta R.T. -0.05 min

Lab File: BF077267.D

Acq: 11 Feb 2015 22:45

Tgt Ion: 136 Resp: 284033


Ion Ratio Lower Upper

136 100

137 10.2 8.1 12.1

54 7.6 7.0 10.4

68 4.8 3.7 5.5





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0








#23
 Nitrobenzene-d5
 Concen: 34.70 ng
 RT: 8.85 min Scan# 697
 Delta R.T. -0.05 min
 Lab File: BF077267.D
 Acq: 11 Feb 2015 22:45




Instrument :
 BNA_F
 ClientSampleId :
 PB81706TB

Tgt Ion	Ratio	Lower	Upper
82	100		
128	42.5	33.1	49.7
54	56.7	48.3	72.5



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.57 min Scan# 1197
 Delta R.T. -0.06 min
 Lab File: BF077267.D
 Acq: 11 Feb 2015 22:45

Tgt Ion	Ratio	Lower	Upper
164	100		
162	107.6	82.4	123.6
160	45.5	34.8	52.2









#41
 2,4,6-Tribromophenol
 Concen: 54.35 ng
 RT: 16.34 min Scan# 1352
 Delta R.T. -0.03 min
 Lab File: BF077267.D
 Acq: 11 Feb 2015 22:45

Instrument :
 BNA_F
 ClientSampleId :
 PB81706TB

Tgt Ion:330 Resp: 60790
 Ion Ratio Lower Upper
 330 100
 332 101.9 77.8 116.6
 141 51.8 38.5 57.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 41.62 ng
 RT: 13.11 min Scan# 1069
 Delta R.T. -0.06 min
 Lab File: BF077267.D
 Acq: 11 Feb 2015 22:45

Tgt Ion:172 Resp: 376789
 Ion Ratio Lower Upper
 172 100
 171 34.1 26.6 40.0
 170 24.3 18.0 27.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 17.47 min Scan# 1451
 Delta R.T. -0.03 min
 Lab File: BF077267.D
 Acq: 11 Feb 2015 22:45

Instrument :
 BNA_F
 ClientSampled :
 PB81706TB

Tgt Ion	Ratio	Lower	Upper
188	100		
94	7.2	6.0	9.0
80	8.1	6.9	10.3




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0





#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 20.98 min Scan# 1758
 Delta R.T. -0.03 min
 Lab File: BF077267.D
 Acq: 11 Feb 2015 22:45

Tgt Ion	Ratio	Lower	Upper
240	100		
120	10.8	10.4	15.6
236	25.8	20.2	30.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 34.86 ng
 RT: 19.72 min Scan# 1648
 Delta R.T. -0.03 min
 Lab File: BF077267.D
 Acq: 11 Feb 2015 22:45

Instrument :
 BNA_F
 ClientSampleId :
 PB81706TB

Tgt Ion: 244 Resp: 354690
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.3 9.5
 122 12.6 10.1 15.1



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 22.61 min Scan# 1901
 Delta R.T. -0.05 min
 Lab File: BF077267.D
 Acq: 11 Feb 2015 22:45

Tgt Ion: 264 Resp: 223719
 Ion Ratio Lower Upper
 264 100
 260 24.8 19.0 28.4
 265 21.0 18.1 27.1

