

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021122\
 Data File : BF126855.D
 Acq On : 11 Feb 2022 13:22
 Operator : CG\JU
 Sample : PB142486BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB142486BL

Quant Time: Feb 11 22:42:02 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 10 00:44:00 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.940	152	128956	20.000	ng	0.00
21) Naphthalene-d8	8.222	136	523626	20.000	ng	0.00
39) Acenaphthene-d10	9.981	164	269244	20.000	ng	0.00
64) Phenanthrene-d10	11.469	188	479620	20.000	ng	0.00
76) Chrysene-d12	14.116	240	290055	20.000	ng	0.00
86) Perylene-d12	15.621	264	208299	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.569	112	1004995	119.990	ng	0.01
7) Phenol-d6	6.563	99	1334924	118.062	ng	0.00
23) Nitrobenzene-d5	7.504	82	948430	83.572	ng	0.00
42) 2,4,6-Tribromophenol	10.775	330	363205	125.829	ng	0.00
45) 2-Fluorobiphenyl	9.298	172	1430899	79.999	ng	0.00
79) Terphenyl-d14	13.063	244	1596925	78.927	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021122\
Data File : BF126855.D
Acq On : 11 Feb 2022 13:22
Operator : CG\JU
Sample : PB142486BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB142486BL

Quant Time: Feb 11 22:42:02 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 10 00:44:00 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.940 min Scan# 61
Delta R.T. -0.005 min
Lab File: BF126855.D
Acq: 11 Feb 2022 13:22




Instrument :
BNA_F
ClientSampleId :
PB142486BL


Tgt Ion:152 Resp: 128956
Ion Ratio Lower Upper
152 100
150 157.4 124.3 186.5
115 65.9 50.5 75.7



#5
2-Fluorophenol
Concen: 119.990 ng
RT: 5.569 min Scan# 422
Delta R.T. 0.012 min
Lab File: BF126855.D
Acq: 11 Feb 2022 13:22

Tgt Ion:112 Resp: 1004995
Ion Ratio Lower Upper
112 100
64 68.3 54.3 81.5
63 36.1 27.5 41.3









#7
Phenol-d6
Concen: 118.062 ng
RT: 6.563 min Scan# 591
Delta R.T. 0.000 min
Lab File: BF126855.D
Acq: 11 Feb 2022 13:22

Instrument :
BNA_F
ClientSampleId :
PB142486BL

Tgt Ion: 99 Resp: 1334924




Ion	Ratio	Lower	Upper
99	100		
42	19.8	15.8	23.6
71	38.8	30.6	45.8




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.222 min Scan# 873
Delta R.T. -0.006 min
Lab File: BF126855.D
Acq: 11 Feb 2022 13:22

Tgt Ion: 136 Resp: 523626

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.6	12.8
54	9.8	8.0	12.0
68	6.4	5.0	7.6





#23

Nitrobenzene-d5

Concen: 83.572 ng

RT: 7.504 min Scan# 71

Delta R.T. -0.006 min

Lab File: BF126855.D

Acq: 11 Feb 2022 13:22

Instrument :

BNA_F

ClientSampleId :

PB142486BL





Tgt Ion: 82 Resp: 948430

Ion Ratio Lower Upper

82 100

128 38.5 31.6 47.4

54 54.8 43.7 65.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.981 min Scan# 1172

Delta R.T. -0.005 min

Lab File: BF126855.D

Acq: 11 Feb 2022 13:22




Tgt Ion:164 Resp: 269244


Ion Ratio Lower Upper

164 100

162 102.7 80.9 121.3

160 45.4 36.0 54.0





#42

2,4,6-Tribromophenol

Concen: 125.829 ng

RT: 10.775 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF126855.D


Acq: 11 Feb 2022 13:22

Instrument :

BNA_F

ClientSampleId :

PB142486BL






Tgt Ion:330 Resp: 363205

Ion Ratio Lower Upper

330 100

332 96.6 78.2 117.4

141 36.0 31.2 46.8



#45

2-Fluorobiphenyl

Concen: 79.999 ng

RT: 9.298 min Scan# 1056

Delta R.T. -0.006 min

Lab File: BF126855.D

Acq: 11 Feb 2022 13:22




Tgt Ion:172 Resp: 1430899


Ion Ratio Lower Upper

172 100

171 35.5 28.5 42.7

170 23.1 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.469 min Scan# 1425
Delta R.T. -0.006 min
Lab File: BF126855.D
Acq: 11 Feb 2022 13:22




Instrument :
BNA_F
ClientSampleId :
PB142486BL


Tgt Ion:188 Resp: 479620
Ion Ratio Lower Upper
188 100
94 11.4 8.1 12.1
80 13.5 9.5 14.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.116 min Scan# 1875
Delta R.T. -0.006 min
Lab File: BF126855.D
Acq: 11 Feb 2022 13:22


Tgt Ion:240 Resp: 290055
Ion Ratio Lower Upper
240 100
120 11.4 9.8 14.6
236 25.2 20.5 30.7








#79
 Terphenyl-d14
 Concen: 78.927 ng
 RT: 13.063 min Scan# 10
 Delta R.T. 0.000 min
 Lab File: BF126855.D
 Acq: 11 Feb 2022 13:22


Instrument :
 BNA_F
 ClientSampleId :
 PB142486BL



Tgt Ion:244 Resp: 1596925
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.6 8.4
 122 11.3 9.0 13.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.621 min Scan# 2131
 Delta R.T. -0.006 min
 Lab File: BF126855.D
 Acq: 11 Feb 2022 13:22



Tgt Ion:264 Resp: 208299
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.6 29.4
 265 21.5 15.9 23.9

