

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021125\
 Data File : BF141552.D
 Acq On : 11 Feb 2025 10:55
 Operator : RC/JU
 Sample : PB166640BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB166640BL

Quant Time: Feb 11 11:20:52 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 16:58:59 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.787	152	88145	20.000	ng	0.00
21) Naphthalene-d8	8.069	136	359727	20.000	ng	0.00
39) Acenaphthene-d10	9.822	164	204188	20.000	ng	-0.01
64) Phenanthrene-d10	11.310	188	375990	20.000	ng	0.00
76) Chrysene-d12	13.951	240	303150	20.000	ng	-0.01
86) Perylene-d12	15.410	264	234196	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.416	112	750167	133.424	ng	0.00
7) Phenol-d6	6.428	99	936490	131.784	ng	-0.01
23) Nitrobenzene-d5	7.351	82	629267	91.240	ng	-0.01
42) 2,4,6-Tribromophenol	10.616	330	283654	138.289	ng	-0.01
45) 2-Fluorobiphenyl	9.145	172	1215582	91.718	ng	0.00
79) Terphenyl-d14	12.898	244	1564256	87.110	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.351	70	85997	20.231	ng	# 75
25) Isophorone	7.351	82	610347	55.502	ng	# 66
50) Dimethylphthalate	9.822	163	29512	2.129	ng	# 1
51) 2,6-Dinitrotoluene	9.822	165	26272	8.670	ng	# 22
57) 2,4-Dinitrotoluene	9.822	165	26272	6.513	ng	# 19
67) 4-Bromophenyl-phenylether	10.616	248	19040	4.531	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021125\
Data File : BF141552.D
Acq On : 11 Feb 2025 10:55
Operator : RC/JU
Sample : PB166640BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB166640BL


Quant Time: Feb 11 11:20:52 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 06 16:58:59 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.787 min Scan# 798
Delta R.T. -0.005 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55


Instrument :
BNA_F
ClientSampleId :
PB166640BL





Tgt Ion:152 Resp: 88145
Ion Ratio Lower Upper
152 100
150 157.7 125.0 187.4
115 65.2 53.6 80.4




#5
2-Fluorophenol
Concen: 133.424 ng
RT: 5.416 min Scan# 565
Delta R.T. 0.006 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55



Tgt Ion:112 Resp: 750167
Ion Ratio Lower Upper
112 100
64 64.3 51.1 76.7
63 35.2 28.4 42.6









#7
Phenol-d6
Concen: 131.784 ng
RT: 6.428 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166640BL


Tgt Ion: 99 Resp: 936490
Ion Ratio Lower Upper
99 100
42 22.6 19.1 28.7
71 37.9 31.1 46.7



#19
n-Nitroso-di-n-propylamine
Concen: 20.231 ng
RT: 7.351 min Scan# 894
Delta R.T. 0.136 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55

Tgt Ion: 70 Resp: 85997
Ion Ratio Lower Upper
70 100
42 54.8 57.4 86.2#
101 0.0 8.0 12.0#
130 1.8 16.9 25.3#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.069 min Scan# 1016
Delta R.T. -0.006 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166640BL


Tgt Ion:136	Resp: 359727
Ion Ratio	Lower Upper
136 100	
137 11.0	8.6 13.0
54 9.0	7.2 10.8
68 4.7	3.7 5.5



#23
Nitrobenzene-d5
Concen: 91.240 ng
RT: 7.351 min Scan# 894
Delta R.T. -0.012 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55

Tgt Ion: 82	Resp: 629267
Ion Ratio	Lower Upper
82 100	
128 43.6	34.8 52.2
54 59.0	48.2 72.4









#25
Isophorone
Concen: 55.502 ng
RT: 7.351 min Scan# 894
Delta R.T. -0.270 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166640BL


Tgt Ion: 82 Resp: 610347
Ion Ratio Lower Upper
82 100
95 0.0 6.4 9.6#
138 0.0 13.9 20.9#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.822 min Scan# 1314
Delta R.T. -0.012 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55


Tgt Ion:164 Resp: 204188
Ion Ratio Lower Upper
164 100
162 102.8 81.3 121.9
160 45.1 35.9 53.9








#42
 2,4,6-Tribromophenol
 Concen: 138.289 ng
 RT: 10.616 min Scan# 1449
 Delta R.T. -0.012 min
 Lab File: BF141552.D
 Acq: 11 Feb 2025 10:55

Instrument :
 BNA_F
 ClientSampleId :
 PB166640BL







Tgt Ion: 330 Resp: 283654
 Ion Ratio Lower Upper
 330 100
 332 97.6 78.5 117.7
 141 36.2 31.0 46.4



#45
 2-Fluorobiphenyl
 Concen: 91.718 ng
 RT: 9.145 min Scan# 1199
 Delta R.T. -0.006 min
 Lab File: BF141552.D
 Acq: 11 Feb 2025 10:55

Tgt Ion: 172 Resp: 1215582
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.7 43.1
 170 23.5 18.9 28.3









#50
Dimethylphthalate
Concen: 2.129 ng
RT: 9.822 min Scan# 1314
Delta R.T. 0.259 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166640BL


Tgt Ion:163 Resp: 29512
Ion Ratio Lower Upper
163 100
194 0.0 3.0 4.4#
164 577.8 7.9 11.9#



#51
2,6-Dinitrotoluene
Concen: 8.670 ng
RT: 9.822 min Scan# 1314
Delta R.T. 0.200 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55


Tgt Ion:165 Resp: 26272
Ion Ratio Lower Upper
165 100
63 1.4 49.4 74.0#
89 1.0 46.5 69.7#








#57
2,4-Dinitrotoluene
Concen: 6.513 ng
RT: 9.822 min Scan# 11
Delta R.T. -0.206 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55


Instrument :
BNA_F
ClientSampleId :
PB166640BL





Tgt Ion:165 Resp: 26272
Ion Ratio Lower Upper
165 100
63 1.4 46.4 69.6#
89 1.0 61.8 92.6#
182 0.0 2.2 3.2#




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.310 min Scan# 1567
Delta R.T. -0.006 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55



Tgt Ion:188 Resp: 375990
Ion Ratio Lower Upper
188 100
94 8.3 6.6 10.0
80 9.1 7.3 10.9









#67
4-Bromophenyl-phenylether
Concen: 4.531 ng
RT: 10.616 min Scan# 1491
Delta R.T. -0.247 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166640BL


Tgt Ion:248 Resp: 19040
Ion Ratio Lower Upper
248 100
250 199.8 77.8 116.6#
141 520.4 60.6 90.8#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.951 min Scan# 2016
Delta R.T. -0.012 min
Lab File: BF141552.D
Acq: 11 Feb 2025 10:55


Tgt Ion:240 Resp: 303150
Ion Ratio Lower Upper
240 100
120 9.7 8.0 12.0
236 24.9 19.8 29.8








#79
 Terphenyl-d14
 Concen: 87.110 ng
 RT: 12.898 min Scan# 1837
 Delta R.T. -0.006 min
 Lab File: BF141552.D
 Acq: 11 Feb 2025 10:55

Instrument :
 BNA_F
 ClientSampleId :
 PB166640BL



Tgt Ion:244 Resp: 1564256
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.6 8.4
 122 11.2 8.4 12.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.410 min Scan# 2264
 Delta R.T. -0.006 min
 Lab File: BF141552.D
 Acq: 11 Feb 2025 10:55

Tgt Ion:264 Resp: 234196
 Ion Ratio Lower Upper
 264 100
 260 24.3 18.6 28.0
 265 21.1 17.0 25.4

