

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF021215\
 Data File : BF077298.D
 Acq On : 12 Feb 2015 23:27
 Operator : TP/IZ
 Sample : G1253-05MS
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WC-SLDG-WT-70

Quant Time: Feb 13 04:37:20 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF021215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 13 03:50:26 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.49	152	26820	20.00	ng	0.00
21) Naphthalene-d8	10.41	136	105709	20.00	ng	0.00
38) Acenaphthene-d10	14.52	164	54528	20.00	ng	0.00
63) Phenanthrene-d10	17.44	188	102769	20.00	ng	0.00
75) Chrysene-d12	20.95	240	100740	20.00	ng	-0.01
86) Perylene-d12	22.58	264	93250	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	4.50	112	211258	122.75	ng	0.01
7) Phenol-d6	6.92	99	263594	124.18	ng	-0.01
23) Nitrobenzene-d5	8.81	82	160651	86.81	ng	-0.01
41) 2,4,6-Tribromophenol	16.29	330	59558	133.94	ng	-0.01
44) 2-Fluorobiphenyl	13.06	172	338826	93.52	ng	-0.01
78) Terphenyl-d14	19.69	244	375342	83.69	ng	-0.01
Target Compounds						
4) n-Nitrosodimethylamine	1.33	42	208	Below Cal	Qvalue #	1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF021215\
Data File : BF077298.D
Acq On : 12 Feb 2015 23:27
Operator : TP/IZ
Sample : G1253-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WC-SLDG-WT-70

Quant Time: Feb 13 04:37:20 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF021215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 13 03:50:26 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.49 min Scan# 578

Delta R.T. 0.00 min

Lab File: BF077298.D

Acq: 12 Feb 2015 23:27

Instrument :

BNA_F

ClientSampleId :

WC-SLDG-WT-70


Tgt Ion:152 Resp: 26820

Ion Ratio Lower Upper

152 100

150 162.6 124.9 187.3




115 68.8 54.1 81.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

n-Nitrosodimethylamine

Concen: Below Cal

RT: 1.33 min Scan# 39

Delta R.T. -0.05 min

Lab File: BF077298.D

Acq: 12 Feb 2015 23:27


Tgt Ion: 42 Resp: 208

Ion Ratio Lower Upper

42 100

74 0.0 90.8 136.2#



44 0.0 5.8 8.6#




Abundance Ion 42.00 (41.70 to 42.70): BF0

Ion 74.00 (73.70 to 74.70): BF0

Ion 44.00 (43.70 to 44.70): BF0





#5

2-Fluorophenol

Concen: 122.75 ng

RT: 4.50 min Scan# 316

Delta R.T. 0.01 min

Lab File: BF077298.D

Acq: 12 Feb 2015 23:27

Instrument :

BNA_F

ClientSampleId :

WC-SLDG-WT-70


Tgt Ion: 112 Resp: 211258

Ion Ratio Lower Upper

112 100

64 60.9 55.0 82.4




63 34.3 33.0 49.6



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0



#7

Phenol-d6

Concen: 124.18 ng

RT: 6.92 min Scan# 528

Delta R.T. -0.01 min

Lab File: BF077298.D

Acq: 12 Feb 2015 23:27


Tgt Ion: 99 Resp: 263594

Ion Ratio Lower Upper

99 100

42 19.4 15.0 22.4



71 37.6 31.8 47.6




Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.41 min Scan# 833
Delta R.T. 0.00 min
Lab File: BF077298.D
Acq: 12 Feb 2015 23:27

Instrument :
BNA_F
ClientSampleId :
WC-SLDG-WT-70

Tgt Ion:	136	Resp:	105709
Ion	Ratio	Lower	Upper
136	100		
137	10.4	8.7	13.1
54	8.1	8.2	12.2#
68	4.3	3.1	4.7




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 86.81 ng
RT: 8.81 min Scan# 693
Delta R.T. -0.01 min
Lab File: BF077298.D
Acq: 12 Feb 2015 23:27

Tgt Ion:	82	Resp:	160651
Ion	Ratio	Lower	Upper
82	100		
128	43.3	33.6	50.4
54	59.3	46.2	69.2



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.52 min Scan# 1193

Delta R.T. 0.00 min

Lab File: BF077298.D

Acq: 12 Feb 2015 23:27

Instrument :

BNA_F

ClientSampleId :

WC-SLDG-WT-70


Tgt Ion:164 Resp: 54528

Ion Ratio Lower Upper

164 100

162 101.9 81.0 121.4




160 42.0 35.2 52.8



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 133.94 ng

RT: 16.29 min Scan# 1348

Delta R.T. -0.01 min

Lab File: BF077298.D

Acq: 12 Feb 2015 23:27


Tgt Ion:330 Resp: 59558

Ion Ratio Lower Upper

330 100

332 97.0 0.0 0.0#



141 51.5 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 93.52 ng
 RT: 13.06 min Scan# 1065
 Delta R.T. -0.01 min
 Lab File: BF077298.D
 Acq: 12 Feb 2015 23:27




Instrument :
 BNA_F
 ClientSampleId :
 WC-SLDG-WT-70


Tgt Ion:172 Resp: 338826
 Ion Ratio Lower Upper
 172 100
 171 34.7 27.8 41.8
 170 23.3 18.3 27.5



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 17.44 min Scan# 1448
 Delta R.T. 0.00 min
 Lab File: BF077298.D
 Acq: 12 Feb 2015 23:27

Tgt Ion:188 Resp: 102769
 Ion Ratio Lower Upper
 188 100
 94 7.4 6.5 9.7
 80 7.4 7.1 10.7









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 20.95 min Scan# 1755
 Delta R.T. -0.01 min
 Lab File: BF077298.D
 Acq: 12 Feb 2015 23:27




Instrument :
 BNA_F
 ClientSampleId :
 WC-SLDG-WT-70


Tgt Ion:240 Resp: 100740
 Ion Ratio Lower Upper
 240 100
 120 13.5 7.8 11.8#
 236 25.9 20.4 30.6



#78
 Terphenyl-d14
 Concen: 83.69 ng
 RT: 19.69 min Scan# 1645
 Delta R.T. -0.01 min
 Lab File: BF077298.D
 Acq: 12 Feb 2015 23:27

Tgt Ion:244 Resp: 375342
 Ion Ratio Lower Upper
 244 100
 212 8.1 5.6 8.4
 122 14.2 7.0 10.4#






#86
Perylene-d12
Concen: 20.00 ng
RT: 22.58 min Scan# 1898
Delta R.T. -0.06 min
Lab File: BF077298.D
Acq: 12 Feb 2015 23:27

Instrument :
BNA_F
ClientSampleId :
WC-SLDG-WT-70

Tgt Ion: 264 Resp: 93250

Ion	Ratio	Lower	Upper
264	100		
260	22.6	18.6	27.8
265	21.2	16.2	24.2



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

