

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF021315\
 Data File : BF077309.D
 Acq On : 13 Feb 2015 15:42
 Operator : TP/IZ
 Sample : G1269-01DL 5X
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-059-21015DL

Quant Time: Feb 13 22:52:04 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF021215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 13 13:10:36 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.49	152	37764	20.00	ng	0.00
21) Naphthalene-d8	10.41	136	175144	20.00	ng	0.00
38) Acenaphthene-d10	14.52	164	88537	20.00	ng	0.00
63) Phenanthrene-d10	17.43	188	165467	20.00	ng	-0.01
75) Chrysene-d12	20.95	240	153052	20.00	ng	-0.01
86) Perylene-d12	22.65	264	134645	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	4.54	112	15512	7.68	ng	0.06
7) Phenol-d6	6.99	99	14136	4.73	ng	0.06
23) Nitrobenzene-d5	8.82	82	40484	13.20	ng	0.00
41) 2,4,6-Tribromophenol	16.29	330	15344	21.25	ng	-0.01
44) 2-Fluorobiphenyl	13.06	172	99264	16.87	ng	-0.01
78) Terphenyl-d14	19.69	244	106332	15.61	ng	-0.01
Target Compounds						
4) n-Nitrosodimethylamine	1.33	42	613	Below Cal	#	1
13) 1,4-Dichlorobenzene	7.54	146	8118	2.60	ng	# 90
14) 1,2-Dichlorobenzene	7.85	146	158338	53.50	ng	99
30) 1,2,4-Trichlorobenzene	10.33	180	66731	26.00	ng	100
31) Naphthalene	10.45	128	160124	18.52	ng	100
32) Benzoic acid	10.34	122	1323	15.97	ng	# 1
33) 4-Chloroaniline	10.74	127	13987	4.01	ng	95
37) 2-Methylnaphthalene	12.11	142	33859	5.22	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF021315\
Data File : BF077309.D
Acq On : 13 Feb 2015 15:42
Operator : TP/IZ
Sample : G1269-01DL 5X
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DCW-WW-059-21015DL

Quant Time: Feb 13 22:52:04 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF021215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 13 13:10:36 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.49 min Scan# 578

Delta R.T. 0.00 min

Lab File: BF077309.D

Acq: 13 Feb 2015 15:42

Instrument :

BNA_F

ClientSampleId :

DCW-WW-059-21015DL


Tgt Ion:152 Resp: 37764

Ion Ratio Lower Upper

152 100

150 165.8 124.9 187.3




115 75.8 54.1 81.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

n-Nitrosodimethylamine

Concen: Below Cal

RT: 1.33 min Scan# 39

Delta R.T. -0.05 min

Lab File: BF077309.D

Acq: 13 Feb 2015 15:42


Tgt Ion: 42 Resp: 613

Ion Ratio Lower Upper

42 100

74 0.0 90.8 136.2#



44 0.0 5.8 8.6#






Abundance Ion 42.00 (41.70 to 42.70): BF0

Ion 74.00 (73.70 to 74.70): BF0

Ion 44.00 (43.70 to 44.70): BF0









#5
2-Fluorophenol
Concen: 7.68 ng
RT: 4.54 min Scan# 320
Delta R.T. 0.06 min
Lab File: BF077309.D
Acq: 13 Feb 2015 15:42


Instrument :
BNA_F
ClientSampleId :
DCW-WW-059-21015DL


Tgt Ion: 112 Resp: 15512
Ion Ratio Lower Upper
112 100
64 59.6 55.0 82.4
63 28.8 33.0 49.6#



#7
Phenol-d6
Concen: 4.73 ng
RT: 6.99 min Scan# 534
Delta R.T. 0.06 min
Lab File: BF077309.D
Acq: 13 Feb 2015 15:42

Tgt Ion: 99 Resp: 14136
Ion Ratio Lower Upper
99 100
42 37.3 15.0 22.4#
71 31.3 31.8 47.6#





#13

1,4-Dichlorobenzene

Concen: 2.60 ng

RT: 7.54 min Scan# 582

Delta R.T. 0.00 min

Lab File: BF077309.D

Acq: 13 Feb 2015 15:42

Instrument :

BNA_F

ClientSampleId :

DCW-WW-059-21015DL


Tgt Ion:146 Resp: 8118

Ion Ratio Lower Upper

146 100

148 67.2 49.8 74.6




111 46.8 30.2 45.2#



Abundance Ion 146.00 (145.70 to 146.70): E

Ion 148.00 (147.70 to 148.70): E

Ion 111.00 (110.70 to 111.70): E



#14

1,2-Dichlorobenzene

Concen: 53.50 ng

RT: 7.85 min Scan# 609

Delta R.T. 0.00 min

Lab File: BF077309.D

Acq: 13 Feb 2015 15:42


Tgt Ion:146 Resp: 158338

Ion Ratio Lower Upper

146 100

148 65.7 52.0 78.0



111 47.4 37.0 55.4




Abundance Ion 146.00 (145.70 to 146.70): E

Ion 148.00 (147.70 to 148.70): E

Ion 111.00 (110.70 to 111.70): E









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.41 min Scan# 833
Delta R.T. 0.00 min
Lab File: BF077309.D
Acq: 13 Feb 2015 15:42

Instrument :
BNA_F
ClientSampleId :
DCW-WW-059-21015DL

Tgt Ion: 136 Resp: 175144
Ion Ratio Lower Upper
136 100
137 10.8 8.7 13.1
54 8.7 8.2 12.2
68 4.6 3.1 4.7




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 13.20 ng
RT: 8.82 min Scan# 694
Delta R.T. 0.00 min
Lab File: BF077309.D
Acq: 13 Feb 2015 15:42

Tgt Ion: 82 Resp: 40484
Ion Ratio Lower Upper
82 100
128 43.0 33.6 50.4
54 58.0 46.2 69.2



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0









#30
 1,2,4-Trichlorobenzene
 Concen: 26.00 ng
 RT: 10.33 min Scan# 826
 Delta R.T. 0.00 min
 Lab File: BF077309.D
 Acq: 13 Feb 2015 15:42

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-059-21015DL

Tgt Ion:180 Resp: 66731
 Ion Ratio Lower Upper
 180 100
 182 96.6 77.0 115.6
 145 34.3 27.9 41.9




Abundance Ion 180.00 (179.70 to 180.70): E
 Ion 182.00 (181.70 to 182.70): E
 Ion 145.00 (144.70 to 145.70): E






#31
 Naphthalene
 Concen: 18.52 ng
 RT: 10.45 min Scan# 837
 Delta R.T. 0.00 min
 Lab File: BF077309.D
 Acq: 13 Feb 2015 15:42

Tgt Ion:128 Resp: 160124
 Ion Ratio Lower Upper
 128 100
 129 11.4 9.0 13.6
 127 13.2 10.4 15.6



Abundance Ion 128.00 (127.70 to 128.70): E
 Ion 129.00 (128.70 to 129.70): E
 Ion 127.00 (126.70 to 127.70): E









#32
Benzoic acid
Concen: 15.97 ng
RT: 10.34 min Scan# 827
Delta R.T. 0.02 min
Lab File: BF077309.D
Acq: 13 Feb 2015 15:42

Instrument :
BNA_F
ClientSampleId :
DCW-WW-059-21015DL

Tgt Ion:122 Resp: 1323
Ion Ratio Lower Upper
122 100
105 0.0 93.4 133.4#
77 0.0 72.6 112.6#




Abundance Ion 122.00 (121.70 to 122.70): E
Ion 105.00 (104.70 to 105.70): E
Ion 77.00 (76.70 to 77.70): BF0






#33
4-Chloroaniline
Concen: 4.01 ng
RT: 10.74 min Scan# 862
Delta R.T. 0.01 min
Lab File: BF077309.D
Acq: 13 Feb 2015 15:42

Tgt Ion:127 Resp: 13987
Ion Ratio Lower Upper
127 100
129 34.0 26.0 39.0
65 37.3 25.6 38.4
92 18.5 15.1 22.7



Abundance Ion 127.00 (126.70 to 127.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 65.00 (64.70 to 65.70): BF0
Ion 92.00 (91.70 to 92.70): BF0





#37

2-Methylnaphthalene

Concen: 5.22 ng

RT: 12.11 min Scan# 982

Delta R.T. 0.00 min

Lab File: BF077309.D

Acq: 13 Feb 2015 15:42

Instrument :

BNA_F

ClientSampleId :

DCW-WW-059-21015DL


Tgt Ion:142 Resp: 33859

Ion Ratio Lower Upper

142 100

141 87.1 69.8 104.6




115 39.7 29.5 44.3



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.52 min Scan# 1193

Delta R.T. 0.00 min

Lab File: BF077309.D

Acq: 13 Feb 2015 15:42


Tgt Ion:164 Resp: 88537

Ion Ratio Lower Upper

164 100

162 99.3 81.0 121.4



160 44.9 35.2 52.8




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 21.25 ng
 RT: 16.29 min Scan# 1348
 Delta R.T. -0.01 min
 Lab File: BF077309.D
 Acq: 13 Feb 2015 15:42

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-059-21015DL

Tgt Ion	Ratio	Lower	Upper
330	100		
332	99.6	0.0	0.0#
141	49.3	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 16.87 ng
 RT: 13.06 min Scan# 1065
 Delta R.T. -0.01 min
 Lab File: BF077309.D
 Acq: 13 Feb 2015 15:42

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.1	27.8	41.8
170	23.9	18.3	27.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.43 min Scan# 1447
Delta R.T. -0.01 min
Lab File: BF077309.D
Acq: 13 Feb 2015 15:42

Instrument :
BNA_F
ClientSampleId :
DCW-WW-059-21015DL

Tgt Ion:188 Resp: 165467
Ion Ratio Lower Upper
188 100
94 9.4 6.5 9.7
80 10.5 7.1 10.7




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 20.95 min Scan# 1755
Delta R.T. -0.01 min
Lab File: BF077309.D
Acq: 13 Feb 2015 15:42

Tgt Ion:240 Resp: 153052
Ion Ratio Lower Upper
240 100
120 11.9 7.8 11.8#
236 25.9 20.4 30.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 15.61 ng
 RT: 19.69 min Scan# 1645
 Delta R.T. -0.01 min
 Lab File: BF077309.D
 Acq: 13 Feb 2015 15:42

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-059-21015DL

Tgt Ion: 244 Resp: 106332
 Ion Ratio Lower Upper
 244 100
 212 7.8 5.6 8.4
 122 11.9 7.0 10.4#




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 22.65 min Scan# 1904
 Delta R.T. 0.01 min
 Lab File: BF077309.D
 Acq: 13 Feb 2015 15:42

Tgt Ion: 264 Resp: 134645
 Ion Ratio Lower Upper
 264 100
 260 24.3 18.6 27.8
 265 21.4 16.2 24.2



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

