

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF021317\
 Data File : BF092922.D
 Acq On : 13 Feb 2017 17:07
 Operator : SJ/MA
 Sample : PB96881BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB96881BL

Quant Time: Feb 14 00:37:49 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF013017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 13 18:04:38 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	135497	20.00	ng	0.00
21) Naphthalene-d8	8.17	136	568869	20.00	ng	0.00
38) Acenaphthene-d10	9.92	164	308087	20.00	ng	-0.01
63) Phenanthrene-d10	11.40	188	525622	20.00	ng	0.00
75) Chrysene-d12	14.04	240	450971	20.00	ng	-0.01
86) Perylene-d12	15.48	264	380485	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	952028	120.54	ng	0.01
7) Phenol-d6	6.52	99	1166286	114.77	ng	-0.01
23) Nitrobenzene-d5	7.45	82	751127	73.53	ng	-0.01
41) 2,4,6-Tribromophenol	10.70	330	237048	106.38	ng	-0.01
44) 2-Fluorobiphenyl	9.24	172	1372194	80.69	ng	0.00
78) Terphenyl-d14	12.99	244	1266619	65.99	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.45	70	99039	15.31	ng	# 80
25) Isophorone	7.45	82	551247	28.96	ng	# 65
50) 2,6-Dinitrotoluene	9.92	165	38963	8.69	ng	# 30
56) 2,4-Dinitrotoluene	9.92	165	38965	6.53	ng	# 19
64) 4,6-Dinitro-2-methylphenol	10.70	198	396	2.79	ng	# 1
66) 4-Bromophenyl-phenylether	10.70	248	17100	3.11	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF021317\
Data File : BF092922.D
Acq On : 13 Feb 2017 17:07
Operator : SJ/MA
Sample : PB96881BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB96881BL

Quant Time: Feb 14 00:37:49 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF013017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 13 18:04:38 2017
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.89 min Scan# 420
 Delta R.T. 0.00 min
 Lab File: BF092922.D
 Acq: 13 Feb 2017 17:07




Instrument :
 BNA_F
 ClientSampleId :
 PB96881BL


Tgt Ion:152 Resp: 135497
 Ion Ratio Lower Upper
 152 100
 150 154.3 124.9 187.3
 115 50.6 46.0 69.0



#5
 2-Fluorophenol
 Concen: 120.54 ng
 RT: 5.49 min Scan# 298
 Delta R.T. 0.01 min
 Lab File: BF092922.D
 Acq: 13 Feb 2017 17:07

Tgt Ion:112 Resp: 952028
 Ion Ratio Lower Upper
 112 100
 64 64.5 46.1 69.1
 63 32.4 23.8 35.6





#7

Phenol-d6

Concen: 114.77 ng

RT: 6.52 min Scan# 388

Delta R.T. -0.01 min

Lab File: BF092922.D

Acq: 13 Feb 2017 17:07

Instrument :

BNA_F

ClientSampleId :

PB96881BL


Tgt Ion: 99 Resp: 1166286

Ion Ratio Lower Upper

99 100

42 19.8 15.6 23.4




71 32.7 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 15.31 ng

RT: 7.45 min Scan# 469

Delta R.T. 0.14 min

Lab File: BF092922.D

Acq: 13 Feb 2017 17:07

Tgt Ion: 70 Resp: 99039


Ion Ratio Lower Upper

70 100

42 50.8 49.4 74.0

101 0.0 7.4 11.2#

130 2.1 14.2 21.4#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.17 min Scan# 532
Delta R.T. 0.00 min
Lab File: BF092922.D
Acq: 13 Feb 2017 17:07




Instrument :
BNA_F
ClientSampleId :
PB96881BL


Tgt Ion:	136	Resp:	568869
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.4	12.6
54	8.8	4.5	6.7#
68	6.3	3.6	5.4#



#23
Nitrobenzene-d5
Concen: 73.53 ng
RT: 7.45 min Scan# 469
Delta R.T. -0.01 min
Lab File: BF092922.D
Acq: 13 Feb 2017 17:07

Tgt Ion:	82	Resp:	751127
Ion	Ratio	Lower	Upper
82	100		
128	44.1	34.6	52.0
54	57.0	39.5	59.3





#25

Isophorone

Concen: 28.96 ng

RT: 7.45 min Scan# 469

Delta R.T. -0.26 min

Lab File: BF092922.D

Acq: 13 Feb 2017 17:07

Instrument :

BNA_F

ClientSampleID :

PB96881BL


Tgt Ion: 82 Resp: 551247

Ion Ratio Lower Upper

82 100

95 0.0 5.6 8.4#




138 0.0 14.6 22.0#



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 95.00 (94.70 to 95.70): BF0

Ion 138.00 (137.70 to 138.70): E



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.92 min Scan# 685

Delta R.T. -0.01 min

Lab File: BF092922.D

Acq: 13 Feb 2017 17:07


Tgt Ion: 164 Resp: 308087

Ion Ratio Lower Upper

164 100

162 101.1 80.2 120.2



160 43.2 36.9 55.3




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 106.38 ng
 RT: 10.70 min Scan# 754
 Delta R.T. -0.01 min
 Lab File: BF092922.D
 Acq: 13 Feb 2017 17:07

Instrument :
 BNA_F
 ClientSampled :
 PB96881BL

Tgt Ion:330 Resp: 237048
 Ion Ratio Lower Upper
 330 100
 332 99.5 77.4 116.2
 141 38.2 34.1 51.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 80.69 ng
 RT: 9.24 min Scan# 626
 Delta R.T. 0.00 min
 Lab File: BF092922.D
 Acq: 13 Feb 2017 17:07

Tgt Ion:172 Resp: 1372194
 Ion Ratio Lower Upper
 172 100
 171 36.6 29.4 44.0
 170 24.1 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
 2,6-Dinitrotoluene
 Concen: 8.69 ng
 RT: 9.92 min Scan# 685
 Delta R.T. 0.21 min
 Lab File: BF092922.D
 Acq: 13 Feb 2017 17:07




Instrument :
 BNA_F
 ClientSampleId :
 PB96881BL


Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.2	36.2	54.4#
89	0.8	40.2	60.4#



#56
 2,4-Dinitrotoluene
 Concen: 6.53 ng
 RT: 9.92 min Scan# 685
 Delta R.T. -0.21 min
 Lab File: BF092922.D
 Acq: 13 Feb 2017 17:07

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.2	40.2	60.4#
89	0.8	62.5	93.7#
182	0.0	1.8	2.8#









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.40 min Scan# 815
Delta R.T. 0.00 min
Lab File: BF092922.D
Acq: 13 Feb 2017 17:07

Instrument :
BNA_F
ClientSampleId :
PB96881BL

Tgt Ion:188 Resp: 525622
Ion Ratio Lower Upper
188 100
94 9.7 10.0 15.0#
80 10.5 11.2 16.8#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#64
4,6-Dinitro-2-methylphenol
Concen: 2.79 ng
RT: 10.70 min Scan# 754
Delta R.T. 0.17 min
Lab File: BF092922.D
Acq: 13 Feb 2017 17:07

Tgt Ion:198 Resp: 396
Ion Ratio Lower Upper
198 100
51 224.0 6.7 46.7#
105 234.3 16.6 56.6#



Abundance Ion 198.00 (197.70 to 198.70): E
Ion 51.00 (50.70 to 51.70): BF0
Ion 105.00 (104.70 to 105.70): E









#66
 4-Bromophenyl-phenylether
 Concen: 3.11 ng
 RT: 10.70 min Scan# 754
 Delta R.T. -0.25 min
 Lab File: BF092922.D
 Acq: 13 Feb 2017 17:07




Instrument :
 BNA_F
 ClientSampleId :
 PB96881BL


Tgt Ion: 248 Resp: 17100
 Ion Ratio Lower Upper
 248 100
 250 206.4 76.9 115.3#
 141 530.8 68.2 102.4#



#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 14.04 min Scan# 1046
 Delta R.T. -0.01 min
 Lab File: BF092922.D
 Acq: 13 Feb 2017 17:07

Tgt Ion: 240 Resp: 450971
 Ion Ratio Lower Upper
 240 100
 120 8.8 12.9 19.3#
 236 26.3 20.9 31.3









#78
 Terphenyl-d14
 Concen: 65.99 ng
 RT: 12.99 min Scan# 954
 Delta R.T. 0.00 min
 Lab File: BF092922.D
 Acq: 13 Feb 2017 17:07

Instrument :
 BNA_F
 ClientSampleId :
 PB96881BL

Tgt Ion:244 Resp: 1266619
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.2 9.2
 122 11.9 11.4 17.2



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.48 min Scan# 1172
 Delta R.T. 0.00 min
 Lab File: BF092922.D
 Acq: 13 Feb 2017 17:07

Tgt Ion:264 Resp: 380485
 Ion Ratio Lower Upper
 264 100
 260 23.3 19.2 28.8
 265 20.7 17.4 26.0

