

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF021417\
 Data File : BF092936.D
 Acq On : 14 Feb 2017 11:43
 Operator : SJ/MA
 Sample : I1799-01
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-1

Quant Time: Feb 14 12:33:00 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF013017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 13 18:04:38 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	147222	20.00	ng	-0.01
21) Naphthalene-d8	8.16	136	567363	20.00	ng	-0.01
38) Acenaphthene-d10	9.92	164	329304	20.00	ng	-0.01
63) Phenanthrene-d10	11.39	188	540510	20.00	ng	-0.01
75) Chrysene-d12	14.03	240	456932	20.00	ng	-0.02
86) Perylene-d12	15.46	264	324686	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	907714	105.78	ng	0.00
7) Phenol-d6	6.51	99	1226636	111.10	ng	-0.02
23) Nitrobenzene-d5	7.44	82	715894	70.27	ng	-0.02
41) 2,4,6-Tribromophenol	10.70	330	247477	103.91	ng	-0.01
44) 2-Fluorobiphenyl	9.24	172	1323689	72.82	ng	0.00
78) Terphenyl-d14	12.98	244	1068628	54.95	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.63	163	196866	8.88	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF021417\
Data File : BF092936.D
Acq On : 14 Feb 2017 11:43
Operator : SJ/MA
Sample : I1799-01
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-1

Quant Time: Feb 14 12:33:00 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF013017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 13 18:04:38 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.88 min Scan# 419

Delta R.T. -0.01 min

Lab File: BF092936.D

Acq: 14 Feb 2017 11:43

Instrument :

BNA_F

ClientSampleId :

SB-1


Tgt Ion:152 Resp: 147222

Ion Ratio Lower Upper

152 100

150 158.9 124.9 187.3




115 60.3 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 105.78 ng

RT: 5.48 min Scan# 297

Delta R.T. 0.00 min

Lab File: BF092936.D

Acq: 14 Feb 2017 11:43


Tgt Ion:112 Resp: 907714

Ion Ratio Lower Upper

112 100

64 65.0 46.1 69.1



63 33.0 23.8 35.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 111.10 ng

RT: 6.51 min Scan# 387

Delta R.T. -0.02 min

Lab File: BF092936.D

Acq: 14 Feb 2017 11:43

Instrument :

BNA_F

ClientSampleId :

SB-1


Tgt Ion: 99 Resp: 1226636

Ion Ratio Lower Upper

99 100

42 20.8 15.6 23.4




71 33.2 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.16 min Scan# 531

Delta R.T. -0.01 min

Lab File: BF092936.D

Acq: 14 Feb 2017 11:43

Tgt Ion: 136 Resp: 567363


Ion Ratio Lower Upper

136 100

137 11.1 8.4 12.6

54 11.8 4.5 6.7#

68 7.8 3.6 5.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 70.27 ng
 RT: 7.44 min Scan# 468
 Delta R.T. -0.02 min
 Lab File: BF092936.D
 Acq: 14 Feb 2017 11:43

Instrument :
 BNA_F
 ClientSampleId :
 SB-1

Tgt Ion: 82 Resp: 715894
 Ion Ratio Lower Upper
 82 100
 128 40.2 34.6 52.0
 54 60.1 39.5 59.3#




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.92 min Scan# 685
 Delta R.T. -0.01 min
 Lab File: BF092936.D
 Acq: 14 Feb 2017 11:43

Tgt Ion: 164 Resp: 329304
 Ion Ratio Lower Upper
 164 100
 162 100.2 80.2 120.2
 160 43.2 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 103.91 ng
 RT: 10.70 min Scan# 754
 Delta R.T. -0.01 min
 Lab File: BF092936.D
 Acq: 14 Feb 2017 11:43

Instrument :
 BNA_F
 ClientSampleId :
 SB-1

Tgt Ion:330 Resp: 247477
 Ion Ratio Lower Upper
 330 100
 332 96.7 77.4 116.2
 141 39.6 34.1 51.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 72.82 ng
 RT: 9.24 min Scan# 626
 Delta R.T. 0.00 min
 Lab File: BF092936.D
 Acq: 14 Feb 2017 11:43

Tgt Ion:172 Resp: 1323689
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.4 44.0
 170 24.3 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 8.88 ng

RT: 9.63 min Scan# 660

Delta R.T. -0.02 min

Lab File: BF092936.D

Acq: 14 Feb 2017 11:43

Instrument :

BNA_F

ClientSampleId :

SB-1


Tgt Ion:163 Resp: 196866

Ion Ratio Lower Upper

163 100

194 3.5 3.0 4.4




164 9.6 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.39 min Scan# 814

Delta R.T. -0.01 min

Lab File: BF092936.D

Acq: 14 Feb 2017 11:43


Tgt Ion:188 Resp: 540510

Ion Ratio Lower Upper

188 100

94 13.6 10.0 15.0



80 14.8 11.2 16.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.03 min Scan# 1045

Delta R.T. -0.02 min

Lab File: BF092936.D

Acq: 14 Feb 2017 11:43

Instrument :

BNA_F

ClientSampleId :

SB-1


Tgt Ion:240 Resp: 456932

Ion Ratio Lower Upper

240 100

120 9.2 12.9 19.3#




236 25.7 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 54.95 ng

RT: 12.98 min Scan# 953

Delta R.T. -0.01 min

Lab File: BF092936.D

Acq: 14 Feb 2017 11:43


Tgt Ion:244 Resp: 1068628

Ion Ratio Lower Upper

244 100

212 7.8 6.2 9.2



122 13.0 11.4 17.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.46 min Scan# 1170
Delta R.T. -0.02 min
Lab File: BF092936.D
Acq: 14 Feb 2017 11:43

Instrument :
BNA_F
ClientSampleId :
SB-1

Tgt Ion: 264 Resp: 324686
Ion Ratio Lower Upper
264 100
260 24.2 19.2 28.8
265 21.9 17.4 26.0

