

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021422\
 Data File : BF126877.D
 Acq On : 14 Feb 2022 18:08
 Operator : CG\JU
 Sample : N1513-03
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 20220067-097-21-SITE-WATER

Quant Time: Feb 15 01:01:08 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 10 00:44:00 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.939	152	112209	20.000	ng	0.00
21) Naphthalene-d8	8.222	136	463734	20.000	ng	0.00
39) Acenaphthene-d10	9.974	164	237000	20.000	ng	-0.01
64) Phenanthrene-d10	11.469	188	407018	20.000	ng	0.00
76) Chrysene-d12	14.110	240	185079	20.000	ng	-0.01
86) Perylene-d12	15.621	264	191958	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.557	112	514529	70.600	ng	0.00
7) Phenol-d6	6.551	99	503058	51.131	ng	-0.01
23) Nitrobenzene-d5	7.504	82	913154	90.856	ng	0.00
42) 2,4,6-Tribromophenol	10.769	330	354463	139.508	ng	0.00
45) 2-Fluorobiphenyl	9.298	172	1414657	89.851	ng	0.00
79) Terphenyl-d14	13.057	244	1162095	90.013	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021422\
Data File : BF126877.D
Acq On : 14 Feb 2022 18:08
Operator : CG\JU
Sample : N1513-03
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
20220067-097-21-SITE-WATER

Quant Time: Feb 15 01:01:08 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 10 00:44:00 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.939 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF126877.D
Acq: 14 Feb 2022 18:08




Instrument :
BNA_F
ClientSampleId :
20220067-097-21-SITE-WATER


Tgt Ion:152 Resp: 112209
Ion Ratio Lower Upper
152 100
150 157.1 124.3 186.5
115 65.9 50.5 75.7



#5
2-Fluorophenol
Concen: 70.600 ng
RT: 5.557 min Scan# 556
Delta R.T. -0.000 min
Lab File: BF126877.D
Acq: 14 Feb 2022 18:08

Tgt Ion:112 Resp: 514529
Ion Ratio Lower Upper
112 100
64 65.3 54.3 81.5
63 34.4 27.5 41.3









#7
Phenol-d6
Concen: 51.131 ng
RT: 6.551 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF126877.D
Acq: 14 Feb 2022 18:08




Instrument :
BNA_F
ClientSampleId :
20220067-097-21-SITE-WATER


Tgt Ion: 99 Resp: 503058
Ion Ratio Lower Upper
99 100
42 19.8 15.8 23.6
71 38.2 30.6 45.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.222 min Scan# 1009
Delta R.T. -0.006 min
Lab File: BF126877.D
Acq: 14 Feb 2022 18:08

Tgt Ion: 136 Resp: 463734
Ion Ratio Lower Upper
136 100
137 10.6 8.6 12.8
54 9.5 8.0 12.0
68 5.9 5.0 7.6









#23
Nitrobenzene-d5
Concen: 90.856 ng
RT: 7.504 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF126877.D
Acq: 14 Feb 2022 18:08




Instrument :
BNA_F
ClientSampleId :
20220067-097-21-SITE-WATER


Tgt Ion: 82 Resp: 913154
Ion Ratio Lower Upper
82 100
128 38.8 31.6 47.4
54 52.4 43.7 65.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.974 min Scan# 1307
Delta R.T. -0.012 min
Lab File: BF126877.D
Acq: 14 Feb 2022 18:08

Tgt Ion:164 Resp: 237000
Ion Ratio Lower Upper
164 100
162 99.1 80.9 121.3
160 44.8 36.0 54.0





#42

2,4,6-Tribromophenol

Concen: 139.508 ng

RT: 10.769 min Scan# 1192

Delta R.T. -0.006 min

Lab File: BF126877.D


Acq: 14 Feb 2022 18:08

Instrument :

BNA_F

ClientSampleId :

20220067-097-21-SITE-WATER






Tgt Ion:330 Resp: 354463

Ion Ratio Lower Upper

330 100

332 97.2 78.2 117.4

141 36.3 31.2 46.8



#45

2-Fluorobiphenyl

Concen: 89.851 ng

RT: 9.298 min Scan# 1192

Delta R.T. -0.006 min

Lab File: BF126877.D

Acq: 14 Feb 2022 18:08




Tgt Ion:172 Resp: 1414657


Ion Ratio Lower Upper

172 100

171 35.7 28.5 42.7

170 23.7 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.469 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF126877.D
Acq: 14 Feb 2022 18:08




Instrument :
BNA_F
ClientSampleId :
20220067-097-21-SITE-WATER


Tgt Ion:188 Resp: 407018
Ion Ratio Lower Upper
188 100
94 10.6 8.1 12.1
80 11.3 9.5 14.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.110 min Scan# 2010
Delta R.T. -0.012 min
Lab File: BF126877.D
Acq: 14 Feb 2022 18:08

Tgt Ion:240 Resp: 185079
Ion Ratio Lower Upper
240 100
120 12.4 9.8 14.6
236 25.7 20.5 30.7









#79
 Terphenyl-d14
 Concen: 90.013 ng
 RT: 13.057 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF126877.D
 Acq: 14 Feb 2022 18:08

Instrument :
 BNA_F
 ClientSampleId :
 20220067-097-21-SITE-WATER

Tgt Ion:244 Resp: 1162095
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.6 8.4
 122 11.9 9.0 13.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.621 min Scan# 2267
 Delta R.T. -0.006 min
 Lab File: BF126877.D
 Acq: 14 Feb 2022 18:08

Tgt Ion:264 Resp: 191958
 Ion Ratio Lower Upper
 264 100
 260 24.0 19.6 29.4
 265 20.2 15.9 23.9

