

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021425\
 Data File : BF141634.D
 Acq On : 14 Feb 2025 12:44
 Operator : RC/JU
 Sample : Q1356-04
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CARBON-WATER

Quant Time: Feb 14 13:12:38 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 16:58:59 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.787	152	89889	20.000	ng	0.00
21) Naphthalene-d8	8.069	136	365329	20.000	ng	0.00
39) Acenaphthene-d10	9.822	164	201365	20.000	ng	-0.01
64) Phenanthrene-d10	11.304	188	353948	20.000	ng	-0.01
76) Chrysene-d12	13.951	240	236182	20.000	ng	-0.01
86) Perylene-d12	15.421	264	171071	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.410	112	728617	127.077	ng	0.00
7) Phenol-d6	6.428	99	776944	107.211	ng	-0.01
23) Nitrobenzene-d5	7.351	82	700131	99.958	ng	-0.01
42) 2,4,6-Tribromophenol	10.616	330	300586	148.599	ng	-0.01
45) 2-Fluorobiphenyl	9.145	172	1272597	97.366	ng	0.00
79) Terphenyl-d14	12.898	244	1516039	108.363	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021425\
Data File : BF141634.D
Acq On : 14 Feb 2025 12:44
Operator : RC/JU
Sample : Q1356-04
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CARBON-WATER

Quant Time: Feb 14 13:12:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 06 16:58:59 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.787 min Scan# 798
 Delta R.T. -0.005 min
 Lab File: BF141634.D
 Acq: 14 Feb 2025 12:44




Instrument :
 BNA_F
 ClientSampleId :
 CARBON-WATER


Tgt Ion:152 Resp: 89889
 Ion Ratio Lower Upper
 152 100
 150 156.0 125.0 187.4
 115 63.9 53.6 80.4



#5
 2-Fluorophenol
 Concen: 127.077 ng
 RT: 5.410 min Scan# 564
 Delta R.T. 0.000 min
 Lab File: BF141634.D
 Acq: 14 Feb 2025 12:44

Tgt Ion:112 Resp: 728617
 Ion Ratio Lower Upper
 112 100
 64 62.5 51.1 76.7
 63 34.4 28.4 42.6









#7
Phenol-d6
Concen: 107.211 ng
RT: 6.428 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF141634.D
Acq: 14 Feb 2025 12:44




Instrument :
BNA_F
ClientSampleId :
CARBON-WATER


Tgt Ion: 99 Resp: 776944
Ion Ratio Lower Upper
99 100
42 21.7 19.1 28.7
71 37.1 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.069 min Scan# 1016
Delta R.T. -0.006 min
Lab File: BF141634.D
Acq: 14 Feb 2025 12:44

Tgt Ion: 136 Resp: 365329
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 8.6 7.2 10.8
68 4.7 3.7 5.5









#23
Nitrobenzene-d5
Concen: 99.958 ng
RT: 7.351 min Scan# 895
Delta R.T. -0.012 min
Lab File: BF141634.D
Acq: 14 Feb 2025 12:44




Instrument :
BNA_F
ClientSampleId :
CARBON-WATER


Tgt Ion: 82 Resp: 700131
Ion Ratio Lower Upper
82 100
128 44.4 34.8 52.2
54 56.9 48.2 72.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.822 min Scan# 1314
Delta R.T. -0.012 min
Lab File: BF141634.D
Acq: 14 Feb 2025 12:44

Tgt Ion:164 Resp: 201365
Ion Ratio Lower Upper
164 100
162 101.1 81.3 121.9
160 45.3 35.9 53.9









#42
2,4,6-Tribromophenol
Concen: 148.599 ng
RT: 10.616 min Scan# 1449
Delta R.T. -0.012 min
Lab File: BF141634.D
Acq: 14 Feb 2025 12:44




Instrument :
BNA_F
ClientSampleId :
CARBON-WATER


Tgt Ion:330 Resp: 300586
Ion Ratio Lower Upper
330 100
332 96.7 78.5 117.7
141 35.2 31.0 46.4



#45
2-Fluorobiphenyl
Concen: 97.366 ng
RT: 9.145 min Scan# 1199
Delta R.T. -0.006 min
Lab File: BF141634.D
Acq: 14 Feb 2025 12:44

Tgt Ion:172 Resp: 1272597
Ion Ratio Lower Upper
172 100
171 35.5 28.7 43.1
170 23.5 18.9 28.3





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.304 min Scan# 1

Delta R.T. -0.012 min

Lab File: BF141634.D

Acq: 14 Feb 2025 12:44

Instrument :

BNA_F

ClientSampleId :

CARBON-WATER





Tgt Ion:188 Resp: 353948

Ion Ratio Lower Upper

188 100

94 8.7 6.6 10.0

80 9.2 7.3 10.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.951 min Scan# 2016

Delta R.T. -0.012 min

Lab File: BF141634.D

Acq: 14 Feb 2025 12:44




Tgt Ion:240 Resp: 236182


Ion Ratio Lower Upper

240 100

120 10.2 8.0 12.0


236 24.9 19.8 29.8








#79
 Terphenyl-d14
 Concen: 108.363 ng
 RT: 12.898 min Scan# 1837
 Delta R.T. -0.006 min
 Lab File: BF141634.D
 Acq: 14 Feb 2025 12:44

Instrument :
 BNA_F
 ClientSampleId :
 CARBON-WATER



Tgt Ion:244 Resp: 1516039
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.6 8.4
 122 10.6 8.4 12.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.421 min Scan# 2266
 Delta R.T. 0.006 min
 Lab File: BF141634.D
 Acq: 14 Feb 2025 12:44

Tgt Ion:264 Resp: 171071
 Ion Ratio Lower Upper
 264 100
 260 23.0 18.6 28.0
 265 22.0 17.0 25.4

