

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_F\DATA\BF021518\
 Data File : BF103029.D
 Acq On : 15 Feb 2018 20:31
 Operator : SJ/JU
 Sample : J1558-01
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 RO-155

Quant Time: Feb 16 01:23:59 2018
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF020318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 15 14:08:58 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.87	152	165746	20.00	ng	0.00
21) Naphthalene-d8	8.16	136	674544	20.00	ng	0.00
38) Acenaphthene-d10	9.92	164	277268	20.00	ng	0.00
63) Phenanthrene-d10	11.40	188	412323	20.00	ng	0.00
75) Chrysene-d12	14.04	240	305833	20.00	ng	0.00
86) Perylene-d12	15.53	264	266540	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	1078737	98.84	ng	0.01
7) Phenol-d6	6.51	99	1286171	97.87	ng	0.00
23) Nitrobenzene-d5	7.44	82	757380	77.89	ng	0.00
41) 2,4,6-Tribromophenol	10.71	330	203548	91.21	ng	0.00
44) 2-Fluorobiphenyl	9.23	172	1220864	73.06	ng	0.00
78) Terphenyl-d14	12.99	244	855389	66.22	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.63	163	81678	3.778	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA_F\DATA\BF021518\
Data File : BF103029.D
Acq On : 15 Feb 2018 20:31
Operator : SJ/JU
Sample : J1558-01
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
RO-155

Quant Time: Feb 16 01:23:59 2018
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF020318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 15 14:08:58 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.87 min Scan# 814
Delta R.T. -0.01 min
Lab File: BF103029.D
Acq: 15 Feb 2018 20:31

Instrument :
BNA_F
ClientSampleId :
RO-155

Tgt Ion:152 Resp: 165746
Ion Ratio Lower Upper
152 100
150 157.1 124.6 186.8
115 65.7 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 98.841 ng
RT: 5.50 min Scan# 581
Delta R.T. 0.01 min
Lab File: BF103029.D
Acq: 15 Feb 2018 20:31

Tgt Ion:112 Resp: 1078737
Ion Ratio Lower Upper
112 100
64 63.4 47.9 71.9
63 31.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 97.874 ng

RT: 6.51 min Scan# 752

Delta R.T. -0.00 min

Lab File: BF103029.D

Acq: 15 Feb 2018 20:31

Instrument :

BNA_F

ClientSampleId :

RO-155


Tgt Ion: 99 Resp: 1286171

Ion Ratio Lower Upper

99 100

42 20.0 14.5 21.7




71 33.0 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.16 min Scan# 1033

Delta R.T. -0.00 min

Lab File: BF103029.D

Acq: 15 Feb 2018 20:31

Tgt Ion: 136 Resp: 674544


Ion Ratio Lower Upper

136 100

137 10.7 8.9 13.3

54 9.0 6.6 9.8

68 6.0 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 77.890 ng
 RT: 7.44 min Scan# 910
 Delta R.T. -0.01 min
 Lab File: BF103029.D
 Acq: 15 Feb 2018 20:31




Instrument :
 BNA_F
 ClientSampled :
 RO-155


Tgt Ion	Ratio	Lower	Upper
82	100		
128	44.8	36.1	54.1
54	60.0	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.92 min Scan# 1331
 Delta R.T. -0.01 min
 Lab File: BF103029.D
 Acq: 15 Feb 2018 20:31

Tgt Ion	Ratio	Lower	Upper
164	100		
162	105.7	86.1	129.1
160	46.9	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 91.208 ng
 RT: 10.71 min Scan# 1466
 Delta R.T. -0.00 min
 Lab File: BF103029.D
 Acq: 15 Feb 2018 20:31

Instrument :
 BNA_F
 ClientSampleId :
 RO-155

Tgt Ion:330 Resp: 203548
 Ion Ratio Lower Upper
 330 100
 332 104.2 77.0 115.6
 141 39.2 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 73.065 ng
 RT: 9.23 min Scan# 1215
 Delta R.T. -0.01 min
 Lab File: BF103029.D
 Acq: 15 Feb 2018 20:31

Tgt Ion:172 Resp: 1220864
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.7 44.5
 170 24.2 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.778 ng

RT: 9.63 min Scan# 1282

Delta R.T. -0.01 min

Lab File: BF103029.D

Acq: 15 Feb 2018 20:31

Instrument :

BNA_F

ClientSampleId :

RO-155


Tgt Ion:163 Resp: 81678

Ion Ratio Lower Upper

163 100

194 2.9 2.7 4.1




164 9.6 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.40 min Scan# 1584

Delta R.T. -0.00 min

Lab File: BF103029.D

Acq: 15 Feb 2018 20:31


Tgt Ion:188 Resp: 412323

Ion Ratio Lower Upper

188 100

94 12.3 8.5 12.7



80 13.2 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1









#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.04 min Scan# 2032
Delta R.T. -0.01 min
Lab File: BF103029.D
Acq: 15 Feb 2018 20:31




Instrument :
BNA_F
ClientSampleId :
RO-155


Tgt Ion:240 Resp: 305833
Ion Ratio Lower Upper
240 100
120 16.9 9.5 14.3#
236 25.8 20.7 31.1



#78
Terphenyl-d14
Concen: 66.225 ng
RT: 12.99 min Scan# 1853
Delta R.T. -0.01 min
Lab File: BF103029.D
Acq: 15 Feb 2018 20:31

Tgt Ion:244 Resp: 855389
Ion Ratio Lower Upper
244 100
212 7.0 5.4 8.0
122 15.2 11.0 16.4





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.53 min Scan# 2286
Delta R.T. 0.01 min
Lab File: BF103029.D
Acq: 15 Feb 2018 20:31

Instrument :
BNA_F
ClientSampleId :
RO-155

Tgt Ion: 264 Resp: 266540
Ion Ratio Lower Upper
264 100
260 24.6 19.2 28.8
265 21.6 17.5 26.3

