

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021521\
 Data File : BF123202.D
 Acq On : 15 Feb 2021 13:16
 Operator : JU/CG
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Quant Time: Feb 15 14:00:43 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF021221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 12 16:59:49 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	162857	20.00	ng	0.00
21) Naphthalene-d8	8.157	136	624278	20.00	ng	0.00
39) Acenaphthene-d10	9.916	164	307613	20.00	ng	0.00
64) Phenanthrene-d10	11.404	188	573266	20.00	ng	0.00
76) Chrysene-d12	14.057	240	468448	20.00	ng	# 0.00
86) Perylene-d12	15.533	264	452741	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	847146	78.85	ng	0.00
7) Phenol-d6	6.498	99	1102262	77.68	ng	0.00
23) Nitrobenzene-d5	7.434	82	951560	80.09	ng	0.00
42) 2,4,6-Tribromophenol	10.704	330	257583	77.54	ng	0.00
45) 2-Fluorobiphenyl	9.233	172	1591948	77.34	ng	0.00
79) Terphenyl-d14	12.998	244	1831546	78.36	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.622	88	195650	39.09	ng	97
3) Pyridine	3.369	79	514419	39.76	ng	96
4) n-Nitrosodimethylamine	3.328	42	222855	39.97	ng	92
6) Aniline	6.534	93	665566	39.42	ng	100
8) 2-Chlorophenol	6.657	128	470271	39.04	ng	98
9) Benzaldehyde	6.416	77	307345	36.91	ng	97
10) Phenol	6.510	94	607868	39.02	ng	91
11) bis(2-Chloroethyl)ether	6.604	93	428043	39.57	ng	99
12) 1,3-Dichlorobenzene	6.810	146	493915	39.42	ng	96
13) 1,4-Dichlorobenzene	6.887	146	497191	39.05	ng	96
14) 1,2-Dichlorobenzene	7.045	146	465445	39.22	ng	98
15) Benzyl Alcohol	7.010	79	413660	40.18	ng	97
16) 2,2'-oxybis(1-Chloropr...	7.145	45	553244	39.61	ng	99
17) 2-Methylphenol	7.122	107	379257	39.22	ng	98
18) Hexachloroethane	7.387	117	182465	40.25	ng	94
19) n-Nitroso-di-n-propyla...	7.287	70	318086	39.11	ng	99
20) 3+4-Methylphenols	7.275	107	473669	38.57	ng	90
22) Acetophenone	7.281	105	592498	38.73	ng	# 97
24) Nitrobenzene	7.451	77	502077	39.87	ng	96
25) Isophorone	7.692	82	882021	39.98	ng	100
26) 2-Nitrophenol	7.769	139	244704	40.36	ng	97
27) 2,4-Dimethylphenol	7.804	122	362469	39.22	ng	98
28) bis(2-Chloroethoxy)met...	7.904	93	477635	39.90	ng	99
29) 2,4-Dichlorophenol	8.010	162	361375	39.61	ng	95
30) 1,2,4-Trichlorobenzene	8.098	180	389150	39.74	ng	98
31) Naphthalene	8.181	128	1315402	39.14	ng	99
32) Benzoic acid	7.928	122	279454	38.80	ng	96
33) 4-Chloroaniline	8.222	127	542132	38.98	ng	96
34) Hexachlorobutadiene	8.298	225	213310	39.67	ng	98
35) Caprolactam	8.592	113	128566	40.21	ng	97
36) 4-Chloro-3-methylphenol	8.704	107	428112	40.20	ng	94
37) 2-Methylnaphthalene	8.869	142	870849	39.16	ng	97
38) 1-Methylnaphthalene	8.969	142	827153	39.58	ng	99
40) 1,2,4,5-Tetrachloroben...	9.039	216	329945	38.73	ng	# 97
41) Hexachlorocyclopentadiene	9.028	237	160268	41.12	ng	97
43) 2,4,6-Trichlorophenol	9.145	196	258292	40.24	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021521\
 Data File : BF123202.D
 Acq On : 15 Feb 2021 13:16
 Operator : JU/CG
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Quant Time: Feb 15 14:00:43 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF021221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 12 16:59:49 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.186	196	271712	38.90	ng	96
46) 1,1'-Biphenyl	9.333	154	955006	38.46	ng	100
47) 2-Chloronaphthalene	9.363	162	770223	38.78	ng	99
48) 2-Nitroaniline	9.451	65	260552	39.14	ng	86
49) Acenaphthylene	9.781	152	1242071	38.87	ng	99
50) Dimethylphthalate	9.633	163	881051	39.52	ng	99
51) 2,6-Dinitrotoluene	9.698	165	212929	39.70	ng	90
52) Acenaphthene	9.951	154	805821	38.77	ng	97
53) 3-Nitroaniline	9.869	138	246967	38.74	ng	100
54) 2,4-Dinitrophenol	9.969	184	108655	38.21	ng	90
55) Dibenzofuran	10.122	168	1089672	38.76	ng	95
56) 4-Nitrophenol	10.022	139	210786	40.23	ng	93
57) 2,4-Dinitrotoluene	10.098	165	291930	40.31	ng	91
58) Fluorene	10.469	166	843004	38.65	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.239	232	215379	38.96	ng	# 84
60) Diethylphthalate	10.333	149	890462	39.36	ng	98
61) 4-Chlorophenyl-phenyle...	10.457	204	381404	39.25	ng	94
62) 4-Nitroaniline	10.480	138	254530	39.59	ng	99
63) Azobenzene	10.616	77	921508	38.94	ng	97
65) 4,6-Dinitro-2-methylph...	10.510	198	150287	40.69	ng	84
66) n-Nitrosodiphenylamine	10.575	169	753747	38.91	ng	100
67) 4-Bromophenyl-phenylether	10.945	248	241494	39.66	ng	# 89
68) Hexachlorobenzene	11.016	284	261568	39.25	ng	# 92
69) Atrazine	11.104	200	223916	38.77	ng	99
70) Pentachlorophenol	11.210	266	167766	40.39	ng	96
71) Phenanthrene	11.433	178	1304644	38.63	ng	99
72) Anthracene	11.480	178	1311352	38.85	ng	99
73) Carbazole	11.633	167	1243350	38.66	ng	98
74) Di-n-butylphthalate	11.969	149	1379909	39.89	ng	99
75) Fluoranthene	12.621	202	1348116	39.73	ng	98
77) Benzidine	12.739	184	628605	37.87	ng	100
78) Pyrene	12.851	202	1373348	39.65	ng	99
80) Butylbenzylphthalate	13.469	149	627257	40.96	ng	94
81) Benzo(a)anthracene	14.045	228	1252298	39.68	ng	99
82) 3,3'-Dichlorobenzidine	14.010	252	440157	40.26	ng	97
83) Chrysene	14.086	228	1225586	39.41	ng	99
84) Bis(2-ethylhexyl)phtha...	14.033	149	803146	40.41	ng	99
85) Di-n-octyl phthalate	14.651	149	1396548	40.84	ng	100
87) Indeno(1,2,3-cd)pyrene	17.027	276	1215720	39.09	ng	# 94
88) Benzo(b)fluoranthene	15.104	252	1237448	38.90	ng	98
89) Benzo(k)fluoranthene	15.133	252	1192752	40.81	ng	99
90) Benzo(a)pyrene	15.474	252	1116213	39.25	ng	98
91) Dibenzo(a,h)anthracene	17.045	278	1036701	39.30	ng	96
92) Benzo(g,h,i)perylene	17.480	276	983261	38.31	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Feb 15 14:00:43 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF021221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 12 16:59:49 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.869 min Scan# 813
Delta R.T. -0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:152 Resp: 162857
Ion Ratio Lower Upper
152 100
150 156.1 125.8 188.6
115 67.1 49.3 73.9



#2
1,4-Dioxane
Concen: 39.09 ng
RT: 2.622 min Scan# 91
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion: 88 Resp: 195650
Ion Ratio Lower Upper
88 100
58 73.2 56.2 84.2
43 28.2 21.8 32.6









#3
Pyridine
Concen: 39.76 ng
RT: 3.369 min Scan# 218
Delta R.T. -0.006 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 514419
Ion Ratio Lower Upper
79 100
52 70.0 53.0 79.4
51 34.3 26.6 39.8



#4
n-Nitrosodimethylamine
Concen: 39.97 ng
RT: 3.328 min Scan# 211
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion: 42 Resp: 222855
Ion Ratio Lower Upper
42 100
74 133.7 115.2 172.8
44 6.8 5.4 8.0









#5
2-Fluorophenol
Concen: 78.85 ng
RT: 5.481 min Scan# 577
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:112 Resp: 847146
Ion Ratio Lower Upper
112 100
64 58.8 46.9 70.3
63 30.4 24.5 36.7



#6
Aniline
Concen: 39.42 ng
RT: 6.534 min Scan# 756
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion: 93 Resp: 665566
Ion Ratio Lower Upper
93 100
66 38.9 31.3 46.9
65 19.7 15.6 23.4









#7
Phenol-d6
Concen: 77.68 ng
RT: 6.498 min Scan# 750
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 99 Resp: 1102262




Ion	Ratio	Lower	Upper
99	100		
42	17.5	13.8	20.6
71	35.7	26.9	40.3




#8
2-Chlorophenol
Concen: 39.04 ng
RT: 6.657 min Scan# 777
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:128 Resp: 470271

Ion	Ratio	Lower	Upper
128	100		
130	33.5	12.3	52.3
64	43.9	25.5	65.5









#9
Benzaldehyde
Concen: 36.91 ng
RT: 6.416 min Scan# 736
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 77 Resp: 307345
Ion Ratio Lower Upper
77 100
105 97.7 80.6 120.6
106 95.0 77.2 117.2



#10
Phenol
Concen: 39.02 ng
RT: 6.510 min Scan# 752
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion: 94 Resp: 607868
Ion Ratio Lower Upper
94 100
65 27.8 11.2 51.2
66 38.4 25.8 65.8









#11
bis(2-Chloroethyl)ether
Concen: 39.57 ng
RT: 6.604 min Scan# 768
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 93 Resp: 428043
Ion Ratio Lower Upper
93 100
63 73.9 52.6 92.6
95 32.7 12.6 52.6



#12
1,3-Dichlorobenzene
Concen: 39.42 ng
RT: 6.810 min Scan# 803
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:146 Resp: 493915
Ion Ratio Lower Upper
146 100
148 64.4 51.8 77.8
75 33.6 22.5 33.7









#13
1,4-Dichlorobenzene
Concen: 39.05 ng
RT: 6.887 min Scan# 816
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:146 Resp: 497191
Ion Ratio Lower Upper
146 100
148 64.1 52.0 78.0
111 45.4 32.3 48.5



#14
1,2-Dichlorobenzene
Concen: 39.22 ng
RT: 7.045 min Scan# 843
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:146 Resp: 465445
Ion Ratio Lower Upper
146 100
148 65.4 51.5 77.3
111 45.2 34.2 51.2





#15

Benzyl Alcohol

Concen: 40.18 ng

RT: 7.010 min Scan# 837





Delta R.T. 0.000 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16

Tgt Ion: 79 Resp: 413660

Ion	Ratio	Lower	Upper
79	100		
108	74.5	62.4	93.6
77	60.4	49.0	73.6



#16

2,2'-oxybis(1-chloropropane)

Concen: 39.61 ng

RT: 7.145 min Scan# 860




Delta R.T. 0.000 min


Lab File: BF123202.D

Acq: 15 Feb 2021 13:16

Tgt Ion: 45 Resp: 553244

Ion	Ratio	Lower	Upper
45	100		
77	15.6	0.0	35.6
79	11.7	0.0	32.4









#17
2-Methylphenol
Concen: 39.22 ng
RT: 7.122 min Scan# 856
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	107	Resp:	379257
Ion	Ratio	Lower	Upper
107	100		
108	111.1	91.1	136.7
77	44.5	36.3	54.5
79	45.4	36.8	55.2



#18
Hexachloroethane
Concen: 40.25 ng
RT: 7.387 min Scan# 901
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:	117	Resp:	182465
Ion	Ratio	Lower	Upper
117	100		
119	97.4	78.4	117.6
201	87.9	79.6	119.4









#19
n-Nitroso-di-n-propylamine
Concen: 39.11 ng
RT: 7.287 min Scan# 884
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 70 Resp: 318086




Ion	Ratio	Lower	Upper
70	100		
42	54.9	43.0	64.4
101	10.3	7.9	11.9
130	23.2	18.5	27.7




#20
3+4-Methylphenols
Concen: 38.57 ng
RT: 7.275 min Scan# 882
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion: 107 Resp: 473669


Ion	Ratio	Lower	Upper
107	100		
108	90.1	68.7	108.7
77	90.9	89.8	129.8
79	31.4	9.8	49.8








#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.157 min Scan# 1032
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040







Tgt Ion:136 Resp: 624278
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 7.1 5.5 8.3
68 5.3 4.6 6.8



#22
Acetophenone
Concen: 38.73 ng
RT: 7.281 min Scan# 883
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:105 Resp: 592498
Ion Ratio Lower Upper
105 100
71 6.3 6.5 9.7#
51 28.7 24.3 36.5
120 22.0 18.1 27.1









#23
Nitrobenzene-d5
Concen: 80.09 ng
RT: 7.434 min Scan# 909
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 951560
Ion Ratio Lower Upper
82 100
128 43.9 37.0 55.4
54 48.5 38.4 57.6



#24
Nitrobenzene
Concen: 39.87 ng
RT: 7.451 min Scan# 912
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion: 77 Resp: 502077
Ion Ratio Lower Upper
77 100
123 46.2 39.3 58.9
65 14.5 10.6 15.8









#25
Isophorone
Concen: 39.98 ng
RT: 7.692 min Scan# 953
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 882021
Ion Ratio Lower Upper
82 100
95 7.5 5.8 8.6
138 18.3 14.6 21.8



#26
2-Nitrophenol
Concen: 40.36 ng
RT: 7.769 min Scan# 966
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:139 Resp: 244704
Ion Ratio Lower Upper
139 100
109 31.3 24.0 36.0
65 53.0 40.9 61.3





#27

2,4-Dimethylphenol

Concen: 39.22 ng

RT: 7.804 min Scan# 972

Delta R.T. 0.000 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16





Tgt Ion:122 Resp: 362469

Ion Ratio Lower Upper

122 100

107 117.8 91.8 137.8

121 60.1 47.3 70.9



#28

bis(2-Chloroethoxy)methane

Concen: 39.90 ng

RT: 7.904 min Scan# 989

Delta R.T. 0.000 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16




Tgt Ion: 93 Resp: 477635


Ion Ratio Lower Upper

93 100

95 32.4 26.2 39.2

123 12.6 9.2 13.8









#29
2,4-Dichlorophenol
Concen: 39.61 ng
RT: 8.010 min Scan# 1007
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:162 Resp: 361375
Ion Ratio Lower Upper
162 100
164 64.1 43.2 83.2
98 42.5 15.2 55.2



#30
1,2,4-Trichlorobenzene
Concen: 39.74 ng
RT: 8.098 min Scan# 1022
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:180 Resp: 389150
Ion Ratio Lower Upper
180 100
182 96.2 75.7 113.5
145 32.5 25.0 37.4









#31
Naphthalene
Concen: 39.14 ng
RT: 8.181 min Scan# 1036
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:128 Resp: 1315402
Ion Ratio Lower Upper
128 100
129 11.1 9.0 13.6
127 13.7 10.7 16.1



#32
Benzoic acid
Concen: 38.80 ng
RT: 7.928 min Scan# 993
Delta R.T. 0.006 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:122 Resp: 279454
Ion Ratio Lower Upper
122 100
105 121.3 104.8 144.8
77 86.8 71.0 111.0









#33
4-Chloroaniline
Concen: 38.98 ng
RT: 8.222 min Scan# 1043
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	127	Resp:	542132
Ion Ratio	Lower	Upper	
127	100		
129	32.3	26.2	39.2
65	31.5	22.2	33.2
92	21.1	15.3	22.9



#34
Hexachlorobutadiene
Concen: 39.67 ng
RT: 8.298 min Scan# 1056
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:	225	Resp:	213310
Ion Ratio	Lower	Upper	
225	100		
223	63.0	50.7	76.1
227	67.3	51.7	77.5









#35
Caprolactam
Concen: 40.21 ng
RT: 8.592 min Scan# 1106
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:113 Resp: 128566
Ion Ratio Lower Upper
113 100
55 157.9 133.7 173.7
56 118.4 95.3 135.3



#36
4-Chloro-3-methylphenol
Concen: 40.20 ng
RT: 8.704 min Scan# 1125
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:107 Resp: 428112
Ion Ratio Lower Upper
107 100
144 24.7 20.2 30.2
142 74.3 64.4 96.6









#37
2-Methylnaphthalene
Concen: 39.16 ng
RT: 8.869 min Scan# 1153
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:142 Resp: 870849
Ion Ratio Lower Upper
142 100
141 91.2 70.6 106.0



#38
1-Methylnaphthalene
Concen: 39.58 ng
RT: 8.969 min Scan# 1170
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:142 Resp: 827153
Ion Ratio Lower Upper
142 100
141 92.0 74.5 111.7









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.916 min Scan# 1331
Delta R.T. -0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:164 Resp: 307613
Ion Ratio Lower Upper
164 100
162 102.8 80.8 121.2
160 45.9 35.4 53.0



#40
1,2,4,5-Tetrachlorobenzene
Concen: 38.73 ng
RT: 9.039 min Scan# 1182
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:216 Resp: 329945
Ion Ratio Lower Upper
216 100
214 79.6 63.1 94.7
179 23.9 17.1 25.7
108 22.0 14.6 21.8#









#41
Hexachlorocyclopentadiene
Concen: 41.12 ng
RT: 9.028 min Scan# 1180
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:237 Resp: 160268
Ion Ratio Lower Upper
237 100
235 63.6 40.9 80.9
272 13.0 0.0 33.4



#42
2,4,6-Tribromophenol
Concen: 77.54 ng
RT: 10.704 min Scan# 1465
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:330 Resp: 257583
Ion Ratio Lower Upper
330 100
332 96.8 77.5 116.3
141 40.6 23.8 35.8#









#43
2,4,6-Trichlorophenol
Concen: 40.24 ng
RT: 9.145 min Scan# 1200
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:196 Resp: 258292
Ion Ratio Lower Upper
196 100
198 94.9 75.1 112.7
200 30.2 23.7 35.5



#44
2,4,5-Trichlorophenol
Concen: 38.90 ng
RT: 9.186 min Scan# 1207
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:196 Resp: 271712
Ion Ratio Lower Upper
196 100
198 93.8 76.5 114.7
97 55.0 40.1 60.1
132 32.1 23.3 34.9









#45
2-Fluorobiphenyl
Concen: 77.34 ng
RT: 9.233 min Scan# 1215
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:172 Resp: 1591948
Ion Ratio Lower Upper
172 100
171 36.5 29.6 44.4
170 24.2 19.5 29.3



#46
1,1'-Biphenyl
Concen: 38.46 ng
RT: 9.333 min Scan# 1232
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:154 Resp: 955006
Ion Ratio Lower Upper
154 100
153 41.5 21.8 61.8
76 13.4 0.0 33.4









#47
2-Chloronaphthalene
Concen: 38.78 ng
RT: 9.363 min Scan# 1237
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:162 Resp: 770223
Ion Ratio Lower Upper
162 100
127 43.2 33.8 50.8
164 33.3 26.5 39.7



#48
2-Nitroaniline
Concen: 39.14 ng
RT: 9.451 min Scan# 1252
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion: 65 Resp: 260552
Ion Ratio Lower Upper
65 100
92 69.7 60.0 90.0
138 103.7 100.6 151.0





#49

Acenaphthylene

Concen: 38.87 ng

RT: 9.781 min Scan# 1308

Delta R.T. 0.006 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:152 Resp: 1242071

Ion Ratio Lower Upper

152 100

151 20.6 16.6 25.0

153 12.9 10.9 16.3



#50

Dimethylphthalate

Concen: 39.52 ng

RT: 9.633 min Scan# 1283

Delta R.T. 0.000 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16




Tgt Ion:163 Resp: 881051


Ion Ratio Lower Upper

163 100

194 3.6 3.4 5.0

164 10.4 8.1 12.1









#51
2,6-Dinitrotoluene
Concen: 39.70 ng
RT: 9.698 min Scan# 1294
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 212929
Ion Ratio Lower Upper
165 100
63 52.6 36.6 55.0
89 55.8 39.4 59.0



#52
Acenaphthene
Concen: 38.77 ng
RT: 9.951 min Scan# 1337
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:154 Resp: 805821
Ion Ratio Lower Upper
154 100
153 115.3 89.0 133.6
152 54.8 42.7 64.1









#53
3-Nitroaniline
Concen: 38.74 ng
RT: 9.869 min Scan# 1323
Delta R.T. 0.006 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:138 Resp: 246967
Ion Ratio Lower Upper
138 100
108 11.1 8.2 12.2
92 106.8 85.4 128.2



#54
2,4-Dinitrophenol
Concen: 38.21 ng
RT: 9.969 min Scan# 1340
Delta R.T. -0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:184 Resp: 108655
Ion Ratio Lower Upper
184 100
63 73.0 51.4 77.2
154 69.6 49.7 74.5









#55
Dibenzenofuran
Concen: 38.76 ng
RT: 10.122 min Scan# 1366
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:168 Resp: 1089672
Ion Ratio Lower Upper
168 100
139 43.0 31.3 46.9
169 13.6 11.2 16.8



#56
4-Nitrophenol
Concen: 40.23 ng
RT: 10.022 min Scan# 1349
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:139 Resp: 210786
Ion Ratio Lower Upper
139 100
109 68.8 45.1 85.1
65 86.7 59.2 99.2









#57
2,4-Dinitrotoluene
Concen: 40.31 ng
RT: 10.098 min Scan# 1362
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	165	Resp:	291930
Ion	Ratio	Lower	Upper
165	100		
63	47.4	34.3	51.5
89	77.6	55.2	82.8
182	2.9	2.2	3.2



#58
Fluorene
Concen: 38.65 ng
RT: 10.469 min Scan# 1425
Delta R.T. 0.006 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:	166	Resp:	843004
Ion	Ratio	Lower	Upper
166	100		
165	100.6	79.4	119.0
167	13.6	10.9	16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 38.96 ng
RT: 10.239 min Scan# 1386
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:232 Resp: 215379
Ion Ratio Lower Upper
232 100
131 54.3 33.0 49.4#
130 2.7 1.7 2.5#
166 34.3 23.0 34.4



#60
Diethylphthalate
Concen: 39.36 ng
RT: 10.333 min Scan# 1402
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:149 Resp: 890462
Ion Ratio Lower Upper
149 100
177 21.2 18.2 27.4
150 12.8 10.1 15.1









#61
4-Chlorophenyl-phenylether
Concen: 39.25 ng
RT: 10.457 min Scan# 1423
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:204 Resp: 381404
Ion Ratio Lower Upper
204 100
206 32.8 27.0 40.4
141 69.3 50.4 75.6



#62
4-Nitroaniline
Concen: 39.59 ng
RT: 10.480 min Scan# 1427
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:138 Resp: 254530
Ion Ratio Lower Upper
138 100
92 51.9 31.0 71.0
108 75.6 54.8 94.8









#63
Azobenzene
Concen: 38.94 ng
RT: 10.616 min Scan# 1450
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 77	Resp: 921508
Ion Ratio	Lower Upper
77 100	
182 23.1	5.6 45.6
105 22.3	1.8 41.8
51 29.2	8.3 48.3



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.404 min Scan# 1584
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt	Ion:188	Resp:	573266
Ion	Ratio	Lower	Upper
188	100		
94	10.2	7.4	11.2
80	11.1	8.2	12.4









#65
4,6-Dinitro-2-methylphenol
Concen: 40.69 ng
RT: 10.510 min Scan# 1432
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:198 Resp: 150287
Ion Ratio Lower Upper
198 100
51 51.4 20.3 60.3
105 52.0 23.0 63.0



#66
n-Nitrosodiphenylamine
Concen: 38.91 ng
RT: 10.575 min Scan# 1443
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:169 Resp: 753747
Ion Ratio Lower Upper
169 100
168 68.1 54.2 81.2
167 36.5 29.2 43.8









#67
4-Bromophenyl-phenylether
Concen: 39.66 ng
RT: 10.945 min Scan# 1506
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:248 Resp: 241494
Ion Ratio Lower Upper
248 100
250 96.6 76.8 115.2
141 94.8 59.8 89.8#



#68
Hexachlorobenzene
Concen: 39.25 ng
RT: 11.016 min Scan# 1518
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:284 Resp: 261568
Ion Ratio Lower Upper
284 100
142 41.0 25.6 38.4#
249 31.2 25.1 37.7





#69

Atrazine

Concen: 38.77 ng

RT: 11.104 min Scan# 1533

Delta R.T. 0.000 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16

Tgt Ion:200 Resp: 223916

Ion Ratio Lower Upper

200 100

173 27.6 6.6 46.6





215 47.6 28.1 68.1

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040



#70

Pentachlorophenol

Concen: 40.39 ng

RT: 11.210 min Scan# 1551

Delta R.T. 0.000 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16




Tgt Ion:266 Resp: 167766


Ion Ratio Lower Upper

266 100

268 66.2 50.5 75.7

264 65.0 49.8 74.8









#71
Phenanthrene
Concen: 38.63 ng
RT: 11.433 min Scan# 1589
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:178 Resp: 1304644
Ion Ratio Lower Upper
178 100
176 19.8 16.2 24.2
179 15.4 12.7 19.1



#72
Anthracene
Concen: 38.85 ng
RT: 11.480 min Scan# 1597
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:178 Resp: 1311352
Ion Ratio Lower Upper
178 100
176 18.9 15.6 23.4
179 15.9 12.8 19.2









#73
 Carbazole
 Concen: 38.66 ng
 RT: 11.633 min Scan# 1623
 Delta R.T. 0.000 min
 Lab File: BF123202.D
 Acq: 15 Feb 2021 13:16




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:167 Resp: 1243350
 Ion Ratio Lower Upper
 167 100
 166 21.6 18.0 27.0
 139 15.0 10.9 16.3



#74
 Di-n-butylphthalate
 Concen: 39.89 ng
 RT: 11.969 min Scan# 1680
 Delta R.T. 0.000 min
 Lab File: BF123202.D
 Acq: 15 Feb 2021 13:16

Tgt Ion:149 Resp: 1379909
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.8 11.6
 104 5.0 4.2 6.4









#75
Fluoranthene
Concen: 39.73 ng
RT: 12.621 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:202 Resp: 1348116
Ion Ratio Lower Upper
202 100
101 13.5 0.0 32.2
203 17.9 0.0 38.1



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.057 min Scan# 2035
Delta R.T. -0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:240 Resp: 468448
Ion Ratio Lower Upper
240 100
120 12.9 8.6 12.8#
236 25.7 20.3 30.5





#77

Benzidine

Concen: 37.87 ng

RT: 12.739 min Scan# 1811

Delta R.T. 0.000 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16





Tgt Ion:184 Resp: 628605

Ion Ratio Lower Upper

184 100

185 15.0 11.8 17.6

183 12.1 9.7 14.5



#78

Pyrene

Concen: 39.65 ng

RT: 12.851 min Scan# 1830

Delta R.T. 0.000 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16




Tgt Ion:202 Resp: 1373348


Ion Ratio Lower Upper

202 100

200 21.7 17.6 26.4

203 18.5 14.6 21.8





#79

Terphenyl-d14

Concen: 78.36 ng

RT: 12.998 min Scan# 1855

Delta R.T. 0.000 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16

Tgt Ion:244 Resp: 1831546

Ion Ratio Lower Upper

244 100

212 7.0 5.7 8.5





122 11.4 8.3 12.5

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040



#80

Butylbenzylphthalate

Concen: 40.96 ng

RT: 13.469 min Scan# 1935

Delta R.T. 0.000 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16




Tgt Ion:149 Resp: 627257


Ion Ratio Lower Upper

149 100

91 74.8 56.5 84.7

206 17.9 17.0 25.6





#81

Benzo(a)anthracene

Concen: 39.68 ng

RT: 14.045 min Scan# 2033

Delta R.T. 0.000 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16

Tgt Ion:228 Resp: 1252298





Ion	Ratio	Lower	Upper
228	100		
226	27.7	23.0	34.4
229	20.4	16.6	24.8

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040



#82

3,3'-Dichlorobenzidine

Concen: 40.26 ng

RT: 14.010 min Scan# 2027




Delta R.T. 0.006 min


Lab File: BF123202.D

Acq: 15 Feb 2021 13:16

Tgt Ion:252 Resp: 440157

Ion	Ratio	Lower	Upper
252	100		
254	63.4	52.7	79.1
126	10.9	8.0	12.0









#83
Chrysene
Concen: 39.41 ng
RT: 14.086 min Scan# 2040
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:228 Resp: 1225586
Ion Ratio Lower Upper
228 100
226 30.1 24.6 36.8
229 19.9 15.8 23.6



#84
Bis(2-ethylhexyl)phthalate
Concen: 40.41 ng
RT: 14.033 min Scan# 2031
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:149 Resp: 803146
Ion Ratio Lower Upper
149 100
167 26.1 21.4 32.2
279 3.8 3.4 5.0









#85
Di-n-octyl phthalate
Concen: 40.84 ng
RT: 14.651 min Scan# 2136
Delta R.T. 0.006 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:149 Resp: 1396548
Ion Ratio Lower Upper
149 100
167 1.5 1.3 1.9
43 9.5 7.6 11.4



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.533 min Scan# 2286
Delta R.T. 0.006 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:264 Resp: 452741
Ion Ratio Lower Upper
264 100
260 23.5 18.6 28.0
265 21.9 17.0 25.6









#87
Indeno(1,2,3-cd)pyrene
Concen: 39.09 ng
RT: 17.027 min Scan# 2540
Delta R.T. 0.006 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:276 Resp: 1215720
Ion Ratio Lower Upper
276 100
138 28.8 18.7 28.1#
277 25.6 20.2 30.4



#88
Benzo(b)fluoranthene
Concen: 38.90 ng
RT: 15.104 min Scan# 2213
Delta R.T. 0.000 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:252 Resp: 1237448
Ion Ratio Lower Upper
252 100
253 22.4 18.3 27.5
125 11.7 8.1 12.1





#89

Benzo(k)fluoranthene

Concen: 40.81 ng

RT: 15.133 min Scan# 2218





Delta R.T. 0.000 min

Lab File: BF123202.D

Acq: 15 Feb 2021 13:16

Tgt Ion:252 Resp: 1192752

Ion	Ratio	Lower	Upper
252	100		
253	22.3	17.8	26.8
125	11.9	8.4	12.6



#90

Benzo(a)pyrene

Concen: 39.25 ng

RT: 15.474 min Scan# 2276




Delta R.T. 0.006 min


Lab File: BF123202.D

Acq: 15 Feb 2021 13:16

Tgt Ion:252 Resp: 1116213

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.5	26.3
125	12.5	8.6	12.8









#91
Dibenzo(a,h)anthracene
Concen: 39.30 ng
RT: 17.045 min Scan# 2543
Delta R.T. 0.006 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 1036701
Ion Ratio Lower Upper
278 100
139 18.0 12.0 18.0
279 23.6 19.4 29.2



#92
Benzo(g,h,i)perylene
Concen: 38.31 ng
RT: 17.480 min Scan# 2617
Delta R.T. 0.006 min
Lab File: BF123202.D
Acq: 15 Feb 2021 13:16

Tgt Ion:276 Resp: 983261
Ion Ratio Lower Upper
276 100
277 24.1 19.3 28.9
138 24.2 16.6 24.8

