

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021522\
 Data File : BF126886.D
 Acq On : 15 Feb 2022 12:27
 Operator : CG\JU
 Sample : PB142676BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB142676BS

Quant Time: Feb 16 00:15:24 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 10 00:44:00 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.939	152	116617	20.000	ng	0.00
21) Naphthalene-d8	8.228	136	484445	20.000	ng	0.00
39) Acenaphthene-d10	9.980	164	237822	20.000	ng	0.00
64) Phenanthrene-d10	11.474	188	404622	20.000	ng	0.00
76) Chrysene-d12	14.115	240	236831	20.000	ng	0.00
86) Perylene-d12	15.621	264	186017	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.569	112	986243	130.211	ng	0.01
7) Phenol-d6	6.569	99	1278449	125.030	ng	0.00
23) Nitrobenzene-d5	7.510	82	910260	86.696	ng	0.00
42) 2,4,6-Tribromophenol	10.775	330	346108	135.749	ng	0.00
45) 2-Fluorobiphenyl	9.304	172	1370849	86.767	ng	0.00
79) Terphenyl-d14	13.063	244	1442019	87.287	ng	0.00
Target Compounds						
						Qvalue
3) Pyridine	3.616	79	340965	35.493	ng	99
4) n-Nitrosodimethylamine	3.587	42	209893	46.533	ng	96
6) Aniline	6.604	93	480803	39.044	ng	97
8) 2-Chlorophenol	6.728	128	398297	49.405	ng	97
9) Benzaldehyde	6.492	77	268922	43.256	ng	96
10) Phenol	6.581	94	488527	47.400	ng	97
11) bis(2-Chloroethyl)ether	6.675	93	388076	47.293	ng	96
12) 1,3-Dichlorobenzene	7.110	146	396248	45.170	ng	96
13) 1,4-Dichlorobenzene	6.957	146	418672	47.224	ng	98
14) 1,2-Dichlorobenzene	7.110	146	396255	47.433	ng	98
15) Benzyl Alcohol	7.081	79	397529	49.195	ng	97
16) 2,2'-oxybis(1-Chloropr...	7.210	45	594325	44.310	ng	98
17) 2-Methylphenol	7.186	107	331874	47.050	ng	95
18) Hexachloroethane	7.451	117	162530	48.415	ng	97
19) n-Nitroso-di-n-propyla...	7.357	70	305657	47.205	ng	99
20) 3+4-Methylphenols	7.339	107	418947	46.298	ng	94
22) Acetophenone	7.351	105	571660	45.605	ng	99
24) Nitrobenzene	7.528	77	470884	47.411	ng	99
25) Isophorone	7.763	82	835427	47.492	ng	99
26) 2-Nitrophenol	7.839	139	200997	48.352	ng	99
27) 2,4-Dimethylphenol	7.869	122	366064	52.201	ng	98
28) bis(2-Chloroethoxy)met...	7.969	93	477238	43.699	ng	99
29) 2,4-Dichlorophenol	8.081	162	299453	45.416	ng	96
30) 1,2,4-Trichlorobenzene	8.163	180	328430	45.063	ng	99
31) Naphthalene	8.251	128	1125061	44.779	ng	100
32) Benzoic acid	7.998	122	227626	45.955	ng	97
33) 4-Chloroaniline	8.292	127	122297	12.364	ng	95
34) Hexachlorobutadiene	8.357	225	193929	46.709	ng	98
35) Caprolactam	8.669	113	62254	27.503	ng	99
36) 4-Chloro-3-methylphenol	8.769	107	379360	45.709	ng	97
37) 2-Methylnaphthalene	8.939	142	738602	46.002	ng	100
38) 1-Methylnaphthalene	9.039	142	689915	44.410	ng	99
40) 1,2,4,5-Tetrachloroben...	9.104	216	287539	46.310	ng	98
41) Hexachlorocyclopentadiene	9.086	237	396571	113.374	ng	99
43) 2,4,6-Trichlorophenol	9.210	196	202218	45.148	ng	99
44) 2,4,5-Trichlorophenol	9.251	196	218481	46.090	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021522\
 Data File : BF126886.D
 Acq On : 15 Feb 2022 12:27
 Operator : CG\JU
 Sample : PB142676BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB142676BS


Quant Time: Feb 16 00:15:24 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 10 00:44:00 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
46) 1,1'-Biphenyl	9.404	154	850166	45.068	ng	99
47) 2-Chloronaphthalene	9.428	162	630163	45.230	ng	100
48) 2-Nitroaniline	9.522	65	254448	47.079	ng	97
49) Acenaphthylene	9.845	152	1081380	47.630	ng	100
50) Dimethylphthalate	9.704	163	752525	44.712	ng	99
51) 2,6-Dinitrotoluene	9.769	165	165803	48.661	ng	100
52) Acenaphthene	10.022	154	628493	43.290	ng	100
53) 3-Nitroaniline	9.933	138	114382	27.522	ng	93
54) 2,4-Dinitrophenol	10.045	184	158568	81.722	ng	94
55) Dibenzofuran	10.192	168	875483	43.797	ng	99
56) 4-Nitrophenol	10.092	139	277140	92.850	ng	93
57) 2,4-Dinitrotoluene	10.169	165	220504	48.949	ng	89
58) Fluorene	10.533	166	689675	44.979	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.304	232	169519	45.652	ng	98
60) Diethylphthalate	10.404	149	775606	44.679	ng	98
61) 4-Chlorophenyl-phenyle...	10.522	204	319922	44.510	ng	97
62) 4-Nitroaniline	10.557	138	174677	44.704	ng	94
63) Azobenzene	10.686	77	858835	43.457	ng	99
65) 4,6-Dinitro-2-methylph...	10.575	198	99701	43.111	ng	95
66) n-Nitrosodiphenylamine	10.645	169	606346	45.806	ng	100
67) 4-Bromophenyl-phenylether	11.016	248	201798	45.893	ng	98
68) Hexachlorobenzene	11.080	284	225626	47.642	ng	97
69) Atrazine	11.169	200	202816	50.202	ng	98
70) Pentachlorophenol	11.274	266	246012	94.065	ng	98
71) Phenanthrene	11.498	178	1021971	45.584	ng	99
72) Anthracene	11.551	178	1047642	46.768	ng	100
73) Carbazole	11.704	167	889867	43.642	ng	99
74) Di-n-butylphthalate	12.027	149	1199362	45.625	ng	99
75) Fluoranthene	12.686	202	981386	46.797	ng	99
77) Benzidine	12.810	184	432836	69.455	ng	98
78) Pyrene	12.921	202	985311	45.839	ng	100
80) Butylbenzylphthalate	13.533	149	457086	46.432	ng	96
81) Benzo(a)anthracene	14.110	228	739822	46.112	ng	99
82) 3,3'-Dichlorobenzidine	14.068	252	116441	24.370	ng #	98
83) Chrysene	14.145	228	681877	45.261	ng	100
84) Bis(2-ethylhexyl)phtha...	14.086	149	581551	45.561	ng	99
85) Di-n-octyl phthalate	14.704	149	801827	45.763	ng	98
87) Indeno(1,2,3-cd)pyrene	17.168	276	637821	48.091	ng	97
88) Benzo(b)fluoranthene	15.180	252	597940	50.321	ng	98
89) Benzo(k)fluoranthene	15.210	252	573046	46.710	ng	99
90) Benzo(a)pyrene	15.562	252	548006	56.517	ng	98
91) Dibenzo(a,h)anthracene	17.192	278	554180	50.313	ng	97
92) Benzo(g,h,i)perylene	17.639	276	538566	49.150	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Feb 16 00:15:24 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 10 00:44:00 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.939 min Scan# 71
 Delta R.T. -0.006 min
 Lab File: BF126886.D
 Acq: 15 Feb 2022 12:27




Instrument :
 BNA_F
 ClientSampleId :
 PB142676BS


Tgt Ion:152 Resp: 116617
 Ion Ratio Lower Upper
 152 100
 150 160.3 124.3 186.5
 115 72.5 50.5 75.7



#3
 Pyridine
 Concen: 35.493 ng
 RT: 3.616 min Scan# 226
 Delta R.T. 0.082 min
 Lab File: BF126886.D
 Acq: 15 Feb 2022 12:27

Tgt Ion: 79 Resp: 340965
 Ion Ratio Lower Upper
 79 100
 52 79.8 64.1 96.1
 51 38.1 31.8 47.6









#4
n-Nitrosodimethylamine
Concen: 46.533 ng
RT: 3.587 min Scan# 21
Delta R.T. 0.082 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion: 42 Resp: 209893
Ion Ratio Lower Upper
42 100
74 122.5 101.8 152.6
44 6.3 5.4 8.2



#5
2-Fluorophenol
Concen: 130.211 ng
RT: 5.569 min Scan# 558
Delta R.T. 0.012 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion: 112 Resp: 986243
Ion Ratio Lower Upper
112 100
64 70.6 54.3 81.5
63 37.5 27.5 41.3









#6
Aniline
Concen: 39.044 ng
RT: 6.604 min Scan# 712
Delta R.T. -0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion: 93 Resp: 480803
Ion Ratio Lower Upper
93 100
66 44.5 33.7 50.5
65 21.9 17.6 26.4



#7
Phenol-d6
Concen: 125.030 ng
RT: 6.569 min Scan# 728
Delta R.T. 0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion: 99 Resp: 1278449
Ion Ratio Lower Upper
99 100
42 19.9 15.8 23.6
71 40.2 30.6 45.8









#8
2-Chlorophenol
Concen: 49.405 ng
RT: 6.728 min Scan# 715
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:128 Resp: 398297
Ion Ratio Lower Upper
128 100
130 32.7 12.0 52.0
64 51.9 34.9 74.9



#9
Benzaldehyde
Concen: 43.256 ng
RT: 6.492 min Scan# 715
Delta R.T. -0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion: 77 Resp: 268922
Ion Ratio Lower Upper
77 100
105 91.0 75.8 115.8
106 88.2 71.1 111.1





#10

Phenol

Concen: 47.400 ng

RT: 6.581 min Scan# 710

Delta R.T. 0.006 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27

Instrument :

BNA_F

ClientSampleId :

PB142676BS





Tgt Ion: 94 Resp: 488527

Ion Ratio Lower Upper

94 100

65 33.2 12.1 52.1

66 46.0 23.6 63.6



#11

bis(2-Chloroethyl)ether

Concen: 47.293 ng

RT: 6.675 min Scan# 746

Delta R.T. -0.006 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27




Tgt Ion: 93 Resp: 388076


Ion Ratio Lower Upper

93 100

63 86.9 61.9 101.9

95 32.7 13.0 53.0





#12

1,3-Dichlorobenzene

Concen: 45.170 ng

RT: 7.110 min Scan# 81

Delta R.T. 0.223 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27

Instrument :

BNA_F

ClientSampleId :

PB142676BS





Tgt Ion:146 Resp: 396248

Ion Ratio Lower Upper

146 100

148 63.0 50.4 75.6

75 39.2 26.2 39.4



#13

1,4-Dichlorobenzene

Concen: 47.224 ng

RT: 6.957 min Scan# 794

Delta R.T. -0.006 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27




Tgt Ion:146 Resp: 418672


Ion Ratio Lower Upper

146 100

148 64.0 51.5 77.3

111 47.2 35.5 53.3









#14
1,2-Dichlorobenzene
Concen: 47.433 ng
RT: 7.110 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:146 Resp: 396255
Ion Ratio Lower Upper
146 100
148 63.0 49.8 74.8
111 49.3 37.1 55.7



#15
Benzyl Alcohol
Concen: 49.195 ng
RT: 7.081 min Scan# 815
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion: 79 Resp: 397529
Ion Ratio Lower Upper
79 100
108 68.4 58.1 87.1
77 61.7 50.0 75.0









#16
2,2'-oxybis(1-Chloropropane)
Concen: 44.310 ng
RT: 7.210 min Scan# 811
Delta R.T. -0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion: 45 Resp: 594325
Ion Ratio Lower Upper
45 100
77 14.0 0.0 32.8
79 10.4 0.0 30.0



#17
2-Methylphenol
Concen: 47.050 ng
RT: 7.186 min Scan# 833
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27


Tgt Ion:107 Resp: 331874
Ion Ratio Lower Upper
107 100
108 116.2 90.0 135.0
77 51.7 38.0 57.0
79 53.3 38.7 58.1








#18
Hexachloroethane
Concen: 48.415 ng
RT: 7.451 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27


Instrument :
BNA_F
ClientSampleId :
PB142676BS





Tgt Ion:117 Resp: 162530
Ion Ratio Lower Upper
117 100
119 96.3 75.1 112.7
201 77.5 65.3 97.9




#19
n-Nitroso-di-n-propylamine
Concen: 47.205 ng
RT: 7.357 min Scan# 862
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27



Tgt Ion: 70 Resp: 305657
Ion Ratio Lower Upper
70 100
42 57.8 46.3 69.5
101 9.4 7.5 11.3
130 18.8 16.1 24.1









#20
3+4-Methylphenols
Concen: 46.298 ng
RT: 7.339 min Scan# 81
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:107 Resp: 418947
Ion Ratio Lower Upper
107 100
108 90.0 70.6 110.6
77 67.4 35.6 75.6
79 31.8 13.4 53.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.228 min Scan# 1010
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:136 Resp: 484445
Ion Ratio Lower Upper
136 100
137 10.7 8.6 12.8
54 9.2 8.0 12.0
68 5.7 5.0 7.6









#22
Acetophenone
Concen: 45.605 ng
RT: 7.351 min Scan# 80
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:105 Resp: 571660
Ion Ratio Lower Upper
105 100
71 7.6 5.7 8.5
51 31.3 25.0 37.4
120 20.3 16.6 24.8



#23
Nitrobenzene-d5
Concen: 86.696 ng
RT: 7.510 min Scan# 888
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion: 82 Resp: 910260
Ion Ratio Lower Upper
82 100
128 39.0 31.6 47.4
54 52.9 43.7 65.5









#24
Nitrobenzene
Concen: 47.411 ng
RT: 7.528 min Scan# 891
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion: 77 Resp: 470884
Ion Ratio Lower Upper
77 100
123 39.3 31.9 47.9
65 14.6 11.4 17.2



#25
Isophorone
Concen: 47.492 ng
RT: 7.763 min Scan# 931
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion: 82 Resp: 835427
Ion Ratio Lower Upper
82 100
95 7.7 5.8 8.8
138 15.6 12.6 19.0









#26
2-Nitrophenol
Concen: 48.352 ng
RT: 7.839 min Scan# 944
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:139 Resp: 200997
Ion Ratio Lower Upper
139 100
109 37.2 28.9 43.3
65 64.9 51.2 76.8



#27
2,4-Dimethylphenol
Concen: 52.201 ng
RT: 7.869 min Scan# 949
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:122 Resp: 366064
Ion Ratio Lower Upper
122 100
107 127.0 98.9 148.3
121 57.5 46.2 69.4









#28
bis(2-Chloroethoxy)methane
Concen: 43.699 ng
RT: 7.969 min Scan# 91
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion: 93 Resp: 477238
Ion Ratio Lower Upper
93 100
95 32.1 25.5 38.3
123 10.7 9.0 13.4



#29
2,4-Dichlorophenol
Concen: 45.416 ng
RT: 8.081 min Scan# 985
Delta R.T. 0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:162 Resp: 299453
Ion Ratio Lower Upper
162 100
164 63.8 43.9 83.9
98 42.1 28.4 68.4





#30

1,2,4-Trichlorobenzene

Concen: 45.063 ng

RT: 8.163 min Scan# 91

Delta R.T. -0.000 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27

Instrument :

BNA_F

ClientSampleId :

PB142676BS





Tgt Ion:180 Resp: 328430

Ion Ratio Lower Upper

180 100

182 94.5 75.2 112.8

145 35.9 27.7 41.5



#31

Naphthalene

Concen: 44.779 ng

RT: 8.251 min Scan# 1014

Delta R.T. -0.000 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27




Tgt Ion:128 Resp: 1125061


Ion Ratio Lower Upper

128 100

129 11.2 8.8 13.2

127 13.0 10.6 15.8









#32
Benzoic acid
Concen: 45.955 ng
RT: 7.998 min Scan# 91
Delta R.T. 0.018 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:122 Resp: 227626
Ion Ratio Lower Upper
122 100
105 133.7 112.5 152.5
77 100.0 86.6 126.6



#33
4-Chloroaniline
Concen: 12.364 ng
RT: 8.292 min Scan# 1021
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:127 Resp: 122297
Ion Ratio Lower Upper
127 100
129 33.1 27.1 40.7
65 33.4 31.4 47.2
92 21.7 18.2 27.2









#34
Hexachlorobutadiene
Concen: 46.709 ng
RT: 8.357 min Scan# 1032
Delta R.T. -0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:225 Resp: 193929
Ion Ratio Lower Upper
225 100
223 62.2 51.0 76.4
227 62.5 51.5 77.3



#35
Caprolactam
Concen: 27.503 ng
RT: 8.669 min Scan# 1085
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:113 Resp: 62254
Ion Ratio Lower Upper
113 100
55 196.8 178.3 218.3
56 152.9 135.1 175.1





#36

4-Chloro-3-methylphenol

Concen: 45.709 ng

RT: 8.769 min Scan# 1131

Delta R.T. -0.000 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27

Instrument :

BNA_F

ClientSampleId :

PB142676BS





Tgt Ion:107 Resp: 379360

Ion Ratio Lower Upper

107 100

144 21.5 17.4 26.2

142 66.8 55.8 83.8



#37

2-Methylnaphthalene

Concen: 46.002 ng

RT: 8.939 min Scan# 1131

Delta R.T. -0.000 min

Lab File: BF126886.D




Acq: 15 Feb 2022 12:27


Tgt Ion:142 Resp: 738602

Ion Ratio Lower Upper

142 100

141 87.5 69.7 104.5





#38

1-Methylnaphthalene

Concen: 44.410 ng

RT: 9.039 min Scan# 1148

Delta R.T. -0.000 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27

Instrument :

BNA_F

ClientSampleId :





PB142676BS

Tgt Ion:142 Resp: 689915

Ion Ratio Lower Upper

142 100

141 91.5 72.3 108.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.980 min Scan# 1308

Delta R.T. -0.006 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27




Tgt Ion:164 Resp: 237822


Ion Ratio Lower Upper

164 100

162 103.6 80.9 121.3

160 45.8 36.0 54.0









#40
1,2,4,5-Tetrachlorobenzene
Concen: 46.310 ng
RT: 9.104 min Scan# 1159
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:	216	Resp:	287539
Ion	Ratio	Lower	Upper
216	100		
214	78.9	62.3	93.5
179	24.8	19.8	29.6
108	29.2	21.0	31.4



#41
Hexachlorocyclopentadiene
Concen: 113.374 ng
RT: 9.086 min Scan# 1156
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:	237	Resp:	396571
Ion	Ratio	Lower	Upper
237	100		
235	64.0	42.8	82.8
272	12.8	0.0	32.9





#42

2,4,6-Tribromophenol

Concen: 135.749 ng

RT: 10.775 min Scan# 1443

Delta R.T. -0.000 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27

Instrument :

BNA_F

ClientSampleId :

PB142676BS





Tgt Ion:330 Resp: 346108

Ion Ratio Lower Upper

330 100

332 96.7 78.2 117.4

141 36.3 31.2 46.8



#43

2,4,6-Trichlorophenol

Concen: 45.148 ng

RT: 9.210 min Scan# 1177

Delta R.T. -0.000 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27




Tgt Ion:196 Resp: 202218


Ion Ratio Lower Upper

196 100

198 95.9 77.8 116.6


200 30.1 23.8 35.6








#44
2,4,5-Trichlorophenol
Concen: 46.090 ng
RT: 9.251 min Scan# 1184
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27


Instrument :
BNA_F
ClientSampleId :
PB142676BS





Tgt Ion:196 Resp: 218481
Ion Ratio Lower Upper
196 100
198 95.3 77.5 116.3
97 69.2 51.0 76.4
132 35.0 27.2 40.8




#45
2-Fluorobiphenyl
Concen: 86.767 ng
RT: 9.304 min Scan# 1193
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27



Tgt Ion:172 Resp: 1370849
Ion Ratio Lower Upper
172 100
171 34.8 28.5 42.7
170 23.1 18.7 28.1









#46
1,1'-Biphenyl
Concen: 45.068 ng
RT: 9.404 min Scan# 1114
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:154 Resp: 850166
Ion Ratio Lower Upper
154 100
153 40.8 20.6 60.6
76 13.4 0.0 34.0



#47
2-Chloronaphthalene
Concen: 45.230 ng
RT: 9.428 min Scan# 1214
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:162 Resp: 630163
Ion Ratio Lower Upper
162 100
127 49.3 39.6 59.4
164 32.7 26.4 39.6









#48
2-Nitroaniline
Concen: 47.079 ng
RT: 9.522 min Scan# 1100
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion: 65 Resp: 254448
Ion Ratio Lower Upper
65 100
92 60.2 50.0 75.0
138 82.6 68.9 103.3



#49
Acenaphthylene
Concen: 47.630 ng
RT: 9.845 min Scan# 1285
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion: 152 Resp: 1081380
Ion Ratio Lower Upper
152 100
151 19.5 15.5 23.3
153 13.4 10.7 16.1









#50
Dimethylphthalate
Concen: 44.712 ng
RT: 9.704 min Scan# 1125
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:163 Resp: 752525
Ion Ratio Lower Upper
163 100
194 3.8 3.0 4.6
164 10.2 7.8 11.6



#51
2,6-Dinitrotoluene
Concen: 48.661 ng
RT: 9.769 min Scan# 1272
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:165 Resp: 165803
Ion Ratio Lower Upper
165 100
63 63.0 49.9 74.9
89 63.8 51.0 76.4









#52
Acenaphthene
Concen: 43.290 ng
RT: 10.022 min Scan# 1179
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:154 Resp: 628493
Ion Ratio Lower Upper
154 100
153 110.2 88.5 132.7
152 52.5 41.8 62.6



#53
3-Nitroaniline
Concen: 27.522 ng
RT: 9.933 min Scan# 1300
Delta R.T. -0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:138 Resp: 114382
Ion Ratio Lower Upper
138 100
108 12.1 9.4 14.2
92 130.4 97.8 146.6









#54
2,4-Dinitrophenol
Concen: 81.722 ng
RT: 10.045 min Scan# 1182
Delta R.T. 0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:184 Resp: 158568
Ion Ratio Lower Upper
184 100
63 70.3 57.4 86.0
154 75.7 53.6 80.4



#55
Dibenzofuran
Concen: 43.797 ng
RT: 10.192 min Scan# 1344
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:168 Resp: 875483
Ion Ratio Lower Upper
168 100
139 44.5 35.4 53.0
169 13.8 10.6 16.0









#56
4-Nitrophenol
Concen: 92.850 ng
RT: 10.092 min Scan# 1189
Delta R.T. 0.012 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:139 Resp: 277140
Ion Ratio Lower Upper
139 100
109 93.9 64.6 104.6
65 125.6 101.0 141.0



#57
2,4-Dinitrotoluene
Concen: 48.949 ng
RT: 10.169 min Scan# 1340
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:165 Resp: 220504
Ion Ratio Lower Upper
165 100
63 63.7 43.9 65.9
89 97.8 69.8 104.8
182 2.5 2.1 3.1









#58
Fluorene
Concen: 44.979 ng
RT: 10.533 min Scan# 1402
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:166 Resp: 689675
Ion Ratio Lower Upper
166 100
165 97.7 78.8 118.2
167 13.4 10.6 16.0



#59
2,3,4,6-Tetrachlorophenol
Concen: 45.652 ng
RT: 10.304 min Scan# 1363
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:232 Resp: 169519
Ion Ratio Lower Upper
232 100
131 58.2 47.7 71.5
130 3.3 2.4 3.6
166 35.7 29.0 43.6









#60
Diethylphthalate
Concen: 44.679 ng
RT: 10.404 min Scan# 1400
Delta R.T. 0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:149 Resp: 775606
Ion Ratio Lower Upper
149 100
177 21.7 16.5 24.7
150 12.4 10.2 15.4



#61
4-Chlorophenyl-phenylether
Concen: 44.510 ng
RT: 10.522 min Scan# 1400
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:204 Resp: 319922
Ion Ratio Lower Upper
204 100
206 32.7 26.2 39.2
141 80.2 67.2 100.8









#62
4-Nitroaniline
Concen: 44.704 ng
RT: 10.557 min Scan# 1406
Delta R.T. 0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:138 Resp: 174677
Ion Ratio Lower Upper
138 100
92 59.4 38.1 78.1
108 98.2 70.7 110.7



#63
Azobenzene
Concen: 43.457 ng
RT: 10.686 min Scan# 1428
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion: 77 Resp: 858835
Ion Ratio Lower Upper
77 100
182 22.8 1.0 41.0
105 20.5 0.3 40.3
51 31.0 11.1 51.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.474 min Scan# 1426
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:188 Resp: 404622
Ion Ratio Lower Upper
188 100
94 9.9 8.1 12.1
80 11.2 9.5 14.3



#65
4,6-Dinitro-2-methylphenol
Concen: 43.111 ng
RT: 10.575 min Scan# 1409
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:198 Resp: 99701
Ion Ratio Lower Upper
198 100
51 76.1 50.1 90.1
105 61.6 40.5 80.5









#66
n-Nitrosodiphenylamine
Concen: 45.806 ng
RT: 10.645 min Scan# 1421
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:169 Resp: 606346
Ion Ratio Lower Upper
169 100
168 65.7 52.3 78.5
167 35.5 28.6 43.0



#67
4-Bromophenyl-phenylether
Concen: 45.893 ng
RT: 11.016 min Scan# 1484
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:248 Resp: 201798
Ion Ratio Lower Upper
248 100
250 98.6 80.0 120.0
141 92.6 75.6 113.4









#68
Hexachlorobenzene
Concen: 47.642 ng
RT: 11.080 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:284 Resp: 225626
Ion Ratio Lower Upper
284 100
142 33.1 28.2 42.4
249 29.9 25.0 37.4



#69
Atrazine
Concen: 50.202 ng
RT: 11.169 min Scan# 1510
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:200 Resp: 202816
Ion Ratio Lower Upper
200 100
173 25.8 6.8 46.8
215 43.6 22.8 62.8





#70

Pentachlorophenol

Concen: 94.065 ng

RT: 11.274 min Scan# 1

Delta R.T. 0.006 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27

Instrument :

BNA_F

ClientSampleId :

PB142676BS





Tgt Ion:266 Resp: 246012

Ion Ratio Lower Upper

266 100

268 69.9 54.5 81.7

264 63.8 52.2 78.2



#71

Phenanthrene

Concen: 45.584 ng

RT: 11.498 min Scan# 1566

Delta R.T. -0.000 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27




Tgt Ion:178 Resp: 1021971


Ion Ratio Lower Upper

178 100

176 19.4 15.7 23.5

179 15.8 12.1 18.1









#72
 Anthracene
 Concen: 46.768 ng
 RT: 11.551 min Scan# 1
 Delta R.T. -0.000 min
 Lab File: BF126886.D
 Acq: 15 Feb 2022 12:27




Instrument :
 BNA_F
 ClientSampleId :
 PB142676BS


Tgt Ion:178 Resp: 1047642
 Ion Ratio Lower Upper
 178 100
 176 18.9 14.9 22.3
 179 15.7 12.5 18.7



#73
 Carbazole
 Concen: 43.642 ng
 RT: 11.704 min Scan# 1601
 Delta R.T. -0.000 min
 Lab File: BF126886.D
 Acq: 15 Feb 2022 12:27

Tgt Ion:167 Resp: 889867
 Ion Ratio Lower Upper
 167 100
 166 21.9 17.4 26.0
 139 15.6 12.2 18.4









#74
Di-n-butylphthalate
Concen: 45.625 ng
RT: 12.027 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:149 Resp: 1199362
Ion Ratio Lower Upper
149 100
150 9.2 7.6 11.4
104 5.7 4.8 7.2



#75
Fluoranthene
Concen: 46.797 ng
RT: 12.686 min Scan# 1768
Delta R.T. -0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:202 Resp: 981386
Ion Ratio Lower Upper
202 100
101 13.2 0.0 32.5
203 17.6 0.0 37.7









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.115 min Scan# 2011
Delta R.T. -0.006 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:240 Resp: 236831
Ion Ratio Lower Upper
240 100
120 13.2 9.8 14.6
236 25.4 20.5 30.7



#77
Benzidine
Concen: 69.455 ng
RT: 12.810 min Scan# 1789
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:184 Resp: 432836
Ion Ratio Lower Upper
184 100
185 14.9 12.5 18.7
183 11.4 9.6 14.4









#78
Pyrene
Concen: 45.839 ng
RT: 12.921 min Scan# 1808
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:202 Resp: 985311
Ion Ratio Lower Upper
202 100
200 20.9 16.8 25.2
203 17.3 13.9 20.9



#79
Terphenyl-d14
Concen: 87.287 ng
RT: 13.063 min Scan# 1832
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:244 Resp: 1442019
Ion Ratio Lower Upper
244 100
212 6.6 5.6 8.4
122 9.7 9.0 13.6









#80
Butylbenzylphthalate
Concen: 46.432 ng
RT: 13.533 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:149 Resp: 457086
Ion Ratio Lower Upper
149 100
91 76.7 64.7 97.1
206 18.2 14.2 21.4



#81
Benzo(a)anthracene
Concen: 46.112 ng
RT: 14.110 min Scan# 2010
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:228 Resp: 739822
Ion Ratio Lower Upper
228 100
226 26.6 21.4 32.2
229 19.6 16.0 24.0





#82

3,3'-Dichlorobenzidine

Concen: 24.370 ng

RT: 14.068 min Scan# 2016

Delta R.T. -0.000 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27

Instrument :

BNA_F

ClientSampleId :

PB142676BS





Tgt Ion:252 Resp: 116441

Ion Ratio Lower Upper

252 100

254 62.9 51.0 76.4

126 10.9 11.0 16.6#



#83

Chrysene

Concen: 45.261 ng

RT: 14.145 min Scan# 2016

Delta R.T. -0.000 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27




Tgt Ion:228 Resp: 681877


Ion Ratio Lower Upper

228 100

226 30.6 24.4 36.6

229 20.0 16.4 24.6









#84
 Bis(2-ethylhexyl)phthalate
 Concen: 45.561 ng
 RT: 14.086 min Scan# 2011
 Delta R.T. -0.000 min
 Lab File: BF126886.D
 Acq: 15 Feb 2022 12:27




Instrument :
 BNA_F
 ClientSampleId :
 PB142676BS


Tgt Ion:149 Resp: 581551
 Ion Ratio Lower Upper
 149 100
 167 24.8 20.3 30.5
 279 4.1 3.0 4.4



#85
 Di-n-octyl phthalate
 Concen: 45.763 ng
 RT: 14.704 min Scan# 2111
 Delta R.T. -0.000 min
 Lab File: BF126886.D
 Acq: 15 Feb 2022 12:27

Tgt Ion:149 Resp: 801827
 Ion Ratio Lower Upper
 149 100
 167 1.5 1.2 1.8
 43 11.3 9.8 14.6





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.621 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27

Instrument :

BNA_F

ClientSampleId :

PB142676BS





Tgt Ion:264 Resp: 186017

Ion Ratio Lower Upper

264 100

260 24.3 19.6 29.4

265 20.8 15.9 23.9



#87

Indeno(1,2,3-cd)pyrene

Concen: 48.091 ng

RT: 17.168 min Scan# 2530

Delta R.T. -0.000 min

Lab File: BF126886.D

Acq: 15 Feb 2022 12:27




Tgt Ion:276 Resp: 637821


Ion Ratio Lower Upper

276 100

138 25.7 22.6 33.8

277 25.4 20.1 30.1









#88
Benzo(b)fluoranthene
Concen: 50.321 ng
RT: 15.180 min Scan# 2192
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:252 Resp: 597940
Ion Ratio Lower Upper
252 100
253 22.0 17.4 26.2
125 9.4 8.9 13.3



#89
Benzo(k)fluoranthene
Concen: 46.710 ng
RT: 15.210 min Scan# 2197
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27

Tgt Ion:252 Resp: 573046
Ion Ratio Lower Upper
252 100
253 21.1 17.1 25.7
125 10.6 8.8 13.2









#90
Benzo(a)pyrene
Concen: 56.517 ng
RT: 15.562 min Scan# 2121
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27




Instrument :
BNA_F
ClientSampleId :
PB142676BS


Tgt Ion:252 Resp: 548006
Ion Ratio Lower Upper
252 100
253 21.5 16.4 24.6
125 10.6 9.1 13.7



#91
Dibenzo(a,h)anthracene
Concen: 50.313 ng
RT: 17.192 min Scan# 2534
Delta R.T. -0.000 min
Lab File: BF126886.D
Acq: 15 Feb 2022 12:27


Tgt Ion:278 Resp: 554180
Ion Ratio Lower Upper
278 100
139 15.5 13.8 20.6
279 23.4 19.4 29.2





#92
 Benzo(g,h,i)perylene
 Concen: 49.150 ng
 RT: 17.639 min Scan# 20
 Delta R.T. -0.006 min
 Lab File: BF126886.D
 Acq: 15 Feb 2022 12:27

Instrument :
 BNA_F
 ClientSampleId :
 PB142676BS



Tgt Ion:276 Resp: 538566
 Ion Ratio Lower Upper
 276 100
 277 24.2 19.8 29.8
 138 22.3 19.6 29.4

