

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021822\
 Data File : BF126944.D
 Acq On : 18 Feb 2022 10:49
 Operator : CG\JU
 Sample : PB142765BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB142765BL

Quant Time: Feb 21 01:40:41 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF021622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 16 14:55:48 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	97905	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	402255	20.000	ng	# 0.00
39) Acenaphthene-d10	9.969	164	207905	20.000	ng	0.00
64) Phenanthrene-d10	11.463	188	379724	20.000	ng	# 0.00
76) Chrysene-d12	14.104	240	244591	20.000	ng	# 0.00
86) Perylene-d12	15.609	264	189366	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.557	112	539084	85.102	ng	0.01
7) Phenol-d6	6.551	99	706312	82.633	ng	0.00
23) Nitrobenzene-d5	7.492	82	721557	80.966	ng	0.00
42) 2,4,6-Tribromophenol	10.763	330	193028	80.639	ng	0.00
45) 2-Fluorobiphenyl	9.292	172	1159376	82.094	ng	0.00
79) Terphenyl-d14	13.051	244	1400406	84.167	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021822\
Data File : BF126944.D
Acq On : 18 Feb 2022 10:49
Operator : CG\JU
Sample : PB142765BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB142765BL

Quant Time: Feb 21 01:40:41 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF021622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 16 14:55:48 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 71
Delta R.T. -0.005 min
Lab File: BF126944.D
Acq: 18 Feb 2022 10:49




Instrument :
BNA_F
ClientSampleId :
PB142765BL


Tgt Ion:152 Resp: 97905
Ion Ratio Lower Upper
152 100
150 159.8 128.1 192.1
115 71.7 56.7 85.1



#5
2-Fluorophenol
Concen: 85.102 ng
RT: 5.557 min Scan# 556
Delta R.T. 0.012 min
Lab File: BF126944.D
Acq: 18 Feb 2022 10:49

Tgt Ion:112 Resp: 539084
Ion Ratio Lower Upper
112 100
64 67.9 49.5 74.3
63 36.1 23.9 35.9#








#7
Phenol-d6
Concen: 82.633 ng
RT: 6.551 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF126944.D
Acq: 18 Feb 2022 10:49




Instrument :
BNA_F
ClientSampleId :
PB142765BL


Tgt Ion: 99 Resp: 706312
Ion Ratio Lower Upper
99 100
42 19.6 14.2 21.4
71 39.3 24.3 36.5#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BF126944.D
Acq: 18 Feb 2022 10:49

Tgt Ion: 136 Resp: 402255
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 10.1 7.8 11.6
68 5.9 6.3 9.5#









#23
Nitrobenzene-d5
Concen: 80.966 ng
RT: 7.492 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF126944.D
Acq: 18 Feb 2022 10:49




Instrument :
BNA_F
ClientSampleId :
PB142765BL


Tgt Ion: 82 Resp: 721557
Ion Ratio Lower Upper
82 100
128 37.8 32.7 49.1
54 54.0 41.7 62.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1306
Delta R.T. -0.006 min
Lab File: BF126944.D
Acq: 18 Feb 2022 10:49

Tgt Ion: 164 Resp: 207905
Ion Ratio Lower Upper
164 100
162 102.4 81.4 122.0
160 47.0 36.6 54.8





#42

2,4,6-Tribromophenol

Concen: 80.639 ng

RT: 10.763 min Scan# 1442

Delta R.T. -0.006 min

Lab File: BF126944.D

Acq: 18 Feb 2022 10:49

Instrument :

BNA_F

ClientSampleId :

PB142765BL





Tgt Ion:330 Resp: 193028

Ion Ratio Lower Upper

330 100

332 97.8 76.0 114.0

141 37.2 30.1 45.1



#45

2-Fluorobiphenyl

Concen: 82.094 ng

RT: 9.292 min Scan# 1191

Delta R.T. -0.000 min

Lab File: BF126944.D

Acq: 18 Feb 2022 10:49




Tgt Ion:172 Resp: 1159376

Ion Ratio Lower Upper

172 100

171 34.5 28.3 42.5

170 22.9 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.463 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF126944.D
Acq: 18 Feb 2022 10:49




Instrument :
BNA_F
ClientSampleId :
PB142765BL

Tgt Ion:188 Resp: 379724
Ion Ratio Lower Upper
188 100
94 9.0 10.1 15.1#
80 10.1 11.8 17.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.104 min Scan# 2009
Delta R.T. -0.006 min
Lab File: BF126944.D
Acq: 18 Feb 2022 10:49


Tgt Ion:240 Resp: 244591
Ion Ratio Lower Upper
240 100
120 11.8 14.4 21.6#
236 25.1 20.5 30.7








#79
 Terphenyl-d14
 Concen: 84.167 ng
 RT: 13.051 min Scan# 1830
 Delta R.T. 0.000 min
 Lab File: BF126944.D
 Acq: 18 Feb 2022 10:49


Instrument :
 BNA_F
 ClientSampleId :
 PB142765BL



Tgt Ion:244 Resp: 1400406
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.0 7.4
 122 12.3 13.3 19.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.609 min Scan# 2265
 Delta R.T. -0.000 min
 Lab File: BF126944.D
 Acq: 18 Feb 2022 10:49



Tgt Ion:264 Resp: 189366
 Ion Ratio Lower Upper
 264 100
 260 23.1 19.2 28.8
 265 21.0 17.4 26.2

