

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021825\
 Data File : BF141664.D
 Acq On : 18 Feb 2025 16:31
 Operator : RC/JU
 Sample : Q1373-01DL 2X
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 VB27161DL

Quant Time: Feb 18 17:32:19 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 16:58:59 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	88087	20.000	ng	-0.01
21) Naphthalene-d8	8.063	136	351891	20.000	ng	-0.01
39) Acenaphthene-d10	9.816	164	187340	20.000	ng	-0.02
64) Phenanthrene-d10	11.298	188	295388	20.000	ng	-0.02
76) Chrysene-d12	13.939	240	158124	20.000	ng	-0.02
86) Perylene-d12	15.380	264	183613	20.000	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.410	112	373577	66.488	ng	0.00
7) Phenol-d6	6.422	99	417353	58.769	ng	-0.02
23) Nitrobenzene-d5	7.345	82	312055	46.254	ng	-0.02
42) 2,4,6-Tribromophenol	10.604	330	121178	64.391	ng	-0.02
45) 2-Fluorobiphenyl	9.133	172	598259	49.200	ng	-0.02
79) Terphenyl-d14	12.880	244	499123	53.288	ng	-0.02
Target Compounds						
15) Benzyl Alcohol	6.928	79	106297	19.519	ng	Qvalue 98
20) 3+4-Methylphenols	7.204	107	446814	74.001	ng	# 52
27) 2,4-Dimethylphenol	7.739	122	12239	3.201	ng	96
32) Benzoic acid	7.834	122	38002	9.568	ng	99
77) Benzidine	12.639	184	115398	33.091	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021825\
Data File : BF141664.D
Acq On : 18 Feb 2025 16:31
Operator : RC/JU
Sample : Q1373-01DL 2X
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
VB27161DL

Quant Time: Feb 18 17:32:19 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 06 16:58:59 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.781 min Scan# 798
Delta R.T. -0.011 min
Lab File: BF141664.D
Acq: 18 Feb 2025 16:31




Instrument :
BNA_F
ClientSampleId :
VB27161DL


Tgt Ion:152 Resp: 88087
Ion Ratio Lower Upper
152 100
150 155.8 125.0 187.4
115 63.7 53.6 80.4



#5
2-Fluorophenol
Concen: 66.488 ng
RT: 5.410 min Scan# 564
Delta R.T. 0.000 min
Lab File: BF141664.D
Acq: 18 Feb 2025 16:31

Tgt Ion:112 Resp: 373577
Ion Ratio Lower Upper
112 100
64 60.1 51.1 76.7
63 32.9 28.4 42.6





#7

Phenol-d6

Concen: 58.769 ng

RT: 6.422 min Scan# 71

Delta R.T. -0.018 min

Lab File: BF141664.D

Acq: 18 Feb 2025 16:31

Instrument :

BNA_F

ClientSampleId :

VB27161DL





Tgt Ion: 99 Resp: 417353

Ion Ratio Lower Upper

99 100

42 21.7 19.1 28.7

71 37.0 31.1 46.7



#15

Benzyl Alcohol

Concen: 19.519 ng

RT: 6.928 min Scan# 822

Delta R.T. -0.012 min

Lab File: BF141664.D

Acq: 18 Feb 2025 16:31




Tgt Ion: 79 Resp: 106297


Ion Ratio Lower Upper

79 100

108 73.8 57.4 86.2

77 64.4 50.9 76.3









#20
3+4-Methylphenols
Concen: 74.001 ng
RT: 7.204 min Scan# 869
Delta R.T. -0.012 min
Lab File: BF141664.D
Acq: 18 Feb 2025 16:31




Instrument :
BNA_F
ClientSampleId :
VB27161DL


Tgt Ion:107 Resp: 446814
Ion Ratio Lower Upper
107 100
108 95.9 68.5 108.5
77 36.8 116.5 156.5#
79 35.6 12.0 52.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.063 min Scan# 1015
Delta R.T. -0.012 min
Lab File: BF141664.D
Acq: 18 Feb 2025 16:31

Tgt Ion:136 Resp: 351891
Ion Ratio Lower Upper
136 100
137 10.6 8.6 13.0
54 8.3 7.2 10.8
68 4.8 3.7 5.5









#23
Nitrobenzene-d5
Concen: 46.254 ng
RT: 7.345 min Scan# 895
Delta R.T. -0.018 min
Lab File: BF141664.D
Acq: 18 Feb 2025 16:31




Instrument :
BNA_F
ClientSampleId :
VB27161DL


Tgt Ion: 82 Resp: 312055
Ion Ratio Lower Upper
82 100
128 45.0 34.8 52.2
54 58.8 48.2 72.4



#27
2,4-Dimethylphenol
Concen: 3.201 ng
RT: 7.739 min Scan# 960
Delta R.T. 0.006 min
Lab File: BF141664.D
Acq: 18 Feb 2025 16:31


Tgt Ion:122 Resp: 12239
Ion Ratio Lower Upper
122 100
107 119.7 94.3 141.5
121 49.9 46.0 69.0








#32
Benzoic acid
Concen: 9.568 ng
RT: 7.834 min Scan# 91
Delta R.T. -0.059 min
Lab File: BF141664.D
Acq: 18 Feb 2025 16:31

Instrument :
BNA_F
ClientSampleId :
VB27161DL







Tgt Ion:122 Resp: 38002
Ion Ratio Lower Upper
122 100
105 125.7 106.5 146.5
77 96.5 76.3 116.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.816 min Scan# 1313
Delta R.T. -0.018 min
Lab File: BF141664.D
Acq: 18 Feb 2025 16:31

Tgt Ion:164 Resp: 187340
Ion Ratio Lower Upper
164 100
162 100.5 81.3 121.9
160 44.8 35.9 53.9





#42

2,4,6-Tribromophenol

Concen: 64.391 ng

RT: 10.604 min Scan# 1447

Delta R.T. -0.023 min

Lab File: BF141664.D


Acq: 18 Feb 2025 16:31

Instrument :

BNA_F

ClientSampleId :

VB27161DL






Tgt Ion:330 Resp: 121178

Ion Ratio Lower Upper

330 100

332 96.0 78.5 117.7

141 37.1 31.0 46.4



#45

2-Fluorobiphenyl

Concen: 49.200 ng

RT: 9.133 min Scan# 1197

Delta R.T. -0.018 min

Lab File: BF141664.D

Acq: 18 Feb 2025 16:31




Tgt Ion:172 Resp: 598259


Ion Ratio Lower Upper

172 100

171 35.0 28.7 43.1

170 22.9 18.9 28.3





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.298 min Scan# 1

Delta R.T. -0.018 min

Lab File: BF141664.D

Acq: 18 Feb 2025 16:31

Instrument :

BNA_F

ClientSampleId :

VB27161DL





Tgt Ion:188 Resp: 295388

Ion Ratio Lower Upper

188 100

94 9.0 6.6 10.0

80 9.6 7.3 10.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.939 min Scan# 2014

Delta R.T. -0.023 min

Lab File: BF141664.D

Acq: 18 Feb 2025 16:31




Tgt Ion:240 Resp: 158124


Ion Ratio Lower Upper

240 100

120 9.7 8.0 12.0

236 24.6 19.8 29.8





#77

Benzidine

Concen: 33.091 ng

RT: 12.639 min Scan# 1

Delta R.T. -0.018 min

Lab File: BF141664.D

Acq: 18 Feb 2025 16:31

Instrument :

BNA_F

ClientSampleId :

VB27161DL





Tgt Ion:184 Resp: 115398

Ion Ratio Lower Upper

184 100

185 13.9 11.3 16.9

183 12.2 9.3 13.9



#79

Terphenyl-d14

Concen: 53.288 ng

RT: 12.880 min Scan# 1834

Delta R.T. -0.023 min

Lab File: BF141664.D

Acq: 18 Feb 2025 16:31




Tgt Ion:244 Resp: 499123


Ion Ratio Lower Upper

244 100

212 6.7 5.6 8.4

122 10.4 8.4 12.6





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.380 min Scan# 21
 Delta R.T. -0.035 min
 Lab File: BF141664.D
 Acq: 18 Feb 2025 16:31

Instrument :
 BNA_F
 ClientSampleId :
 VB27161DL

Tgt Ion:264 Resp: 183613
 Ion Ratio Lower Upper
 264 100
 260 23.0 18.6 28.0
 265 21.1 17.0 25.4

