

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021925\
 Data File : BF141679.D
 Acq On : 19 Feb 2025 17:14
 Operator : RC/JU
 Sample : Q1382-07
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OU4-PCS-TC-04-021725

Quant Time: Feb 20 00:11:25 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 16:58:59 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	85151	20.000	ng	-0.01
21) Naphthalene-d8	8.063	136	341570	20.000	ng	-0.01
39) Acenaphthene-d10	9.810	164	183291	20.000	ng	-0.02
64) Phenanthrene-d10	11.298	188	309060	20.000	ng	-0.02
76) Chrysene-d12	13.933	240	174657	20.000	ng	-0.03
86) Perylene-d12	15.380	264	157459	20.000	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.404	112	502082	92.440	ng	0.00
7) Phenol-d6	6.422	99	610522	88.934	ng	-0.02
23) Nitrobenzene-d5	7.345	82	400997	61.233	ng	-0.02
42) 2,4,6-Tribromophenol	10.604	330	155812	84.623	ng	-0.02
45) 2-Fluorobiphenyl	9.133	172	752034	63.212	ng	-0.02
79) Terphenyl-d14	12.880	244	770425	74.467	ng	-0.02


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021925\
Data File : BF141679.D
Acq On : 19 Feb 2025 17:14
Operator : RC/JU
Sample : Q1382-07
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-04-021725

Quant Time: Feb 20 00:11:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 06 16:58:59 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.781 min Scan# 798
Delta R.T. -0.011 min
Lab File: BF141679.D
Acq: 19 Feb 2025 17:14




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-04-021725

Tgt Ion:152 Resp: 85151
Ion Ratio Lower Upper
152 100
150 159.6 125.0 187.4
115 63.0 53.6 80.4



#5
2-Fluorophenol
Concen: 92.440 ng
RT: 5.404 min Scan# 563
Delta R.T. -0.006 min
Lab File: BF141679.D
Acq: 19 Feb 2025 17:14

Tgt Ion:112 Resp: 502082
Ion Ratio Lower Upper
112 100
64 61.9 51.1 76.7
63 33.1 28.4 42.6









#7
Phenol-d6
Concen: 88.934 ng
RT: 6.422 min Scan# 71
Delta R.T. -0.018 min
Lab File: BF141679.D
Acq: 19 Feb 2025 17:14




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-04-021725


Tgt Ion: 99 Resp: 610522
Ion Ratio Lower Upper
99 100
42 20.8 19.1 28.7
71 36.7 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.063 min Scan# 1015
Delta R.T. -0.012 min
Lab File: BF141679.D
Acq: 19 Feb 2025 17:14

Tgt Ion: 136 Resp: 341570
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 8.7 7.2 10.8
68 4.9 3.7 5.5









#23
Nitrobenzene-d5
Concen: 61.233 ng
RT: 7.345 min Scan# 895
Delta R.T. -0.018 min
Lab File: BF141679.D
Acq: 19 Feb 2025 17:14




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-04-021725

Tgt Ion: 82 Resp: 400997
Ion Ratio Lower Upper
82 100
128 45.2 34.8 52.2
54 56.8 48.2 72.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.810 min Scan# 1312
Delta R.T. -0.024 min
Lab File: BF141679.D
Acq: 19 Feb 2025 17:14


Tgt Ion:164 Resp: 183291
Ion Ratio Lower Upper
164 100
162 101.9 81.3 121.9
160 44.8 35.9 53.9








#42
2,4,6-Tribromophenol
Concen: 84.623 ng
RT: 10.604 min Scan# 1450
Delta R.T. -0.024 min
Lab File: BF141679.D
Acq: 19 Feb 2025 17:14

Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-04-021725







Tgt Ion:330 Resp: 155812
Ion Ratio Lower Upper
330 100
332 96.4 78.5 117.7
141 36.7 31.0 46.4



#45
2-Fluorobiphenyl
Concen: 63.212 ng
RT: 9.133 min Scan# 1197
Delta R.T. -0.018 min
Lab File: BF141679.D
Acq: 19 Feb 2025 17:14

Tgt Ion:172 Resp: 752034
Ion Ratio Lower Upper
172 100
171 35.6 28.7 43.1
170 23.4 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.298 min Scan# 11
Delta R.T. -0.018 min
Lab File: BF141679.D
Acq: 19 Feb 2025 17:14




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-04-021725

Tgt Ion:188 Resp: 309060
Ion Ratio Lower Upper
188 100
94 8.7 6.6 10.0
80 9.4 7.3 10.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.933 min Scan# 2013
Delta R.T. -0.029 min
Lab File: BF141679.D
Acq: 19 Feb 2025 17:14


Tgt Ion:240 Resp: 174657
Ion Ratio Lower Upper
240 100
120 10.7 8.0 12.0
236 24.9 19.8 29.8








#79
 Terphenyl-d14
 Concen: 74.467 ng
 RT: 12.880 min Scan# 11
 Delta R.T. -0.024 min
 Lab File: BF141679.D
 Acq: 19 Feb 2025 17:14

Instrument :
 BNA_F
 ClientSampleId :
 OU4-PCS-TC-04-021725



Tgt Ion:244 Resp: 770425
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.6 8.4
 122 10.4 8.4 12.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.380 min Scan# 2259
 Delta R.T. -0.035 min
 Lab File: BF141679.D
 Acq: 19 Feb 2025 17:14

Tgt Ion:264 Resp: 157459
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.6 28.0
 265 21.0 17.0 25.4

