

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021925\
 Data File : BF141688.D
 Acq On : 19 Feb 2025 21:38
 Operator : RC/JU
 Sample : Q1383-05
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OU4-PCS-TC-13-021725

Quant Time: Feb 20 00:15:12 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 16:58:59 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	90325	20.000	ng	-0.01
21) Naphthalene-d8	8.063	136	359030	20.000	ng	-0.01
39) Acenaphthene-d10	9.816	164	192044	20.000	ng	-0.02
64) Phenanthrene-d10	11.298	188	317895	20.000	ng	-0.02
76) Chrysene-d12	13.933	240	170108	20.000	ng	-0.03
86) Perylene-d12	15.380	264	175024	20.000	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.404	112	497199	86.297	ng	0.00
7) Phenol-d6	6.416	99	616565	84.670	ng	-0.02
23) Nitrobenzene-d5	7.345	82	401957	58.394	ng	-0.02
42) 2,4,6-Tribromophenol	10.604	330	155557	80.634	ng	-0.02
45) 2-Fluorobiphenyl	9.133	172	771454	61.889	ng	-0.02
79) Terphenyl-d14	12.880	244	725825	72.032	ng	-0.02


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021925\
Data File : BF141688.D
Acq On : 19 Feb 2025 21:38
Operator : RC/JU
Sample : Q1383-05
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-13-021725

Quant Time: Feb 20 00:15:12 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 06 16:58:59 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.781 min Scan# 798
 Delta R.T. -0.011 min
 Lab File: BF141688.D
 Acq: 19 Feb 2025 21:38




Instrument :
 BNA_F
 ClientSampleId :
 OU4-PCS-TC-13-021725


Tgt Ion:152 Resp: 90325
 Ion Ratio Lower Upper
 152 100
 150 155.4 125.0 187.4
 115 62.4 53.6 80.4



#5
 2-Fluorophenol
 Concen: 86.297 ng
 RT: 5.404 min Scan# 563
 Delta R.T. -0.006 min
 Lab File: BF141688.D
 Acq: 19 Feb 2025 21:38

Tgt Ion:112 Resp: 497199
 Ion Ratio Lower Upper
 112 100
 64 60.0 51.1 76.7
 63 32.9 28.4 42.6









#7
Phenol-d6
Concen: 84.670 ng
RT: 6.416 min Scan# 71
Delta R.T. -0.023 min
Lab File: BF141688.D
Acq: 19 Feb 2025 21:38




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-13-021725


Tgt Ion: 99 Resp: 616565
Ion Ratio Lower Upper
99 100
42 21.1 19.1 28.7
71 36.3 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.063 min Scan# 1015
Delta R.T. -0.012 min
Lab File: BF141688.D
Acq: 19 Feb 2025 21:38

Tgt Ion: 136 Resp: 359030
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 8.5 7.2 10.8
68 4.8 3.7 5.5





#23

Nitrobenzene-d5

Concen: 58.394 ng

RT: 7.345 min Scan# 89

Delta R.T. -0.018 min

Lab File: BF141688.D

Acq: 19 Feb 2025 21:38

Instrument :

BNA_F

ClientSampleId :

OU4-PCS-TC-13-021725





Tgt Ion: 82 Resp: 401957

Ion Ratio Lower Upper

82 100

128 44.1 34.8 52.2

54 57.2 48.2 72.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.816 min Scan# 1313

Delta R.T. -0.018 min

Lab File: BF141688.D

Acq: 19 Feb 2025 21:38




Tgt Ion:164 Resp: 192044


Ion Ratio Lower Upper

164 100

162 99.4 81.3 121.9

160 44.6 35.9 53.9





#42

2,4,6-Tribromophenol

Concen: 80.634 ng

RT: 10.604 min Scan# 1450

Delta R.T. -0.023 min

Lab File: BF141688.D


Acq: 19 Feb 2025 21:38

Instrument :

BNA_F

ClientSampleId :

OU4-PCS-TC-13-021725






Tgt Ion:330 Resp: 155557

Ion Ratio Lower Upper

330 100

332 96.1 78.5 117.7

141 36.1 31.0 46.4



#45

2-Fluorobiphenyl

Concen: 61.889 ng

RT: 9.133 min Scan# 1197

Delta R.T. -0.018 min

Lab File: BF141688.D

Acq: 19 Feb 2025 21:38




Tgt Ion:172 Resp: 771454


Ion Ratio Lower Upper

172 100

171 35.6 28.7 43.1

170 22.8 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.298 min Scan# 11
Delta R.T. -0.018 min
Lab File: BF141688.D
Acq: 19 Feb 2025 21:38




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-13-021725


Tgt Ion:188 Resp: 317895
Ion Ratio Lower Upper
188 100
94 8.5 6.6 10.0
80 9.3 7.3 10.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.933 min Scan# 2013
Delta R.T. -0.029 min
Lab File: BF141688.D
Acq: 19 Feb 2025 21:38


Tgt Ion:240 Resp: 170108
Ion Ratio Lower Upper
240 100
120 10.7 8.0 12.0
236 25.9 19.8 29.8








#79
 Terphenyl-d14
 Concen: 72.032 ng
 RT: 12.880 min Scan# 11
 Delta R.T. -0.024 min
 Lab File: BF141688.D
 Acq: 19 Feb 2025 21:38

Instrument :
 BNA_F
 ClientSampleId :
 OU4-PCS-TC-13-021725



Tgt Ion:244 Resp: 725825
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.6 8.4
 122 10.4 8.4 12.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.380 min Scan# 2259
 Delta R.T. -0.035 min
 Lab File: BF141688.D
 Acq: 19 Feb 2025 21:38

Tgt Ion:264 Resp: 175024
 Ion Ratio Lower Upper
 264 100
 260 22.9 18.6 28.0
 265 21.6 17.0 25.4

