

Data Path : Z:\HPCHEM1\BNA F\DATA\BF022017\
 Data File : BF093033.D
 Acq On : 20 Feb 2017 17:30
 Operator : SJ/MA
 Sample : PB97034BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB97034BL

Quant Time: Feb 20 23:51:11 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF013017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 17 17:31:55 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	156021	20.00	ng	-0.01
21) Naphthalene-d8	8.13	136	610055	20.00	ng	-0.01
38) Acenaphthene-d10	9.89	164	306555	20.00	ng	0.00
63) Phenanthrene-d10	11.37	188	539857	20.00	ng	-0.01
75) Chrysene-d12	14.01	240	546370	20.00	ng	-0.01
86) Perylene-d12	15.44	264	450223	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	1089307	119.78	ng	0.00
7) Phenol-d6	6.49	99	1449338	123.86	ng	0.00
23) Nitrobenzene-d5	7.41	82	810794	74.01	ng	-0.01
41) 2,4,6-Tribromophenol	10.68	330	273840	123.51	ng	0.00
44) 2-Fluorobiphenyl	9.22	172	1501139	88.71	ng	0.00
78) Terphenyl-d14	12.96	244	1265397	54.42	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF022017\
Data File : BF093033.D
Acq On : 20 Feb 2017 17:30
Operator : SJ/MA
Sample : PB97034BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB97034BL

Quant Time: Feb 20 23:51:11 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF013017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 17 17:31:55 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.84 min Scan# 416
 Delta R.T. -0.01 min
 Lab File: BF093033.D
 Acq: 20 Feb 2017 17:30

Instrument :
 BNA_F
 ClientSampleId :
 PB97034BL

Tot Ion:152 Resp: 156021
 Ion Ratio Lower Upper
 152 100
 150 158.0 124.9 187.3
 115 65.2 46.0 69.0




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 119.78 ng
 RT: 5.45 min Scan# 294
 Delta R.T. 0.00 min
 Lab File: BF093033.D
 Acq: 20 Feb 2017 17:30

Tgt Ion:112 Resp: 1089307
 Ion Ratio Lower Upper
 112 100
 64 62.4 46.1 69.1
 63 31.6 23.8 35.6



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 123.86 ng

RT: 6.49 min Scan# 385

Delta R.T. 0.00 min

Lab File: BF093033.D

Acq: 20 Feb 2017 17:30

Instrument :

BNA_F

ClientSampleId :

PB97034BL


Tot Ion: 99 Resp: 1449338

Ion Ratio Lower Upper

99 100

42 17.4 15.6 23.4




71 30.9 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.13 min Scan# 529

Delta R.T. -0.01 min

Lab File: BF093033.D

Acq: 20 Feb 2017 17:30

Tgt Ion:136 Resp: 610055


Ion Ratio Lower Upper

136 100

137 10.9 8.4 12.6

54 10.5 4.5 6.7#

68 7.3 3.6 5.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 74.01 ng
 RT: 7.41 min Scan# 466
 Delta R.T. -0.01 min
 Lab File: BF093033.D
 Acq: 20 Feb 2017 17:30




Instrument :
 BNA_F
 ClientSampleId :
 PB97034BL

Tot Ion: 82 Resp: 810794
 Ion Ratio Lower Upper
 82 100
 128 42.8 34.6 52.0
 54 57.3 39.5 59.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.89 min Scan# 683
 Delta R.T. 0.00 min
 Lab File: BF093033.D
 Acq: 20 Feb 2017 17:30

Tgt Ion: 164 Resp: 306555
 Ion Ratio Lower Upper
 164 100
 162 104.2 80.2 120.2
 160 45.5 36.9 55.3









#41
 2,4,6-Tribromophenol
 Concen: 123.51 ng
 RT: 10.68 min Scan# 752
 Delta R.T. 0.00 min
 Lab File: BF093033.D
 Acq: 20 Feb 2017 17:30

Instrument :
 BNA_F
 ClientSampleId :
 PB97034BL

Tot Ion:330 Resp: 273840
 Ion Ratio Lower Upper
 330 100
 332 95.7 77.4 116.2
 141 41.4 34.1 51.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 88.71 ng
 RT: 9.22 min Scan# 624
 Delta R.T. 0.00 min
 Lab File: BF093033.D
 Acq: 20 Feb 2017 17:30

Tgt Ion:172 Resp: 1501139
 Ion Ratio Lower Upper
 172 100
 171 36.2 29.4 44.0
 170 24.4 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.37 min Scan# 812
Delta R.T. -0.01 min
Lab File: BF093033.D
Acq: 20 Feb 2017 17:30

Instrument :
BNA_F
ClientSampleId :
PB97034BL

Tot Ion:188 Resp: 539857
Ion Ratio Lower Upper
188 100
94 15.3 10.0 15.0#
80 16.7 11.2 16.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.01 min Scan# 1043
Delta R.T. -0.01 min
Lab File: BF093033.D
Acq: 20 Feb 2017 17:30

Tgt Ion:240 Resp: 546370
Ion Ratio Lower Upper
240 100
120 8.3 12.9 19.3#
236 25.4 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 54.42 ng

RT: 12.96 min Scan# 951

Delta R.T. -0.01 min

Lab File: BF093033.D

Acq: 20 Feb 2017 17:30

Instrument :

BNA_F

ClientSampleId :

PB97034BL





Tot Ion:244 Resp: 1265397

Ion	Ratio	Lower	Upper
244	100		
212	7.7	6.2	9.2
122	13.6	11.4	17.2

Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.44 min Scan# 1168

Delta R.T. -0.01 min

Lab File: BF093033.D

Acq: 20 Feb 2017 17:30

Tgt Ion:264 Resp: 450223

Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.2	28.8
265	20.6	17.4	26.0

Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

