

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022122\
 Data File : BF126988.D
 Acq On : 21 Feb 2022 22:12
 Operator : CG\JU
 Sample : N1602-01
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Feb 22 03:52:50 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF021622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 21 13:16:57 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.916	152	89131	20.000	ng	0.00
21) Naphthalene-d8	8.198	136	364064	20.000	ng	# 0.00
39) Acenaphthene-d10	9.951	164	188755	20.000	ng	-0.01
64) Phenanthrene-d10	11.445	188	333598	20.000	ng	# 0.00
76) Chrysene-d12	14.086	240	146651	20.000	ng	#-0.01
86) Perylene-d12	15.580	264	165648	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.540	112	601732	104.343	ng	0.00
7) Phenol-d6	6.540	99	794849	102.146	ng	0.00
23) Nitrobenzene-d5	7.475	82	559944	69.423	ng	-0.02
42) 2,4,6-Tribromophenol	10.745	330	176714	81.313	ng	0.00
45) 2-Fluorobiphenyl	9.275	172	906240	70.680	ng	0.00
79) Terphenyl-d14	13.033	244	863107	86.518	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propyla...	7.475	70	77415	15.439	ng	# 80
25) Isophorone	7.475	82	559657	41.932	ng	# 69
51) 2,6-Dinitrotoluene	9.951	165	24980	9.100	ng	# 21
57) 2,4-Dinitrotoluene	9.951	165	24980	6.731	ng	# 15
67) 4-Bromophenyl-phenylether	10.745	248	10952	2.938	ng	# 1
77) Benzidine	13.033	184	13106	3.289	ng	# 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022122\
Data File : BF126988.D
Acq On : 21 Feb 2022 22:12
Operator : CG\JU
Sample : N1602-01
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Feb 22 03:52:50 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF021622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 21 13:16:57 2022
Response via : Initial Calibration









1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.916 min Scan#
Delta R.T. -0.006 min
Lab File: BF126988.D
Acq: 21 Feb 2022 22:12




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:152 Resp: 89131
Ion Ratio Lower Upper
152 100
150 150.9 128.1 192.1
115 65.4 56.7 85.1



2-Fluorophenol
Concen: 104.343 ng
RT: 5.540 min Scan# 553
Delta R.T. 0.000 min
Lab File: BF126988.D
Acq: 21 Feb 2022 22:12

Tgt Ion:112 Resp: 601732
Ion Ratio Lower Upper
112 100
64 67.5 49.5 74.3
63 36.6 23.9 35.9#









Phenol-d6
 Concen: 102.146 ng
 RT: 6.540 min Scan#
 Delta R.T. -0.006 min
 Lab File: BF126988.D
 Acq: 21 Feb 2022 22:12




Instrument :
 BNA_F
 ClientSampleId :

Tgt Ion: 99 Resp: 794849
 Ion Ratio Lower Upper
 99 100
 42 18.9 14.2 21.4
 71 40.2 24.3 36.5#



n-Nitroso-di-n-propylamine
 Concen: 15.439 ng
 RT: 7.475 min Scan# 882
 Delta R.T. 0.141 min
 Lab File: BF126988.D
 Acq: 21 Feb 2022 22:12

Tgt Ion: 70 Resp: 77415
 Ion Ratio Lower Upper
 70 100
 42 46.8 45.8 68.8
 101 0.0 6.9 10.3#
 130 1.8 14.4 21.6#



Abundance Scan 1008 (8.216 min): BF126908.D\data.ms (-10621)

Naphthalene-d8

Concen: 20.000 ng

RT: 8.198 min Scan# 1005

Delta R.T. -0.006 min


Lab File: BF126988.D

Acq: 21 Feb 2022 22:12

Instrument :

BNA_F

ClientSampleId :



Tgt Ion:136 Resp: 364064




Ion Ratio Lower Upper

136 100

137 11.0 8.6 13.0

54 8.3 7.8 11.6

68 5.2 6.3 9.5#



Abundance Scan 886 (7.498 min): BF126908.D\data.ms (-880423)

Nitrobenzene-d5

Concen: 69.423 ng

RT: 7.475 min Scan# 882

Delta R.T. -0.018 min

Lab File: BF126988.D

Acq: 21 Feb 2022 22:12




Tgt Ion: 82 Resp: 559944

Ion Ratio Lower Upper


82 100

128 38.5 32.7 49.1

54 54.2 41.7 62.5



Abundance Scan 930 (7.757 min): BF126908.D\data.ms (-923) #25



Isophorone

Concen: 41.932 ng

RT: 7.475 min Scan# 81

Delta R.T. -0.271 min


Lab File: BF126988.D

Acq: 21 Feb 2022 22:12

Instrument :

BNA_F

ClientSampleId :





Tgt Ion: 82 Resp: 559657

Ion Ratio Lower Upper


82 100

95 0.0 5.0 7.4#

138 0.0 12.3 18.5#



Abundance Scan 1307 (9.974 min): BF126908.D\data.ms (-1307) #39



Acenaphthene-d10

Concen: 20.000 ng

RT: 9.951 min Scan# 1303

Delta R.T. -0.012 min

Lab File: BF126988.D

Acq: 21 Feb 2022 22:12




Tgt Ion:164 Resp: 188755

Ion Ratio Lower Upper


164 100

162 100.9 81.4 122.0

160 45.4 36.6 54.8



Abundance Scan 1442 (10.769 min): BF126908.D\data.ms (-1442) (-)




2,4,6-Tribromophenol
Concen: 81.313 ng
RT: 10.745 min Scan# 1438
Delta R.T. -0.006 min
Lab File: BF126988.D
Acq: 21 Feb 2022 22:12

Instrument :

BNA_F


ClientSampleId :

Abundance Scan 1438 (10.745 min): BF126988.D\data.ms




Tgt Ion:330 Resp: 176714
Ion Ratio Lower Upper
330 100
332 97.0 76.0 114.0
141 38.0 30.1 45.1


Abundance



Abundance Scan 1438 (10.745 min): BF126988.D\data.ms (-1388) (-)




Abundance Scan 1191 (9.292 min): BF126908.D\data.ms (-1184) (-)




2-Fluorobiphenyl
Concen: 70.680 ng
RT: 9.275 min Scan# 1188
Delta R.T. -0.006 min
Lab File: BF126988.D
Acq: 21 Feb 2022 22:12

Tgt Ion:172 Resp: 906240
Ion Ratio Lower Upper
172 100
171 36.0 28.3 42.5
170 23.4 19.0 28.6


Abundance Scan 1188 (9.275 min): BF126988.D\data.ms




Abundance



Abundance Scan 1188 (9.275 min): BF126988.D\data.ms (-1138) (-)



Abundance Scan 1270 (9.757 min): BF126908.D\data.ms (-1264) (-)



2,6-Dinitrotoluene

Concen: 9.100 ng

RT: 9.951 min Scan# 1303

Delta R.T. 0.206 min

Lab File: BF126988.D

Acq: 21 Feb 2022 22:12

Instrument :

BNA_F

ClientSampleId :




Tgt Ion:165 Resp: 24980

Ion Ratio Lower Upper


165 100

63 1.1 48.4 72.6#

89 1.6 50.5 75.7#



Abundance Scan 1339 (10.163 min): BF126908.D\data.ms (-1357) (-)



2,4-Dinitrotoluene

Concen: 6.731 ng

RT: 9.951 min Scan# 1303

Delta R.T. -0.200 min

Lab File: BF126988.D

Acq: 21 Feb 2022 22:12

Tgt Ion:165 Resp: 24980




Ion Ratio Lower Upper


165 100

63 1.1 43.0 64.6#

89 1.6 71.0 106.4#

182 0.0 1.6 2.4#









Phenanthrene-d10
Concen: 20.000 ng
RT: 11.445 min Scan# 1560
Delta R.T. -0.006 min
Lab File: BF126988.D
Acq: 21 Feb 2022 22:12




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:	188	Resp:	333598
Ion	Ratio	Lower	Upper
188	100		
94	8.7	10.1	15.1#
80	9.7	11.8	17.6#



4-Bromophenyl-phenylether
Concen: 2.938 ng
RT: 10.745 min Scan# 1438
Delta R.T. -0.247 min
Lab File: BF126988.D
Acq: 21 Feb 2022 22:12

Tgt Ion:	248	Resp:	10952
Ion	Ratio	Lower	Upper
248	100		
250	197.6	76.2	114.4#
141	527.6	66.2	99.4#









Chrysene-d12
 Concen: 20.000 ng
 RT: 14.086 min Scan# 1
 Delta R.T. -0.012 min
 Lab File: BF126988.D
 Acq: 21 Feb 2022 22:12




Instrument :
 BNA_F
 ClientSampleId :

Tgt Ion:	240	Resp:	146651
Ion	Ratio	Lower	Upper
240	100		
120	10.6	14.4	21.6#
236	25.9	20.5	30.7



Benzidine
 Concen: 3.289 ng
 RT: 13.033 min Scan# 1827
 Delta R.T. 0.247 min
 Lab File: BF126988.D
 Acq: 21 Feb 2022 22:12

Tgt Ion:	184	Resp:	13106
Ion	Ratio	Lower	Upper
184	100		
185	17.8	11.8	17.8#
183	6.6	8.2	12.2#



Abundance Scan 1830 (13.051 min): BF126908.D\data.ms (-1879 (-)

Terphenyl-d14

Concen: 86.518 ng

RT: 13.033 min Scan# 1827

Delta R.T. -0.006 min



Lab File: BF126988.D

Acq: 21 Feb 2022 22:12

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:244 Resp: 863107

Ion Ratio Lower Upper

244 100

212 6.4 5.0 7.4

122 8.7 13.3 19.9#



Abundance Scan 2265 (15.609 min): BF126908.D\data.ms (-2286 (-)

Perylene-d12



Concen: 20.000 ng

RT: 15.580 min Scan# 2260

Delta R.T. -0.012 min

Lab File: BF126988.D

Acq: 21 Feb 2022 22:12



Tgt Ion:264 Resp: 165648

Ion Ratio Lower Upper

264 100

260 23.0 19.2 28.8

265 20.4 17.4 26.2

