

Data Path : Z:\HPCHEM1\BNA F\DATA\BF022317\
 Data File : BF093101.D
 Acq On : 23 Feb 2017 11:07
 Operator : SJ/MA
 Sample : PB97103TB
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB97103TB

Quant Time: Feb 23 12:35:37 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF013017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 17 17:31:55 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	148227	20.00	ng	-0.01
21) Naphthalene-d8	8.12	136	610036	20.00	ng	-0.02
38) Acenaphthene-d10	9.87	164	276358	20.00	ng	-0.02
63) Phenanthrene-d10	11.36	188	523055	20.00	ng	-0.02
75) Chrysene-d12	14.00	240	340127	20.00	ng	-0.02
86) Perylene-d12	15.41	264	254156	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.44	112	1074978	124.42	ng	-0.01
7) Phenol-d6	6.48	99	1284441	115.54	ng	-0.01
23) Nitrobenzene-d5	7.40	82	842321	76.89	ng	-0.02
41) 2,4,6-Tribromophenol	10.67	330	278841	139.50	ng	-0.01
44) 2-Fluorobiphenyl	9.20	172	1448971	94.99	ng	-0.02
78) Terphenyl-d14	12.95	244	1265825	87.45	ng	-0.02


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF022317\
Data File : BF093101.D
Acq On : 23 Feb 2017 11:07
Operator : SJ/MA
Sample : PB97103TB
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB97103TB

Quant Time: Feb 23 12:35:37 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF013017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 17 17:31:55 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.84 min Scan# 416

Delta R.T. -0.01 min

Lab File: BF093101.D

Acq: 23 Feb 2017 11:07

Instrument :

BNA_F

ClientSampleId :

PB97103TB


Tot Ion:152 Resp: 148227

Ion Ratio Lower Upper

152 100

150 155.2 124.9 187.3




115 53.8 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 124.42 ng

RT: 5.44 min Scan# 293

Delta R.T. -0.01 min

Lab File: BF093101.D

Acq: 23 Feb 2017 11:07


Tgt Ion:112 Resp: 1074978

Ion Ratio Lower Upper

112 100

64 69.1 46.1 69.1



63 34.6 23.8 35.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 115.54 ng

RT: 6.48 min Scan# 384

Delta R.T. -0.01 min

Lab File: BF093101.D

Acq: 23 Feb 2017 11:07

Instrument :

BNA_F

ClientSampleId :

PB97103TB


Tot Ion: 99 Resp: 1284441

Ion Ratio Lower Upper

99 100

42 20.1 15.6 23.4




71 32.7 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.12 min Scan# 528

Delta R.T. -0.02 min

Lab File: BF093101.D

Acq: 23 Feb 2017 11:07

Tgt Ion:136 Resp: 610036


Ion Ratio Lower Upper

136 100

137 10.9 8.4 12.6

54 10.4 4.5 6.7#

68 7.0 3.6 5.4#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 76.89 ng
RT: 7.40 min Scan# 465
Delta R.T. -0.02 min
Lab File: BF093101.D
Acq: 23 Feb 2017 11:07

Instrument :
BNA_F
ClientSampleId :
PB97103TB

Tot Ion: 82 Resp: 842321
Ion Ratio Lower Upper
82 100
128 39.0 34.6 52.0
54 56.8 39.5 59.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.87 min Scan# 681
Delta R.T. -0.02 min
Lab File: BF093101.D
Acq: 23 Feb 2017 11:07

Tgt Ion:164 Resp: 276358
Ion Ratio Lower Upper
164 100
162 105.1 80.2 120.2
160 44.8 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 139.50 ng
 RT: 10.67 min Scan# 751
 Delta R.T. -0.01 min
 Lab File: BF093101.D
 Acq: 23 Feb 2017 11:07

Instrument :
 BNA_F
 ClientSampleId :
 PB97103TB

Tot Ion:330 Resp: 278841
 Ion Ratio Lower Upper
 330 100
 332 97.3 77.4 116.2
 141 33.1 34.1 51.1#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 94.99 ng
 RT: 9.20 min Scan# 622
 Delta R.T. -0.02 min
 Lab File: BF093101.D
 Acq: 23 Feb 2017 11:07

Tgt Ion:172 Resp: 1448971
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.4 44.0
 170 24.3 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.36 min Scan# 811
Delta R.T. -0.02 min
Lab File: BF093101.D
Acq: 23 Feb 2017 11:07

Instrument :
BNA_F
ClientSampleId :
PB97103TB

Tot Ion:188 Resp: 523055
Ion Ratio Lower Upper
188 100
94 10.2 10.0 15.0
80 11.4 11.2 16.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.00 min Scan# 1042
Delta R.T. -0.02 min
Lab File: BF093101.D
Acq: 23 Feb 2017 11:07

Tgt Ion:240 Resp: 340127
Ion Ratio Lower Upper
240 100
120 8.2 12.9 19.3#
236 25.2 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 87.45 ng

RT: 12.95 min Scan# 950

Delta R.T. -0.02 min

Lab File: BF093101.D

Acq: 23 Feb 2017 11:07

Instrument :

BNA_F

ClientSampleId :

PB97103TB


Tot Ion:244 Resp: 1265825

Ion Ratio Lower Upper




244 100

212 7.2 6.2 9.2

122 10.5 11.4 17.2#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.41 min Scan# 1166

Delta R.T. -0.03 min

Lab File: BF093101.D

Acq: 23 Feb 2017 11:07


Tgt Ion:264 Resp: 254156

Ion Ratio Lower Upper

264 100

260 23.1 19.2 28.8

265 22.0 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

