

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022522\
 Data File : BF127069.D
 Acq On : 25 Feb 2022 14:24
 Operator : CG\JU
 Sample : N1657-07
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 GROUP-7

Quant Time: Feb 26 01:39:02 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF021622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 24 02:10:57 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.904	152	67270	20.000	ng	0.00
21) Naphthalene-d8	8.187	136	271501	20.000	ng	# 0.00
39) Acenaphthene-d10	9.945	164	140724	20.000	ng	0.00
64) Phenanthrene-d10	11.433	188	255445	20.000	ng	#-0.01
76) Chrysene-d12	14.080	240	138331	20.000	ng	# 0.00
86) Perylene-d12	15.580	264	118831	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.528	112	357834	82.215	ng	0.00
7) Phenol-d6	6.528	99	524298	89.273	ng	-0.01
23) Nitrobenzene-d5	7.463	82	408850	67.972	ng	-0.01
42) 2,4,6-Tribromophenol	10.739	330	138247	85.325	ng	0.00
45) 2-Fluorobiphenyl	9.263	172	688515	72.028	ng	0.00
79) Terphenyl-d14	13.028	244	766099	81.413	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.463	70	56905	15.037	ng	# 83
25) Isophorone	7.463	82	407918	40.983	ng	# 69
51) 2,6-Dinitrotoluene	9.945	165	18376	8.979	ng	# 22
57) 2,4-Dinitrotoluene	9.945	165	18376	6.641	ng	# 16
67) 4-Bromophenyl-phenylether	10.734	248	8584	3.008	ng	# 1
77) Benzidine	13.028	184	12221	3.251	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022522\
Data File : BF127069.D
Acq On : 25 Feb 2022 14:24
Operator : CG\JU
Sample : N1657-07
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
GROUP-7

Quant Time: Feb 26 01:39:02 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF021622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 24 02:10:57 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.904 min Scan# 71
 Delta R.T. -0.006 min
 Lab File: BF127069.D
 Acq: 25 Feb 2022 14:24




Instrument :
 BNA_F
 ClientSampleId :
 GROUP-7


Tgt Ion:152 Resp: 67270
 Ion Ratio Lower Upper
 152 100
 150 154.3 128.1 192.1
 115 66.1 56.7 85.1



#5
 2-Fluorophenol
 Concen: 82.215 ng
 RT: 5.528 min Scan# 551
 Delta R.T. 0.000 min
 Lab File: BF127069.D
 Acq: 25 Feb 2022 14:24

Tgt Ion:112 Resp: 357834
 Ion Ratio Lower Upper
 112 100
 64 64.8 49.5 74.3
 63 35.7 23.9 35.9









#7
Phenol-d6
Concen: 89.273 ng
RT: 6.528 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF127069.D
Acq: 25 Feb 2022 14:24




Instrument :
BNA_F
ClientSampleId :
GROUP-7


Tgt Ion: 99 Resp: 524298
Ion Ratio Lower Upper
99 100
42 21.5 14.2 21.4#
71 44.1 24.3 36.5#



#19
n-Nitroso-di-n-propylamine
Concen: 15.037 ng
RT: 7.463 min Scan# 880
Delta R.T. 0.141 min
Lab File: BF127069.D
Acq: 25 Feb 2022 14:24

Tgt Ion: 70 Resp: 56905
Ion Ratio Lower Upper
70 100
42 50.4 45.8 68.8
101 0.0 6.9 10.3#
130 1.6 14.4 21.6#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.187 min Scan# 10
Delta R.T. -0.006 min
Lab File: BF127069.D
Acq: 25 Feb 2022 14:24




Instrument :
BNA_F
ClientSampleId :
GROUP-7


Tgt Ion:136 Resp: 271501
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 8.5 7.8 11.6
68 4.4 6.3 9.5#



#23
Nitrobenzene-d5
Concen: 67.972 ng
RT: 7.463 min Scan# 880
Delta R.T. -0.012 min
Lab File: BF127069.D
Acq: 25 Feb 2022 14:24

Tgt Ion: 82 Resp: 408850
Ion Ratio Lower Upper
82 100
128 37.9 32.7 49.1
54 55.0 41.7 62.5









#25
Isophorone
Concen: 40.983 ng
RT: 7.463 min Scan# 81
Delta R.T. -0.270 min
Lab File: BF127069.D
Acq: 25 Feb 2022 14:24




Instrument :
BNA_F
ClientSampleId :
GROUP-7


Tgt Ion: 82 Resp: 407918
Ion Ratio Lower Upper
82 100
95 0.0 5.0 7.4#
138 0.0 12.3 18.5#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.945 min Scan# 1302
Delta R.T. -0.006 min
Lab File: BF127069.D
Acq: 25 Feb 2022 14:24

Tgt Ion: 164 Resp: 140724
Ion Ratio Lower Upper
164 100
162 98.9 81.4 122.0
160 44.7 36.6 54.8









#42
 2,4,6-Tribromophenol
 Concen: 85.325 ng
 RT: 10.739 min Scan# 1442
 Delta R.T. -0.006 min
 Lab File: BF127069.D
 Acq: 25 Feb 2022 14:24




Instrument :
 BNA_F
 ClientSampleId :
 GROUP-7


Tgt Ion:330 Resp: 138247
 Ion Ratio Lower Upper
 330 100
 332 95.4 76.0 114.0
 141 37.8 30.1 45.1



#45
 2-Fluorobiphenyl
 Concen: 72.028 ng
 RT: 9.263 min Scan# 1186
 Delta R.T. -0.006 min
 Lab File: BF127069.D
 Acq: 25 Feb 2022 14:24

Tgt Ion:172 Resp: 688515
 Ion Ratio Lower Upper
 172 100
 171 35.2 28.3 42.5
 170 22.7 19.0 28.6









#51
2,6-Dinitrotoluene
Concen: 8.979 ng
RT: 9.945 min Scan# 11
Delta R.T. 0.212 min
Lab File: BF127069.D
Acq: 25 Feb 2022 14:24




Instrument :
BNA_F
ClientSampleId :
GROUP-7


Tgt Ion:165 Resp: 18376
Ion Ratio Lower Upper
165 100
63 2.3 48.4 72.6#
89 1.6 50.5 75.7#



#57
2,4-Dinitrotoluene
Concen: 6.641 ng
RT: 9.945 min Scan# 1302
Delta R.T. -0.194 min
Lab File: BF127069.D
Acq: 25 Feb 2022 14:24

Tgt Ion:165 Resp: 18376
Ion Ratio Lower Upper
165 100
63 2.3 43.0 64.6#
89 1.6 71.0 106.4#
182 0.0 1.6 2.4#









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.433 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF127069.D
Acq: 25 Feb 2022 14:24




Instrument :
BNA_F
ClientSampleId :
GROUP-7


Tgt Ion:188 Resp: 255445
Ion Ratio Lower Upper
188 100
94 9.2 10.1 15.1#
80 10.8 11.8 17.6#



#67
4-Bromophenyl-phenylether
Concen: 3.008 ng
RT: 10.734 min Scan# 1436
Delta R.T. -0.253 min
Lab File: BF127069.D
Acq: 25 Feb 2022 14:24

Tgt Ion:248 Resp: 8584
Ion Ratio Lower Upper
248 100
250 199.9 76.2 114.4#
141 662.9 66.2 99.4#





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.080 min Scan# 20

Delta R.T. -0.006 min

Lab File: BF127069.D

Acq: 25 Feb 2022 14:24

Instrument :

BNA_F

ClientSampleId :

GROUP-7





Tgt Ion:240 Resp: 138331

Ion Ratio Lower Upper

240 100

120 9.8 14.4 21.6#

236 26.0 20.5 30.7



#77

Benzidine

Concen: 3.251 ng

RT: 13.028 min Scan# 1826

Delta R.T. 0.253 min

Lab File: BF127069.D

Acq: 25 Feb 2022 14:24




Tgt Ion:184 Resp: 12221


Ion Ratio Lower Upper

184 100

185 15.8 11.8 17.8

183 6.5 8.2 12.2#









#79
 Terphenyl-d14
 Concen: 81.413 ng
 RT: 13.028 min Scan# 1826
 Delta R.T. 0.000 min
 Lab File: BF127069.D
 Acq: 25 Feb 2022 14:24

Instrument :
 BNA_F
 ClientSampleId :
 GROUP-7

Tgt Ion:244 Resp: 766099
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.0 7.4
 122 9.2 13.3 19.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.580 min Scan# 2260
 Delta R.T. -0.006 min
 Lab File: BF127069.D
 Acq: 25 Feb 2022 14:24

Tgt Ion:264 Resp: 118831
 Ion Ratio Lower Upper
 264 100
 260 22.5 19.2 28.8
 265 20.9 17.4 26.2

