

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022522\
 Data File : BF127083.D
 Acq On : 25 Feb 2022 21:01
 Operator : CG\JU
 Sample : N1662-03
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 POST-EX-01B

Quant Time: Feb 26 01:40:53 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF021622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 24 02:10:57 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.898	152	80410	20.000	ng	-0.01
21) Naphthalene-d8	8.181	136	322044	20.000	ng	#-0.01
39) Acenaphthene-d10	9.939	164	159584	20.000	ng	-0.01
64) Phenanthrene-d10	11.433	188	267413	20.000	ng	#-0.01
76) Chrysene-d12	14.080	240	136335	20.000	ng	# 0.00
86) Perylene-d12	15.574	264	149365	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	596656	114.684	ng	0.00
7) Phenol-d6	6.528	99	804650	114.620	ng	-0.01
23) Nitrobenzene-d5	7.463	82	554173	77.672	ng	-0.01
42) 2,4,6-Tribromophenol	10.733	330	215802	117.450	ng	-0.01
45) 2-Fluorobiphenyl	9.263	172	847514	78.183	ng	0.00
79) Terphenyl-d14	13.022	244	816436	88.033	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022522\
Data File : BF127083.D
Acq On : 25 Feb 2022 21:01
Operator : CG\JU
Sample : N1662-03
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
POST-EX-01B

Quant Time: Feb 26 01:40:53 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF021622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 24 02:10:57 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.898 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF127083.D
Acq: 25 Feb 2022 21:01




Instrument :
BNA_F
ClientSampleId :
POST-EX-01B


Tgt Ion:152 Resp: 80410
Ion Ratio Lower Upper
152 100
150 165.0 128.1 192.1
115 72.1 56.7 85.1



#5
2-Fluorophenol
Concen: 114.684 ng
RT: 5.522 min Scan# 550
Delta R.T. -0.006 min
Lab File: BF127083.D
Acq: 25 Feb 2022 21:01

Tgt Ion:112 Resp: 596656
Ion Ratio Lower Upper
112 100
64 70.5 49.5 74.3
63 37.3 23.9 35.9#









#7
Phenol-d6
Concen: 114.620 ng
RT: 6.528 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF127083.D
Acq: 25 Feb 2022 21:01




Instrument :
BNA_F
ClientSampleId :
POST-EX-01B


Tgt Ion: 99 Resp: 804650
Ion Ratio Lower Upper
99 100
42 19.2 14.2 21.4
71 40.5 24.3 36.5#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.181 min Scan# 1002
Delta R.T. -0.012 min
Lab File: BF127083.D
Acq: 25 Feb 2022 21:01

Tgt Ion: 136 Resp: 322044
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 8.9 7.8 11.6
68 5.5 6.3 9.5#









#23
Nitrobenzene-d5
Concen: 77.672 ng
RT: 7.463 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF127083.D
Acq: 25 Feb 2022 21:01




Instrument :
BNA_F
ClientSampleId :
POST-EX-01B

Tgt Ion: 82 Resp: 554173
Ion Ratio Lower Upper
82 100
128 38.4 32.7 49.1
54 51.6 41.7 62.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.939 min Scan# 1301
Delta R.T. -0.012 min
Lab File: BF127083.D
Acq: 25 Feb 2022 21:01

Tgt Ion:164 Resp: 159584
Ion Ratio Lower Upper
164 100
162 101.9 81.4 122.0
160 42.5 36.6 54.8









#42
2,4,6-Tribromophenol
Concen: 117.450 ng
RT: 10.733 min Scan# 1442
Delta R.T. -0.012 min
Lab File: BF127083.D
Acq: 25 Feb 2022 21:01




Instrument :
BNA_F
ClientSampleId :
POST-EX-01B


Tgt Ion: 330 Resp: 215802
Ion Ratio Lower Upper
330 100
332 95.9 76.0 114.0
141 36.5 30.1 45.1



#45
2-Fluorobiphenyl
Concen: 78.183 ng
RT: 9.263 min Scan# 1186
Delta R.T. -0.006 min
Lab File: BF127083.D
Acq: 25 Feb 2022 21:01

Tgt Ion: 172 Resp: 847514
Ion Ratio Lower Upper
172 100
171 35.5 28.3 42.5
170 23.4 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.433 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF127083.D
Acq: 25 Feb 2022 21:01




Instrument :
BNA_F
ClientSampleId :
POST-EX-01B

Tgt Ion:188 Resp: 267413
Ion Ratio Lower Upper
188 100
94 9.0 10.1 15.1#
80 9.6 11.8 17.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.080 min Scan# 2005
Delta R.T. -0.006 min
Lab File: BF127083.D
Acq: 25 Feb 2022 21:01


Tgt Ion:240 Resp: 136335
Ion Ratio Lower Upper
240 100
120 9.6 14.4 21.6#
236 24.3 20.5 30.7








#79
 Terphenyl-d14
 Concen: 88.033 ng
 RT: 13.022 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF127083.D
 Acq: 25 Feb 2022 21:01

Instrument :
 BNA_F
 ClientSampleId :
 POST-EX-01B



Tgt Ion:244 Resp: 816436
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.0 7.4
 122 10.5 13.3 19.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.574 min Scan# 2259
 Delta R.T. -0.012 min
 Lab File: BF127083.D
 Acq: 25 Feb 2022 21:01

Tgt Ion:264 Resp: 149365
 Ion Ratio Lower Upper
 264 100
 260 25.8 19.2 28.8
 265 22.1 17.4 26.2

