

Data Path : \\TSCLIENT\Z\HPCHEM1\BNA F\DATA\BF022615\
 Data File : BF077497.D
 Acq On : 27 Feb 2015 8:20
 Operator : TP/IZ
 Sample : G1385-03
 Misc : S
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Feb 27 10:35:48 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF021915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 27 07:02:57 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.27	152	73959	20.00	ng	0.00
21) Naphthalene-d8	8.85	136	300560	20.00	ng	0.00
38) Acenaphthene-d10	11.02	164	167495	20.00	ng	0.00
63) Phenanthrene-d10	12.87	188	338266	20.00	ng	0.00
75) Chrysene-d12	16.18	240	367998	20.00	ng	0.03
86) Perylene-d12	18.00	264	367409	20.00	ng	0.12
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	292235	65.96	ng	0.01
7) Phenol-d6	6.83	99	427151	74.99	ng	0.00
23) Nitrobenzene-d5	7.96	82	241894	50.05	ng	0.00
41) 2,4,6-Tribromophenol	12.00	330	113319	70.26	ng	0.00
44) 2-Fluorobiphenyl	10.19	172	501010	46.64	ng	0.00
78) Terphenyl-d14	14.86	244	613518	38.97	ng	0.00
Target Compounds						
49) Dimethylphthalate	10.70	163	44272	3.76	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\TSCLIENT\Z\HPCHEM1\BNA F\DATA\BF022615\
Data File : BF077497.D
Acq On : 27 Feb 2015 8:20
Operator : TP/IZ
Sample : G1385-03
Misc : S
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Feb 27 10:35:48 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF021915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 27 07:02:57 2015
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.27 min Scan# 559
 Delta R.T. 0.01 min
 Lab File: BF077497.D
 Acq: 27 Feb 2015 8:20

Instrument :
 BNA_F
 ClientSampleId :




Tot Ion	Ratio	Lower	Upper
152	100		
150	155.9	124.0	186.0
115	49.1	49.4	74.2



#5

2-Fluorophenol
 Concen: 65.96 ng
 RT: 5.56 min Scan# 409
 Delta R.T. 0.01 min
 Lab File: BF077497.D
 Acq: 27 Feb 2015 8:20

Tgt Ion	Ratio	Lower	Upper
112	100		
64	55.6	48.5	72.7
63	28.8	25.0	37.4





#7

Phenol-d6

Concen: 74.99 ng

RT: 6.83 min Scan# 520

Delta R.T. 0.01 min

Lab File: BF077497.D

Acq: 27 Feb 2015 8:20

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 427151

Ion Ratio Lower Upper




99 100

42 15.6 16.2 24.4#

71 31.0 26.7 40.1



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.85 min Scan# 696

Delta R.T. 0.00 min

Lab File: BF077497.D

Acq: 27 Feb 2015 8:20

Tgt Ion: 136 Resp: 300560


Ion Ratio Lower Upper

136 100



137 11.4 8.6 13.0


54 8.4 6.2 9.4

68 6.6 5.0 7.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 50.05 ng
 RT: 7.96 min Scan# 619
 Delta R.T. -0.00 min
 Lab File: BF077497.D
 Acq: 27 Feb 2015 8:20




Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	82	Resp	241894
Ion Ratio	100	Lower	Upper
128	48.6	43.8	65.8
54	46.7	36.7	55.1



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 11.02 min Scan# 887
 Delta R.T. 0.01 min
 Lab File: BF077497.D
 Acq: 27 Feb 2015 8:20

Tgt Ion	164	Resp	167495
Ion Ratio	100	Lower	Upper
162	104.8	83.2	124.8
160	46.2	34.6	52.0








#41
 2,4,6-Tribromophenol
 Concen: 70.26 ng
 RT: 12.00 min Scan# 973
 Delta R.T. 0.01 min
 Lab File: BF077497.D
 Acq: 27 Feb 2015 8:20

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:330 Resp: 113319
 Ion Ratio Lower Upper
 330 100
 332 95.5 77.4 116.2
 141 34.7 28.8 43.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 46.64 ng
 RT: 10.19 min Scan# 814
 Delta R.T. 0.00 min
 Lab File: BF077497.D
 Acq: 27 Feb 2015 8:20

Tgt Ion:172 Resp: 501010
 Ion Ratio Lower Upper
 172 100
 171 35.4 28.9 43.3
 170 23.7 19.4 29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.76 ng

RT: 10.70 min Scan# 858

Delta R.T. -0.01 min

Lab File: BF077497.D

Acq: 27 Feb 2015 8:20

Instrument :

BNA_F

ClientSampleId :


Tot Ion:163 Resp: 44272

Ion Ratio Lower Upper

163 100

194 3.1 2.6 4.0




164 10.8 8.6 13.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 12.87 min Scan# 1048

Delta R.T. 0.00 min

Lab File: BF077497.D

Acq: 27 Feb 2015 8:20


Tgt Ion:188 Resp: 338266

Ion Ratio Lower Upper

188 100

94 9.8 7.4 11.2



80 9.8 8.0 12.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrvsene-d12

Concen: 20.00 ng

RT: 16.18 min Scan# 1338

Delta R.T. 0.03 min

Lab File: BF077497.D

Acq: 27 Feb 2015 8:20

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 367998

Ion Ratio Lower Upper

240 100

120 7.9 8.8 13.2#




236 25.6 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 38.97 ng

RT: 14.86 min Scan# 1223

Delta R.T. 0.01 min

Lab File: BF077497.D

Acq: 27 Feb 2015 8:20


Tgt Ion:244 Resp: 613518

Ion Ratio Lower Upper

244 100

212 6.4 5.2 7.8



122 9.2 7.8 11.8






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Pervlene-d12

Concen: 20.00 ng

RT: 18.00 min Scan# 1497

Delta R.T. 0.12 min

Lab File: BF077497.D

Acq: 27 Feb 2015 8:20

Instrument :

BNA_F

ClientSampleId :

Tot Ion: 264 Resp: 367409

Ion Ratio Lower Upper

264 100

260 23.8 19.3 28.9

265 22.1 16.8 25.2

