

Data Path : Z:\HPCHEM1\BNA F\DATA\BF022618\
 Data File : BF103238.D
 Acq On : 27 Feb 2018 00:36
 Operator : SJ/JU
 Sample : J1691-61 5X
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B16

Quant Time: Feb 27 03:03:46 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF022218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 23 02:43:46 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.87	152	140251	20.00	ng	0.00
21) Naphthalene-d8	8.16	136	552240	20.00	ng	0.00
38) Acenaphthene-d10	9.92	164	211568	20.00	ng	0.00
63) Phenanthrene-d10	11.40	188	343311	20.00	ng	0.00
75) Chrysene-d12	14.06	240	223398	20.00	ng	0.00
86) Perylene-d12	15.56	264	150879	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	148608	16.03	ng	0.00
7) Phenol-d6	6.50	99	175313	15.45	ng	0.00
23) Nitrobenzene-d5	7.44	82	82730	8.56	ng	0.00
41) 2,4,6-Tribromophenol	10.71	330	23461	13.10	ng	0.00
44) 2-Fluorobiphenyl	9.23	172	169919	9.34	ng	0.00
78) Terphenyl-d14	12.99	244	136662	14.71	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF022618\
Data File : BF103238.D
Acq On : 27 Feb 2018 00:36
Operator : SJ/JU
Sample : J1691-61 5X
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
B16

Quant Time: Feb 27 03:03:46 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF022218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 23 02:43:46 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.87 min Scan# 814
Delta R.T. 0.01 min
Lab File: BF103238.D
Acq: 27 Feb 2018 00:36

Instrument :
BNA_F
ClientSampleId :
B16




Tot Ion	Ratio	Lower	Upper
152	100		
150	162.5	124.6	186.8
115	62.7	50.1	75.1




#5

2-Fluorophenol
Concen: 16.025 ng
RT: 5.49 min Scan# 579
Delta R.T. 0.01 min
Lab File: BF103238.D
Acq: 27 Feb 2018 00:36

Tgt Ion	Ratio	Lower	Upper
112	100		
64	64.6	47.9	71.9
63	33.1	23.7	35.5





#7

Phenol-d6

Concen: 15.450 ng

RT: 6.50 min Scan# 751

Delta R.T. 0.00 min

Lab File: BF103238.D

Acq: 27 Feb 2018 00:36

Instrument :

BNA_F

ClientSampleId :

B16


Tot Ion: 99 Resp: 175313

Ion Ratio Lower Upper




99 100

42 20.1 14.5 21.7

71 29.4 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.16 min Scan# 1032

Delta R.T. 0.00 min

Lab File: BF103238.D

Acq: 27 Feb 2018 00:36

Tgt Ion: 136 Resp: 552240


Ion Ratio Lower Upper

136 100



137 11.2 8.9 13.3

54 9.7 6.6 9.8

68 6.8 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 8.555 ng
 RT: 7.44 min Scan# 910
 Delta R.T. 0.00 min
 Lab File: BF103238.D
 Acq: 27 Feb 2018 00:36

Instrument :
 BNA_F
 ClientSampleId :
 B16

Tot Ion: 82 Resp: 82730
 Ion Ratio Lower Upper
 82 100
 128 43.1 36.1 54.1
 54 54.3 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.92 min Scan# 1331
 Delta R.T. 0.01 min
 Lab File: BF103238.D
 Acq: 27 Feb 2018 00:36

Tgt Ion: 164 Resp: 211568
 Ion Ratio Lower Upper
 164 100
 162 103.0 86.1 129.1
 160 45.2 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
 Ion 162.00 (161.70 to 162.70): BF1
 Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 13.101 ng
 RT: 10.71 min Scan# 1466
 Delta R.T. 0.01 min
 Lab File: BF103238.D
 Acq: 27 Feb 2018 00:36

Instrument :
 BNA_F
 ClientSampleId :
 B16

Tot Ion:330 Resp: 23461
 Ion Ratio Lower Upper
 330 100
 332 101.9 77.0 115.6
 141 47.0 29.9 44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 9.339 ng
 RT: 9.23 min Scan# 1214
 Delta R.T. 0.00 min
 Lab File: BF103238.D
 Acq: 27 Feb 2018 00:36

Tgt Ion:172 Resp: 169919
 Ion Ratio Lower Upper
 172 100
 171 34.1 29.7 44.5
 170 23.7 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.40 min Scan# 1584
Delta R.T. 0.00 min
Lab File: BF103238.D
Acq: 27 Feb 2018 00:36




Instrument :
BNA_F
ClientSampleId :
B16


Tot Ion:188 Resp: 343311
Ion Ratio Lower Upper
188 100
94 12.9 8.5 12.7#
80 14.0 9.2 13.8#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.06 min Scan# 2035
Delta R.T. 0.01 min
Lab File: BF103238.D
Acq: 27 Feb 2018 00:36

Tgt Ion:240 Resp: 223398
Ion Ratio Lower Upper
240 100
120 15.8 9.5 14.3#
236 26.2 20.7 31.1





#78

Terphenyl-d14

Concen: 14.705 ng

RT: 12.99 min Scan# 1853

Delta R.T. 0.00 min

Lab File: BF103238.D

Acq: 27 Feb 2018 00:36

Instrument :

BNA_F

ClientSampleId :

B16


Tot Ion:244 Resp: 136662

Ion Ratio Lower Upper

244 100

212 6.4 5.4 8.0

122 15.7 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

12.99

150000

100000



50000

0

13.00

13.10

Time-->



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.56 min Scan# 2291

Delta R.T. 0.02 min

Lab File: BF103238.D

Acq: 27 Feb 2018 00:36


Tgt Ion:264 Resp: 150879

Ion Ratio Lower Upper

264 100

260 25.6 19.2 28.8

265 23.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

15.56

150000

100000

50000

0

15.50

15.60

15.70

Time-->

