

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022625\
 Data File : BF141787.D
 Acq On : 26 Feb 2025 17:27
 Operator : RC/JU
 Sample : Q1415-06
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B-173-GW01

Quant Time: Feb 26 17:55:06 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 16:58:59 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	70131	20.000	ng	-0.01
21) Naphthalene-d8	8.063	136	281804	20.000	ng	-0.01
39) Acenaphthene-d10	9.810	164	154242	20.000	ng	-0.02
64) Phenanthrene-d10	11.298	188	262674	20.000	ng	-0.02
76) Chrysene-d12	13.939	240	181385	20.000	ng	-0.02
86) Perylene-d12	15.386	264	166658	20.000	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.404	112	256729	57.390	ng	0.00
7) Phenol-d6	6.428	99	210736	37.272	ng	-0.01
23) Nitrobenzene-d5	7.345	82	400696	74.164	ng	-0.02
42) 2,4,6-Tribromophenol	10.610	330	188302	121.530	ng	-0.02
45) 2-Fluorobiphenyl	9.134	172	807667	80.674	ng	-0.02
79) Terphenyl-d14	12.886	244	947562	88.191	ng	-0.02
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.463	88	6291	3.494	ng	99
60) Diethylphthalate	10.233	149	50289	4.881	ng	100
74) Di-n-butylphthalate	11.857	149	42344	2.804	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022625\
Data File : BF141787.D
Acq On : 26 Feb 2025 17:27
Operator : RC/JU
Sample : Q1415-06
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
B-173-GW01

Quant Time: Feb 26 17:55:06 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 06 16:58:59 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.781 min Scan# 79
 Delta R.T. -0.011 min
 Lab File: BF141787.D
 Acq: 26 Feb 2025 17:27




Instrument :
 BNA_F
 ClientSampleId :
 B-173-GW01


Tgt Ion:152 Resp: 70131
 Ion Ratio Lower Upper
 152 100
 150 157.0 125.0 187.4
 115 61.8 53.6 80.4



#2
 1,4-Dioxane
 Concen: 3.494 ng
 RT: 2.463 min Scan# 63
 Delta R.T. -0.018 min
 Lab File: BF141787.D
 Acq: 26 Feb 2025 17:27

Tgt Ion: 88 Resp: 6291
 Ion Ratio Lower Upper
 88 100
 58 88.7 71.1 106.7
 43 35.7 30.6 46.0









#5
2-Fluorophenol
Concen: 57.390 ng
RT: 5.404 min Scan# 501
Delta R.T. -0.006 min
Lab File: BF141787.D
Acq: 26 Feb 2025 17:27




Instrument :
BNA_F
ClientSampleId :
B-173-GW01


Tgt Ion:112 Resp: 256729
Ion Ratio Lower Upper
112 100
64 59.6 51.1 76.7
63 31.5 28.4 42.6



#7
Phenol-d6
Concen: 37.272 ng
RT: 6.428 min Scan# 737
Delta R.T. -0.012 min
Lab File: BF141787.D
Acq: 26 Feb 2025 17:27

Tgt Ion: 99 Resp: 210736
Ion Ratio Lower Upper
99 100
42 19.7 19.1 28.7
71 34.7 31.1 46.7









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.063 min Scan# 1015
Delta R.T. -0.012 min
Lab File: BF141787.D
Acq: 26 Feb 2025 17:27




Instrument :
BNA_F
ClientSampleId :
B-173-GW01


Tgt Ion:136 Resp: 281804
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 8.2 7.2 10.8
68 4.9 3.7 5.5



#23
Nitrobenzene-d5
Concen: 74.164 ng
RT: 7.345 min Scan# 893
Delta R.T. -0.018 min
Lab File: BF141787.D
Acq: 26 Feb 2025 17:27

Tgt Ion: 82 Resp: 400696
Ion Ratio Lower Upper
82 100
128 45.4 34.8 52.2
54 54.7 48.2 72.4









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.810 min Scan# 11
Delta R.T. -0.023 min
Lab File: BF141787.D
Acq: 26 Feb 2025 17:27




Instrument :
BNA_F
ClientSampleId :
B-173-GW01


Tgt Ion:164 Resp: 154242
Ion Ratio Lower Upper
164 100
162 101.6 81.3 121.9
160 44.5 35.9 53.9



#42
2,4,6-Tribromophenol
Concen: 121.530 ng
RT: 10.610 min Scan# 1448
Delta R.T. -0.017 min
Lab File: BF141787.D
Acq: 26 Feb 2025 17:27

Tgt Ion:330 Resp: 188302
Ion Ratio Lower Upper
330 100
332 97.7 78.5 117.7
141 34.8 31.0 46.4









#45
2-Fluorobiphenyl
Concen: 80.674 ng
RT: 9.134 min Scan# 11
Delta R.T. -0.017 min
Lab File: BF141787.D
Acq: 26 Feb 2025 17:27




Instrument :
BNA_F
ClientSampleId :
B-173-GW01


Tgt Ion:172 Resp: 807667
Ion Ratio Lower Upper
172 100
171 35.6 28.7 43.1
170 23.2 18.9 28.3



#60
Diethylphthalate
Concen: 4.881 ng
RT: 10.233 min Scan# 1384
Delta R.T. -0.023 min
Lab File: BF141787.D
Acq: 26 Feb 2025 17:27

Tgt Ion:149 Resp: 50289
Ion Ratio Lower Upper
149 100
177 22.2 17.8 26.6
150 12.6 10.1 15.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.298 min Scan# 11
Delta R.T. -0.018 min
Lab File: BF141787.D
Acq: 26 Feb 2025 17:27




Instrument :
BNA_F
ClientSampleId :
B-173-GW01


Tgt Ion:188 Resp: 262674
Ion Ratio Lower Upper
188 100
94 8.9 6.6 10.0
80 9.4 7.3 10.9



#74
Di-n-butylphthalate
Concen: 2.804 ng
RT: 11.857 min Scan# 1660
Delta R.T. -0.023 min
Lab File: BF141787.D
Acq: 26 Feb 2025 17:27

Tgt Ion:149 Resp: 42344
Ion Ratio Lower Upper
149 100
150 9.2 7.4 11.0
104 5.1 4.2 6.2









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.939 min Scan# 2014
Delta R.T. -0.023 min
Lab File: BF141787.D
Acq: 26 Feb 2025 17:27




Instrument :
BNA_F
ClientSampleId :
B-173-GW01


Tgt Ion:240 Resp: 181385
Ion Ratio Lower Upper
240 100
120 10.1 8.0 12.0
236 24.5 19.8 29.8



#79
Terphenyl-d14
Concen: 88.191 ng
RT: 12.886 min Scan# 1835
Delta R.T. -0.018 min
Lab File: BF141787.D
Acq: 26 Feb 2025 17:27


Tgt Ion:244 Resp: 947562
Ion Ratio Lower Upper
244 100
212 6.4 5.6 8.4
122 10.4 8.4 12.6





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.386 min Scan# 21
 Delta R.T. -0.029 min
 Lab File: BF141787.D
 Acq: 26 Feb 2025 17:27

Instrument :
 BNA_F
 ClientSampleId :
 B-173-GW01



Tgt Ion:264 Resp: 166658
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.6 28.0
 265 22.0 17.0 25.4

