

Data Path : Z:\HPCHEM1\BNA F\DATA\BF022715\
 Data File : BF077512.D
 Acq On : 27 Feb 2015 18:34
 Operator : TP/IZ
 Sample : G1385-06
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK

Quant Time: Feb 27 22:40:53 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF021915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 27 22:28:54 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.26	152	88442	20.00	ng	0.00
21) Naphthalene-d8	8.83	136	352339	20.00	ng	0.00
38) Acenaphthene-d10	11.01	164	176446	20.00	ng	0.00
63) Phenanthrene-d10	12.85	188	368891	20.00	ng	0.00
75) Chrysene-d12	16.14	240	398208	20.00	ng	-0.01
86) Perylene-d12	17.87	264	393179	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.55	112	218569	41.26	ng	0.00
7) Phenol-d6	6.81	99	157502	23.12	ng	0.00
23) Nitrobenzene-d5	7.95	82	459791	81.15	ng	0.00
41) 2,4,6-Tribromophenol	11.99	330	203913	120.02	ng	0.00
44) 2-Fluorobiphenyl	10.18	172	962006	85.01	ng	0.00
78) Terphenyl-d14	14.85	244	1227255	72.05	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF022715\
Data File : BF077512.D
Acq On : 27 Feb 2015 18:34
Operator : TP/IZ
Sample : G1385-06
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FIELDBLANK

Quant Time: Feb 27 22:40:53 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF021915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 27 22:28:54 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.26 min Scan# 557
Delta R.T. -0.00 min
Lab File: BF077512.D
Acq: 27 Feb 2015 18:34

Instrument :
BNA_F
ClientSampleId :
FIELDBLANK

Tot Ion	Ratio	Lower	Upper
152	100		
150	160.1	124.0	186.0
115	67.3	49.4	74.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 41.26 ng
RT: 5.55 min Scan# 408
Delta R.T. 0.00 min
Lab File: BF077512.D
Acq: 27 Feb 2015 18:34

Tgt Ion	Ratio	Lower	Upper
112	100		
64	49.3	48.5	72.7
63	25.3	25.0	37.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 23.12 ng

RT: 6.81 min Scan# 518

Delta R.T. -0.00 min

Lab File: BF077512.D

Acq: 27 Feb 2015 18:34

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK


Tot Ion: 99 Resp: 157502

Ion Ratio Lower Upper

99 100

42 20.8 16.2 24.4




71 35.1 26.7 40.1



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.83 min Scan# 695

Delta R.T. -0.00 min

Lab File: BF077512.D

Acq: 27 Feb 2015 18:34

Tgt Ion: 136 Resp: 352339


Ion Ratio Lower Upper

136 100

137 10.9 8.6 13.0

54 8.8 6.2 9.4

68 6.7 5.0 7.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 81.15 ng
 RT: 7.95 min Scan# 618
 Delta R.T. -0.00 min
 Lab File: BF077512.D
 Acq: 27 Feb 2015 18:34




Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK


Tot Ion	82	Resp	459791
Ion Ratio	Lower	Upper	
82	100		
128	47.8	43.8	65.8
54	48.9	36.7	55.1



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 11.01 min Scan# 885
 Delta R.T. -0.00 min
 Lab File: BF077512.D
 Acq: 27 Feb 2015 18:34

Tgt Ion	164	Resp	176446
Ion Ratio	Lower	Upper	
164	100		
162	104.2	83.2	124.8
160	46.7	34.6	52.0









#41
 2,4,6-Tribromophenol
 Concen: 120.02 ng
 RT: 11.99 min Scan# 971
 Delta R.T. -0.00 min
 Lab File: BF077512.D
 Acq: 27 Feb 2015 18:34

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.2	77.4	116.2
141	37.9	28.8	43.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 85.01 ng
 RT: 10.18 min Scan# 813
 Delta R.T. -0.00 min
 Lab File: BF077512.D
 Acq: 27 Feb 2015 18:34

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	28.9	43.3
170	24.3	19.4	29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.85 min Scan# 1047
Delta R.T. -0.00 min
Lab File: BF077512.D
Acq: 27 Feb 2015 18:34

Instrument :
BNA_F
ClientSampleId :
FIELDBLANK

Tot Ion:188 Resp: 368891
Ion Ratio Lower Upper
188 100
94 7.0 7.4 11.2#
80 6.8 8.0 12.0#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 16.14 min Scan# 1334
Delta R.T. -0.01 min
Lab File: BF077512.D
Acq: 27 Feb 2015 18:34

Tgt Ion:240 Resp: 398208
Ion Ratio Lower Upper
240 100
120 12.3 8.8 13.2
236 25.5 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 72.05 ng
 RT: 14.85 min Scan# 1221
 Delta R.T. -0.00 min
 Lab File: BF077512.D
 Acq: 27 Feb 2015 18:34

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK

Tot Ion:244 Resp: 1227255
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.2 7.8
 122 13.9 7.8 11.8#




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.87 min Scan# 1485
 Delta R.T. -0.04 min
 Lab File: BF077512.D
 Acq: 27 Feb 2015 18:34

Tgt Ion:264 Resp: 393179
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.3 28.9
 265 21.7 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

