

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF030216\
 Data File : BF085117.D
 Acq On : 2 Mar 2016 14:12
 Operator : SJ/IZ
 Sample : H1631-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-42(6-8)

Quant Time: Mar 03 05:28:33 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF030116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 02 13:25:39 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.98	152	167541	20.00	ng	0.00
21) Naphthalene-d8	8.28	136	731667	20.00	ng	0.00
38) Acenaphthene-d10	10.02	164	333752	20.00	ng	0.00
63) Phenanthrene-d10	11.51	188	636044	20.00	ng	0.00
75) Chrysene-d12	14.15	240	500022	20.00	ng	0.00
86) Perylene-d12	15.63	264	389003	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	1591521	154.22	ng	0.01
7) Phenol-d6	6.61	99	1825998	134.97	ng	0.00
23) Nitrobenzene-d5	7.54	82	1251383	90.99	ng	-0.02
41) 2,4,6-Tribromophenol	10.81	330	541096	161.33	ng	0.00
44) 2-Fluorobiphenyl	9.35	172	1816562	80.16	ng	0.00
78) Terphenyl-d14	13.10	244	1851817	86.88	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.74	163	544636	22.01	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF030216\
Data File : BF085117.D
Acq On : 2 Mar 2016 14:12
Operator : SJ/IZ
Sample : H1631-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-42(6-8)

Quant Time: Mar 03 05:28:33 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF030116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 02 13:25:39 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.98 min Scan# 411

Delta R.T. -0.01 min

Lab File: BF085117.D

Acq: 2 Mar 2016 14:12

Instrument :

BNA_F

ClientSampleId :

SB-42(6-8)


Tgt Ion:152 Resp: 167541

Ion Ratio Lower Upper

152 100

150 160.9 123.4 185.0




115 73.1 50.0 75.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 154.22 ng

RT: 5.60 min Scan# 290

Delta R.T. 0.01 min

Lab File: BF085117.D

Acq: 2 Mar 2016 14:12


Tgt Ion:112 Resp: 1591521

Ion Ratio Lower Upper

112 100

64 56.5 50.6 76.0



63 28.9 25.5 38.3




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 134.97 ng

RT: 6.61 min Scan# 378

Delta R.T. -0.01 min

Lab File: BF085117.D

Acq: 2 Mar 2016 14:12

Instrument :

BNA_F

ClientSampleId :

SB-42(6-8)


Tgt Ion: 99 Resp: 1825998

Ion Ratio Lower Upper




99 100

42 18.5 14.1 21.1

71 34.3 26.8 40.2



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.28 min Scan# 524

Delta R.T. 0.00 min

Lab File: BF085117.D

Acq: 2 Mar 2016 14:12

Tgt Ion: 136 Resp: 731667


Ion Ratio Lower Upper

136 100



137 11.1 9.1 13.7


54 6.3 8.5 12.7#

68 5.3 6.4 9.6#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 90.99 ng
 RT: 7.54 min Scan# 460
 Delta R.T. -0.02 min
 Lab File: BF085117.D
 Acq: 2 Mar 2016 14:12

Instrument :
 BNA_F
 ClientSampleId :
 SB-42(6-8)

Tgt Ion: 82 Resp: 1251383
 Ion Ratio Lower Upper
 82 100
 128 40.6 39.8 59.6
 54 51.7 36.6 54.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.02 min Scan# 677
 Delta R.T. -0.01 min
 Lab File: BF085117.D
 Acq: 2 Mar 2016 14:12

Tgt Ion: 164 Resp: 333752
 Ion Ratio Lower Upper
 164 100
 162 101.9 82.6 123.8
 160 45.8 38.2 57.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 161.33 ng
 RT: 10.81 min Scan# 746
 Delta R.T. -0.01 min
 Lab File: BF085117.D
 Acq: 2 Mar 2016 14:12

Instrument :
 BNA_F
 ClientSampleId :
 SB-42(6-8)

Tgt Ion:330 Resp: 541096
 Ion Ratio Lower Upper
 330 100
 332 96.8 75.9 113.9
 141 28.4 28.9 43.3#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 80.16 ng
 RT: 9.35 min Scan# 618
 Delta R.T. -0.01 min
 Lab File: BF085117.D
 Acq: 2 Mar 2016 14:12

Tgt Ion:172 Resp: 1816562
 Ion Ratio Lower Upper
 172 100
 171 37.8 30.5 45.7
 170 26.1 21.2 31.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 22.01 ng

RT: 9.74 min Scan# 652

Delta R.T. -0.02 min

Lab File: BF085117.D

Acq: 2 Mar 2016 14:12

Instrument :

BNA_F

ClientSampleId :

SB-42(6-8)


Tgt Ion:163 Resp: 544636

Ion Ratio Lower Upper

163 100

194 3.3 2.9 4.3




164 10.3 8.6 12.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.51 min Scan# 807

Delta R.T. -0.01 min

Lab File: BF085117.D

Acq: 2 Mar 2016 14:12


Tgt Ion:188 Resp: 636044

Ion Ratio Lower Upper

188 100

94 12.0 7.8 11.6#



80 13.1 8.2 12.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.15 min Scan# 1038

Delta R.T. -0.01 min

Lab File: BF085117.D

Acq: 2 Mar 2016 14:12

Instrument :

BNA_F

ClientSampleId :

SB-42(6-8)


Tgt Ion:240 Resp: 500022

Ion Ratio Lower Upper

240 100

120 7.5 6.7 10.1




236 27.1 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 86.88 ng

RT: 13.10 min Scan# 946

Delta R.T. -0.01 min

Lab File: BF085117.D

Acq: 2 Mar 2016 14:12


Tgt Ion:244 Resp: 1851817

Ion Ratio Lower Upper

244 100

212 7.5 5.4 8.0



122 12.1 5.1 7.7#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.63 min Scan# 1167
Delta R.T. 0.00 min
Lab File: BF085117.D
Acq: 2 Mar 2016 14:12

Instrument :
BNA_F
ClientSampleId :
SB-42(6-8)

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.3	19.6	29.4
265	21.6	17.4	26.2



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

