

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF030416\
 Data File : BF085230.D
 Acq On : 5 Mar 2016 4:02
 Operator : SJ/IZ
 Sample : H1686-04
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-43(22-24)

Quant Time: Mar 05 04:33:42 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF030316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 04 00:54:58 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	160230	20.00	ng	-0.01
21) Naphthalene-d8	8.25	136	675989	20.00	ng	-0.01
38) Acenaphthene-d10	10.01	164	311081	20.00	ng	-0.01
63) Phenanthrene-d10	11.50	188	568116	20.00	ng	-0.01
75) Chrysene-d12	14.13	240	377133	20.00	ng	-0.02
86) Perylene-d12	15.60	264	270740	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	1251115	130.97	ng	0.00
7) Phenol-d6	6.60	99	1617118	129.21	ng	-0.01
23) Nitrobenzene-d5	7.53	82	1110066	87.87	ng	-0.01
41) 2,4,6-Tribromophenol	10.80	330	437364	164.31	ng	-0.01
44) 2-Fluorobiphenyl	9.33	172	1854969	90.69	ng	-0.02
78) Terphenyl-d14	13.09	244	1632457	100.48	ng	0.00
Target Compounds						
9) Benzaldehyde	6.60	77	2045	Below Cal	#	2
19) n-Nitroso-di-n-propylamine	7.53	70	152854	18.74	ng	# 77
49) Dimethylphthalate	9.72	163	257408	10.78	ng	99
56) 2,4-Dinitrotoluene	10.01	165	40088	6.13	ng	# 22
66) 4-Bromophenyl-phenylether	10.80	248	31824	5.77	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF030416\
Data File : BF085230.D
Acq On : 5 Mar 2016 4:02
Operator : SJ/IZ
Sample : H1686-04
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-43(22-24)

Quant Time: Mar 05 04:33:42 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF030316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 04 00:54:58 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.97 min Scan# 410

Delta R.T. -0.01 min

Lab File: BF085230.D

Acq: 5 Mar 2016 4:02

Instrument :

BNA_F

ClientSampleId :

SB-43(22-24)


Tgt Ion:152 Resp: 160230

Ion Ratio Lower Upper

152 100

150 152.8 124.6 186.8




115 55.6 46.6 70.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 130.97 ng

RT: 5.58 min Scan# 288

Delta R.T. 0.00 min

Lab File: BF085230.D

Acq: 5 Mar 2016 4:02


Tgt Ion:112 Resp: 1251115

Ion Ratio Lower Upper

112 100

64 59.3 49.0 73.4



63 30.0 24.8 37.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 129.21 ng

RT: 6.60 min Scan# 377

Delta R.T. -0.01 min

Lab File: BF085230.D

Acq: 5 Mar 2016 4:02

Instrument :

BNA_F

ClientSampleId :

SB-43(22-24)


Tgt Ion: 99 Resp: 1617118

Ion Ratio Lower Upper

99 100

42 16.6 13.6 20.4




71 34.7 26.7 40.1



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 18.74 ng

RT: 7.53 min Scan# 459

Delta R.T. 0.13 min

Lab File: BF085230.D

Acq: 5 Mar 2016 4:02

Tgt Ion: 70 Resp: 152854


Ion Ratio Lower Upper

70 100

42 41.5 37.7 56.5

101 0.0 8.2 12.4#

130 2.1 20.5 30.7#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.25 min Scan# 522

Delta R.T. -0.01 min

Lab File: BF085230.D

Acq: 5 Mar 2016 4:02

Instrument :

BNA_F

ClientSampleId :

SB-43(22-24)

Tgt Ion:136 Resp: 675989


Ion Ratio Lower Upper

136 100

137 10.9 9.3 13.9

54 7.2 7.4 11.2#

68 6.2 6.0 9.0






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 87.87 ng

RT: 7.53 min Scan# 459

Delta R.T. -0.01 min

Lab File: BF085230.D

Acq: 5 Mar 2016 4:02


Tgt Ion: 82 Resp: 1110066

Ion Ratio Lower Upper

82 100

128 45.9 34.5 51.7



54 47.4 39.3 58.9




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.01 min Scan# 676

Delta R.T. -0.01 min

Lab File: BF085230.D

Acq: 5 Mar 2016 4:02

Instrument :

BNA_F

ClientSampleId :

SB-43(22-24)


Tgt Ion:164 Resp: 311081

Ion Ratio Lower Upper

164 100

162 105.0 83.3 124.9




160 47.6 37.9 56.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 164.31 ng

RT: 10.80 min Scan# 745

Delta R.T. -0.01 min

Lab File: BF085230.D

Acq: 5 Mar 2016 4:02


Tgt Ion:330 Resp: 437364

Ion Ratio Lower Upper

330 100

332 95.1 77.1 115.7



141 37.5 35.0 52.6




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 90.69 ng
 RT: 9.33 min Scan# 616
 Delta R.T. -0.02 min
 Lab File: BF085230.D
 Acq: 5 Mar 2016 4:02




Instrument :
 BNA_F
 ClientSampleId :
 SB-43(22-24)


Tgt Ion:172 Resp: 1854969
 Ion Ratio Lower Upper
 172 100
 171 37.1 29.3 43.9
 170 25.2 20.0 30.0



#49
 Dimethylphthalate
 Concen: 10.78 ng
 RT: 9.72 min Scan# 650
 Delta R.T. -0.03 min
 Lab File: BF085230.D
 Acq: 5 Mar 2016 4:02

Tgt Ion:163 Resp: 257408
 Ion Ratio Lower Upper
 163 100
 194 3.3 3.1 4.7
 164 10.5 8.2 12.4





#56

2,4-Dinitrotoluene

Concen: 6.13 ng

RT: 10.01 min Scan# 676

Delta R.T. -0.19 min

Lab File: BF085230.D

Acq: 5 Mar 2016 4:02

Instrument :

BNA_F

ClientSampleId :

SB-43(22-24)

Tgt Ion:165 Resp: 40088


Ion Ratio Lower Upper

165 100

63 1.6 35.4 53.0#

89 1.9 61.9 92.9#

182 0.0 1.9 2.9#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.50 min Scan# 806

Delta R.T. -0.01 min

Lab File: BF085230.D

Acq: 5 Mar 2016 4:02


Tgt Ion:188 Resp: 568116

Ion Ratio Lower Upper

188 100

94 7.4 7.0 10.6



80 7.3 7.4 11.0#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#66
4-Bromophenyl-phenylether
Concen: 5.77 ng
RT: 10.80 min Scan# 745
Delta R.T. -0.25 min
Lab File: BF085230.D
Acq: 5 Mar 2016 4:02

Instrument :
BNA_F
ClientSampleId :
SB-43(22-24)

Tgt Ion:248 Resp: 31824
Ion Ratio Lower Upper
248 100
250 195.6 77.1 115.7#
141 422.9 66.2 99.2#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.13 min Scan# 1036
Delta R.T. -0.02 min
Lab File: BF085230.D
Acq: 5 Mar 2016 4:02

Tgt Ion:240 Resp: 377133
Ion Ratio Lower Upper
240 100
120 14.3 5.3 7.9#
236 26.6 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 100.48 ng
 RT: 13.09 min Scan# 945
 Delta R.T. 0.00 min
 Lab File: BF085230.D
 Acq: 5 Mar 2016 4:02

Instrument :
 BNA_F
 ClientSampleId :
 SB-43(22-24)

Tgt Ion:244 Resp: 1632457
 Ion Ratio Lower Upper
 244 100
 212 6.6 6.4 9.6
 122 6.4 11.4 17.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.60 min Scan# 1165
 Delta R.T. -0.01 min
 Lab File: BF085230.D
 Acq: 5 Mar 2016 4:02

Tgt Ion:264 Resp: 270740
 Ion Ratio Lower Upper
 264 100
 260 24.5 19.2 28.8
 265 20.5 17.3 25.9

