

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF030416\
 Data File : BF085234.D
 Acq On : 5 Mar 2016 5:53
 Operator : SJ/IZ
 Sample : H1686-05
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Mar 07 00:00:18 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF030316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 04 00:54:58 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	172701	20.00	ng	-0.01
21) Naphthalene-d8	8.25	136	732532	20.00	ng	-0.01
38) Acenaphthene-d10	10.01	164	310425	20.00	ng	-0.01
63) Phenanthrene-d10	11.50	188	537653	20.00	ng	-0.01
75) Chrysene-d12	14.13	240	313210	20.00	ng	-0.02
86) Perylene-d12	15.60	264	284478	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	1159524	112.62	ng	0.00
7) Phenol-d6	6.60	99	1566323	116.12	ng	-0.01
23) Nitrobenzene-d5	7.53	82	1070470	78.20	ng	-0.01
41) 2,4,6-Tribromophenol	10.80	330	367561	138.38	ng	-0.01
44) 2-Fluorobiphenyl	9.33	172	1667911	81.71	ng	-0.02
78) Terphenyl-d14	13.08	244	1369602	101.51	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.53	70	145196	16.52	ng	# 77
49) Dimethylphthalate	9.72	163	136958	5.75	ng	98
56) 2,4-Dinitrotoluene	10.01	165	41748	6.40	ng	# 22
66) 4-Bromophenyl-phenylether	10.80	248	25870	4.96	ng	# 1
77) Pyrene	12.94	202	152465	6.47	ng	98
82) Chrysene	14.14	228	34962	2.02	ng	# 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF030416\
Data File : BF085234.D
Acq On : 5 Mar 2016 5:53
Operator : SJ/IZ
Sample : H1686-05
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampled :

Quant Time: Mar 07 00:00:18 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF030316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 04 00:54:58 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.97 min Scan# 410
Delta R.T. -0.01 min
Lab File: BF085234.D
Acq: 5 Mar 2016 5:53

Instrument :
BNA_F
ClientSampleId :

Tgt Ion:152 Resp: 172701
Ion Ratio Lower Upper
152 100
150 153.6 124.6 186.8
115 53.9 46.6 70.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 112.62 ng
RT: 5.58 min Scan# 288
Delta R.T. 0.00 min
Lab File: BF085234.D
Acq: 5 Mar 2016 5:53

Tgt Ion:112 Resp: 1159524
Ion Ratio Lower Upper
112 100
64 58.3 49.0 73.4
63 29.3 24.8 37.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 116.12 ng

RT: 6.60 min Scan# 377

Delta R.T. -0.01 min

Lab File: BF085234.D

Acq: 5 Mar 2016 5:53

Instrument :

BNA_F

ClientSampleId :


Tgt Ion: 99 Resp: 1566323

Ion Ratio Lower Upper

99 100

42 16.4 13.6 20.4




71 34.9 26.7 40.1



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 16.52 ng

RT: 7.53 min Scan# 459

Delta R.T. 0.13 min

Lab File: BF085234.D

Acq: 5 Mar 2016 5:53

Tgt Ion: 70 Resp: 145196


Ion Ratio Lower Upper

70 100

42 41.1 37.7 56.5

101 0.0 8.2 12.4#

130 2.3 20.5 30.7#





Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.25 min Scan# 522

Delta R.T. -0.01 min

Lab File: BF085234.D


Acq: 5 Mar 2016 5:53

Instrument :

BNA_F

ClientSampleId :

Tgt Ion:	136	Resp:	732532
Ion Ratio		Lower	Upper
136	100		
137	11.2	9.3	13.9
54	7.2	7.4	11.2#
68	6.2	6.0	9.0






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 78.20 ng


RT: 7.53 min Scan# 459

Delta R.T. -0.01 min

Lab File: BF085234.D

Acq: 5 Mar 2016 5:53



Tgt Ion:	82	Resp:	1070470
Ion Ratio		Lower	Upper
82	100		
128	46.5	34.5	51.7
54	46.5	39.3	58.9




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.01 min Scan# 676

Delta R.T. -0.01 min

Lab File: BF085234.D

Acq: 5 Mar 2016 5:53

Instrument :

BNA_F

ClientSampleId :


Tgt Ion:164 Resp: 310425

Ion Ratio Lower Upper

164 100

162 104.6 83.3 124.9




160 47.8 37.9 56.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 138.38 ng

RT: 10.80 min Scan# 745

Delta R.T. -0.01 min

Lab File: BF085234.D

Acq: 5 Mar 2016 5:53


Tgt Ion:330 Resp: 367561

Ion Ratio Lower Upper

330 100

332 95.1 77.1 115.7



141 36.0 35.0 52.6




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 81.71 ng
 RT: 9.33 min Scan# 616
 Delta R.T. -0.02 min
 Lab File: BF085234.D
 Acq: 5 Mar 2016 5:53




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion:172 Resp: 1667911
 Ion Ratio Lower Upper
 172 100
 171 36.4 29.3 43.9
 170 24.6 20.0 30.0



#49
 Dimethylphthalate
 Concen: 5.75 ng
 RT: 9.72 min Scan# 650
 Delta R.T. -0.03 min
 Lab File: BF085234.D
 Acq: 5 Mar 2016 5:53

Tgt Ion:163 Resp: 136958
 Ion Ratio Lower Upper
 163 100
 194 4.3 3.1 4.7
 164 10.9 8.2 12.4









#56
 2,4-Dinitrotoluene
 Concen: 6.40 ng
 RT: 10.01 min Scan# 676
 Delta R.T. -0.19 min
 Lab File: BF085234.D
 Acq: 5 Mar 2016 5:53




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion:165 Resp: 41748
 Ion Ratio Lower Upper
 165 100
 63 1.6 35.4 53.0#
 89 2.3 61.9 92.9#
 182 0.0 1.9 2.9#



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.50 min Scan# 806
 Delta R.T. -0.01 min
 Lab File: BF085234.D
 Acq: 5 Mar 2016 5:53

Tgt Ion:188 Resp: 537653
 Ion Ratio Lower Upper
 188 100
 94 7.0 7.0 10.6#
 80 7.0 7.4 11.0#





#66

4-Bromophenyl-phenylether

Concen: 4.96 ng

RT: 10.80 min Scan# 745

Delta R.T. -0.25 min

Lab File: BF085234.D

Acq: 5 Mar 2016 5:53

Instrument :

BNA_F

ClientSampleId :


Tgt Ion:248 Resp: 25870

Ion Ratio Lower Upper

248 100

250 197.0 77.1 115.7#




141 372.6 66.2 99.2#



Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E



#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.13 min Scan# 1036

Delta R.T. -0.02 min

Lab File: BF085234.D

Acq: 5 Mar 2016 5:53


Tgt Ion:240 Resp: 313210

Ion Ratio Lower Upper

240 100

120 15.7 5.3 7.9#



236 26.9 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#77
 Pyrene
 Concen: 6.47 ng
 RT: 12.94 min Scan# 932
 Delta R.T. -0.01 min
 Lab File: BF085234.D
 Acq: 5 Mar 2016 5:53

Instrument :
 BNA_F
 ClientSampleId :

Tgt Ion: 202 Resp: 152465
 Ion Ratio Lower Upper
 202 100
 200 21.2 18.2 27.4
 203 17.9 14.7 22.1




Abundance Ion 202.00 (201.70 to 202.70): E
 Ion 200.00 (199.70 to 200.70): E
 Ion 203.00 (202.70 to 203.70): E






#78
 Terphenyl-d14
 Concen: 101.51 ng
 RT: 13.08 min Scan# 944
 Delta R.T. -0.01 min
 Lab File: BF085234.D
 Acq: 5 Mar 2016 5:53

Tgt Ion: 244 Resp: 1369602
 Ion Ratio Lower Upper
 244 100
 212 8.2 6.4 9.6
 122 16.6 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E





#82

Chrysene

Concen: 2.02 ng

RT: 14.14 min Scan# 1037

Delta R.T. -0.03 min

Lab File: BF085234.D

Acq: 5 Mar 2016 5:53

Instrument :

BNA_F

ClientSampleId :


Tgt Ion:228 Resp: 34962

Ion Ratio Lower Upper

228 100

226 32.5 25.2 37.8




229 26.5 16.0 24.0#



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.60 min Scan# 1165

Delta R.T. -0.01 min

Lab File: BF085234.D

Acq: 5 Mar 2016 5:53


Tgt Ion:264 Resp: 284478

Ion Ratio Lower Upper

264 100

260 23.6 19.2 28.8

265 21.0 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

