

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF030419\
 Data File : BF112834.D
 Acq On : 4 Mar 2019 19:45
 Operator : JU/SJ
 Sample : K1688-11 5X
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 JC-03-030119-F

Quant Time: Mar 05 01:59:04 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 01 15:40:43 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.75	152	158659	20.00	ng	0.00
21) Naphthalene-d8	8.03	136	579384	20.00	ng	0.00
39) Acenaphthene-d10	9.77	164	258744	20.00	ng	0.00
64) Phenanthrene-d10	11.26	188	496393	20.00	ng	0.01
76) Chrysene-d12	13.89	240	410223	20.00	ng	0.01
87) Perylene-d12	15.30	264	294118	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	254382	24.94	ng	0.00
7) Phenol-d6	6.37	99	340671	26.59	ng	0.00
23) Nitrobenzene-d5	7.30	82	183226	18.92	ng	0.00
42) 2,4,6-Tribromophenol	10.56	330	84866	30.90	ng	0.00
45) 2-Fluorobiphenyl	9.10	172	326230	16.19	ng	0.00
79) Terphenyl-d14	12.84	244	321983	15.22	ng	0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF030419\
Data File : BF112834.D
Acq On : 4 Mar 2019 19:45
Operator : JU/SJ
Sample : K1688-11 5X
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
JC-03-030119-F

Quant Time: Mar 05 01:59:04 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 01 15:40:43 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.75 min Scan# 792
 Delta R.T. 0.01 min
 Lab File: BF112834.D
 Acq: 4 Mar 2019 19:45

Instrument :
 BNA_F
 ClientSampleId :
 JC-03-030119-F

Tot Ion:152 Resp: 158659
 Ion Ratio Lower Upper
 152 100
 150 156.8 124.2 186.2
 115 60.8 48.2 72.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 24.940 ng
 RT: 5.35 min Scan# 554
 Delta R.T. -0.00 min
 Lab File: BF112834.D
 Acq: 4 Mar 2019 19:45

Tgt Ion:112 Resp: 254382
 Ion Ratio Lower Upper
 112 100
 64 60.9 47.6 71.4
 63 31.2 24.4 36.6



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 26.589 ng

RT: 6.37 min Scan# 729

Delta R.T. 0.01 min

Lab File: BF112834.D

Acq: 4 Mar 2019 19:45

Instrument :

BNA_F

ClientSampleId :

JC-03-030119-F


Tot Ion: 99 Resp: 340671

Ion Ratio Lower Upper




99 100

42 17.1 16.3 24.5

71 29.7 26.2 39.4



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.03 min Scan# 1010

Delta R.T. 0.01 min

Lab File: BF112834.D

Acq: 4 Mar 2019 19:45

Tgt Ion: 136 Resp: 579384


Ion Ratio Lower Upper

136 100



137 11.4 8.9 13.3


54 8.7 7.3 10.9

68 6.2 5.4 8.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 18.923 ng
RT: 7.30 min Scan# 886
Delta R.T. -0.01 min
Lab File: BF112834.D
Acq: 4 Mar 2019 19:45




Instrument :
BNA_F
ClientSampleId :
JC-03-030119-F


Tot Ion: 82 Resp: 183226
Ion Ratio Lower Upper
82 100
128 42.6 36.3 54.5
54 54.6 43.7 65.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.77 min Scan# 1307
Delta R.T. 0.01 min
Lab File: BF112834.D
Acq: 4 Mar 2019 19:45

Tgt Ion:164 Resp: 258744
Ion Ratio Lower Upper
164 100
162 101.5 80.6 120.8
160 45.5 36.0 54.0









#42
 2,4,6-Tribromophenol
 Concen: 30.895 ng
 RT: 10.56 min Scan# 1441
 Delta R.T. 0.01 min
 Lab File: BF112834.D
 Acq: 4 Mar 2019 19:45

Instrument :
 BNA_F
 ClientSampleId :
 JC-03-030119-F

Tot Ion:330 Resp: 84866
 Ion Ratio Lower Upper
 330 100
 332 94.5 76.2 114.4
 141 28.6 27.0 40.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 16.188 ng
 RT: 9.10 min Scan# 1193
 Delta R.T. 0.01 min
 Lab File: BF112834.D
 Acq: 4 Mar 2019 19:45

Tgt Ion:172 Resp: 326230
 Ion Ratio Lower Upper
 172 100
 171 34.2 29.0 43.4
 170 23.3 20.0 30.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.26 min Scan# 1559
Delta R.T. 0.01 min
Lab File: BF112834.D
Acq: 4 Mar 2019 19:45

Instrument :
BNA_F
ClientSampleId :
JC-03-030119-F

Tot Ion:188 Resp: 496393
Ion Ratio Lower Upper
188 100
94 8.8 9.0 13.4#
80 8.9 9.2 13.8#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.89 min Scan# 2006
Delta R.T. 0.01 min
Lab File: BF112834.D
Acq: 4 Mar 2019 19:45

Tgt Ion:240 Resp: 410223
Ion Ratio Lower Upper
240 100
120 10.6 8.9 13.3
236 26.2 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 15.215 ng

RT: 12.84 min Scan# 1826

Delta R.T. 0.01 min

Lab File: BF112834.D

Acq: 4 Mar 2019 19:45

Instrument :

BNA_F

ClientSampleId :

JC-03-030119-F


Tot Ion:244 Resp: 321983

Ion Ratio Lower Upper

244 100

212 6.1 5.6 8.4




122 9.8 10.5 15.7#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.30 min Scan# 2246

Delta R.T. 0.02 min

Lab File: BF112834.D

Acq: 4 Mar 2019 19:45


Tgt Ion:264 Resp: 294118

Ion Ratio Lower Upper

264 100

260 23.8 18.7 28.1

265 21.2 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

