

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF030419\
 Data File : BF112843.D
 Acq On : 5 Mar 2019 3:08
 Operator : JU/SJ
 Sample : K1710-01 5X
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ETC-21642

Quant Time: Mar 05 04:30:10 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 01 15:40:43 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.75	152	128773	20.00	ng	0.00
21) Naphthalene-d8	8.03	136	490262	20.00	ng	0.00
39) Acenaphthene-d10	9.77	164	221065	20.00	ng	0.00
64) Phenanthrene-d10	11.25	188	453972	20.00	ng	0.00
76) Chrysene-d12	13.88	240	375210	20.00	ng	0.00
87) Perylene-d12	15.29	264	246026	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	86802	10.49	ng	0.00
7) Phenol-d6	6.37	99	115834	11.14	ng	0.00
23) Nitrobenzene-d5	7.30	82	59902	7.31	ng	0.00
42) 2,4,6-Tribromophenol	10.56	330	29887	12.73	ng	0.00
45) 2-Fluorobiphenyl	9.10	172	138621	7.09	ng	0.00
79) Terphenyl-d14	12.83	244	163337	8.44	ng	0.00
Target Compounds						
70) Pentachlorophenol	11.07	266	9634	3.037	ng	94
74) Di-n-butylphthalate	11.82	149	1132776	40.960	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF030419\
Data File : BF112843.D
Acq On : 5 Mar 2019 3:08
Operator : JU/SJ
Sample : K1710-01 5X
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ETC-21642

Quant Time: Mar 05 04:30:10 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF022719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 01 15:40:43 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.75 min Scan# 792
Delta R.T. 0.01 min
Lab File: BF112843.D
Acq: 5 Mar 2019 3:08

Instrument :
BNA_F
ClientSampleId :
ETC-21642

Tot Ion:152 Resp: 128773
Ion Ratio Lower Upper
152 100
150 156.4 124.2 186.2
115 57.7 48.2 72.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 10.485 ng
RT: 5.35 min Scan# 554
Delta R.T. 0.00 min
Lab File: BF112843.D
Acq: 5 Mar 2019 3:08

Tgt Ion:112 Resp: 86802
Ion Ratio Lower Upper
112 100
64 58.6 47.6 71.4
63 27.2 24.4 36.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 11.139 ng

RT: 6.37 min Scan# 728

Delta R.T. 0.00 min

Lab File: BF112843.D

Acq: 5 Mar 2019 3:08

Instrument :

BNA_F

ClientSampleId :

ETC-21642


Tot Ion: 99 Resp: 115834

Ion Ratio Lower Upper




99 100

42 16.8 16.3 24.5

71 29.2 26.2 39.4



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.03 min Scan# 1010

Delta R.T. 0.01 min

Lab File: BF112843.D

Acq: 5 Mar 2019 3:08

Tgt Ion: 136 Resp: 490262


Ion Ratio Lower Upper

136 100



137 10.7 8.9 13.3

54 7.5 7.3 10.9

68 5.6 5.4 8.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1








#23
Nitrobenzene-d5
Concen: 7.311 ng
RT: 7.30 min Scan# 886
Delta R.T. -0.01 min
Lab File: BF112843.D
Acq: 5 Mar 2019 3:08

Instrument :
BNA_F
ClientSampleId :
ETC-21642

Tot Ion: 82 Resp: 59902
Ion Ratio Lower Upper
82 100
128 42.0 36.3 54.5
54 49.9 43.7 65.5




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.77 min Scan# 1307
Delta R.T. 0.01 min
Lab File: BF112843.D
Acq: 5 Mar 2019 3:08

Tgt Ion:164 Resp: 221065
Ion Ratio Lower Upper
164 100
162 101.3 80.6 120.8
160 44.2 36.0 54.0



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 12.735 ng

RT: 10.56 min Scan# 1441

Delta R.T. 0.01 min

Lab File: BF112843.D

Acq: 5 Mar 2019 3:08

Instrument :

BNA_F

ClientSampleId :

ETC-21642


Tot Ion:330 Resp: 29887

Ion Ratio Lower Upper

330 100

332 97.4 76.2 114.4




141 29.5 27.0 40.6



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 7.093 ng

RT: 9.10 min Scan# 1192

Delta R.T. 0.00 min

Lab File: BF112843.D

Acq: 5 Mar 2019 3:08


Tgt Ion:172 Resp: 138621

Ion Ratio Lower Upper

172 100

171 35.5 29.0 43.4



170 22.8 20.0 30.0



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.25 min Scan# 1558

Delta R.T. 0.01 min

Lab File: BF112843.D

Acq: 5 Mar 2019 3:08

Instrument :

BNA_F

ClientSampleId :

ETC-21642





Tot Ion:188 Resp: 453972

Ion Ratio Lower Upper

188 100

94 10.3 9.0 13.4

80 10.8 9.2 13.8



#70

Pentachlorophenol

Concen: 3.037 ng

RT: 11.07 min Scan# 1527

Delta R.T. 0.02 min

Lab File: BF112843.D

Acq: 5 Mar 2019 3:08




Tgt Ion:266 Resp: 9634


Ion Ratio Lower Upper

266 100

268 57.7 53.3 79.9

264 61.1 48.9 73.3









#74
Di-n-butylphthalate
Concen: 40.960 ng
RT: 11.82 min Scan# 1655
Delta R.T. 0.00 min
Lab File: BF112843.D
Acq: 5 Mar 2019 3:08




Instrument :
BNA_F
ClientSampleId :
ETC-21642


Tot Ion:149 Resp: 1132776
Ion Ratio Lower Upper
149 100
150 9.3 7.6 11.4
104 4.7 3.7 5.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.88 min Scan# 2005
Delta R.T. 0.01 min
Lab File: BF112843.D
Acq: 5 Mar 2019 3:08

Tgt Ion:240 Resp: 375210
Ion Ratio Lower Upper
240 100
120 11.1 8.9 13.3
236 26.0 20.7 31.1





#79

Terphenyl-d14

Concen: 8.439 ng

RT: 12.83 min Scan# 1827

Delta R.T. 0.01 min

Lab File: BF112843.D

Acq: 5 Mar 2019 3:08

Instrument :

BNA_F

ClientSampleId :

ETC-21642


Tot Ion:244 Resp: 163337

Ion Ratio Lower Upper

244 100

212 5.7 5.6 8.4




122 9.6 10.5 15.7#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.29 min Scan# 2245

Delta R.T. 0.02 min

Lab File: BF112843.D

Acq: 5 Mar 2019 3:08


Tgt Ion:264 Resp: 246026

Ion Ratio Lower Upper

264 100

260 23.3 18.7 28.1

265 20.8 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

