

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF030422\
 Data File : BF127203.D
 Acq On : 04 Mar 2022 16:19
 Operator : CG\JU
 Sample : N1750-02
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WC-2

Quant Time: Mar 05 02:20:41 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF021622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 05 02:16:58 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	85966	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	336812	20.000	ng	# 0.00
39) Acenaphthene-d10	9.916	164	164742	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	303130	20.000	ng	# 0.00
76) Chrysene-d12	14.057	240	217807	20.000	ng	# 0.00
86) Perylene-d12	15.545	264	177306	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	730950	131.417	ng	0.02
7) Phenol-d6	6.516	99	852930	113.645	ng	0.00
23) Nitrobenzene-d5	7.445	82	708100	94.895	ng	0.00
42) 2,4,6-Tribromophenol	10.716	330	321694	169.600	ng	0.00
45) 2-Fluorobiphenyl	9.239	172	1178261	105.291	ng	0.00
79) Terphenyl-d14	13.004	244	1382885	93.335	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF030422\
Data File : BF127203.D
Acq On : 04 Mar 2022 16:19
Operator : CG\JU
Sample : N1750-02
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WC-2

Quant Time: Mar 05 02:20:41 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF021622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Mar 05 02:16:58 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.875 min Scan# 71
 Delta R.T. -0.006 min
 Lab File: BF127203.D
 Acq: 04 Mar 2022 16:19




Instrument :
 BNA_F
 ClientSampleId :
 WC-2


Tgt Ion:152 Resp: 85966
 Ion Ratio Lower Upper
 152 100
 150 153.7 128.1 192.1
 115 65.5 56.7 85.1



#5
 2-Fluorophenol
 Concen: 131.417 ng
 RT: 5.516 min Scan# 549
 Delta R.T. 0.018 min
 Lab File: BF127203.D
 Acq: 04 Mar 2022 16:19

Tgt Ion:112 Resp: 730950
 Ion Ratio Lower Upper
 112 100
 64 65.0 49.5 74.3
 63 34.9 23.9 35.9









#7
Phenol-d6
Concen: 113.645 ng
RT: 6.516 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF127203.D
Acq: 04 Mar 2022 16:19




Instrument :
BNA_F
ClientSampleId :
WC-2


Tgt Ion: 99 Resp: 852930
Ion Ratio Lower Upper
99 100
42 18.2 14.2 21.4
71 39.5 24.3 36.5#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 998
Delta R.T. -0.006 min
Lab File: BF127203.D
Acq: 04 Mar 2022 16:19

Tgt Ion: 136 Resp: 336812
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 8.6 7.8 11.6
68 5.6 6.3 9.5#





#23

Nitrobenzene-d5

Concen: 94.895 ng

RT: 7.445 min Scan# 81

Delta R.T. -0.006 min

Lab File: BF127203.D

Acq: 04 Mar 2022 16:19

Instrument :

BNA_F

ClientSampleId :

WC-2





Tgt Ion: 82 Resp: 708100

Ion Ratio Lower Upper

82 100

128 40.4 32.7 49.1

54 50.4 41.7 62.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.916 min Scan# 1297

Delta R.T. -0.006 min

Lab File: BF127203.D

Acq: 04 Mar 2022 16:19




Tgt Ion:164 Resp: 164742


Ion Ratio Lower Upper

164 100

162 101.0 81.4 122.0

160 43.4 36.6 54.8





#42

2,4,6-Tribromophenol

Concen: 169.600 ng

RT: 10.716 min Scan# 1442

Delta R.T. 0.000 min

Lab File: BF127203.D

Acq: 04 Mar 2022 16:19

Instrument :

BNA_F

ClientSampleId :

WC-2





Tgt Ion:330 Resp: 321694

Ion Ratio Lower Upper

330 100

332 97.9 76.0 114.0

141 34.0 30.1 45.1



#45

2-Fluorobiphenyl

Concen: 105.291 ng

RT: 9.239 min Scan# 1182

Delta R.T. 0.000 min

Lab File: BF127203.D

Acq: 04 Mar 2022 16:19




Tgt Ion:172 Resp: 1178261


Ion Ratio Lower Upper

172 100

171 35.5 28.3 42.5

170 23.3 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.410 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF127203.D
Acq: 04 Mar 2022 16:19




Instrument :
BNA_F
ClientSampleId :
WC-2


Tgt Ion:188 Resp: 303130
Ion Ratio Lower Upper
188 100
94 9.3 10.1 15.1#
80 10.4 11.8 17.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.057 min Scan# 2001
Delta R.T. -0.006 min
Lab File: BF127203.D
Acq: 04 Mar 2022 16:19

Tgt Ion:240 Resp: 217807
Ion Ratio Lower Upper
240 100
120 9.2 14.4 21.6#
236 24.7 20.5 30.7









#79
 Terphenyl-d14
 Concen: 93.335 ng
 RT: 13.004 min Scan# 11
 Delta R.T. 0.006 min
 Lab File: BF127203.D
 Acq: 04 Mar 2022 16:19

Instrument :
 BNA_F
 ClientSampleId :
 WC-2

Tgt Ion:244 Resp: 1382885
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.0 7.4
 122 10.1 13.3 19.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.545 min Scan# 2254
 Delta R.T. 0.000 min
 Lab File: BF127203.D
 Acq: 04 Mar 2022 16:19

Tgt Ion:264 Resp: 177306
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.2 28.8
 265 21.8 17.4 26.2

