

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF030615\
 Data File : BF077628.D
 Acq On : 6 Mar 2015 18:11
 Operator : TP/IZ
 Sample : G1433-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-072-3415

Quant Time: Mar 06 23:34:58 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF021915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 06 22:10:32 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.20	152	61418	20.00	ng	0.00
21) Naphthalene-d8	8.78	136	248304	20.00	ng	0.00
38) Acenaphthene-d10	10.95	164	126061	20.00	ng	0.00
63) Phenanthrene-d10	12.79	188	250456	20.00	ng	0.00
75) Chrysene-d12	16.09	240	272143	20.00	ng	0.02
86) Perylene-d12	17.89	264	254083	20.00	ng	0.13
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	208689	56.72	ng	0.00
7) Phenol-d6	6.76	99	159259	33.67	ng	0.00
23) Nitrobenzene-d5	7.89	82	360455	90.27	ng	0.00
41) 2,4,6-Tribromophenol	11.93	330	162744	134.08	ng	0.00
44) 2-Fluorobiphenyl	10.13	172	787764	97.44	ng	0.00
78) Terphenyl-d14	14.79	244	903149	77.58	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF030615\
Data File : BF077628.D
Acq On : 6 Mar 2015 18:11
Operator : TP/IZ
Sample : G1433-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DCW-WW-072-3415

Quant Time: Mar 06 23:34:58 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF021915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 06 22:10:32 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.20 min Scan# 553
Delta R.T. -0.00 min
Lab File: BF077628.D
Acq: 6 Mar 2015 18:11

Instrument :
BNA_F
ClientSampleId :
DCW-WW-072-3415

Tgt Ion:152 Resp: 61418
Ion Ratio Lower Upper
152 100
150 154.7 124.0 186.0
115 51.0 49.4 74.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 56.72 ng
RT: 5.49 min Scan# 403
Delta R.T. -0.00 min
Lab File: BF077628.D
Acq: 6 Mar 2015 18:11

Tgt Ion:112 Resp: 208689
Ion Ratio Lower Upper
112 100
64 51.9 48.5 72.7
63 26.4 25.0 37.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 33.67 ng

RT: 6.76 min Scan# 514

Delta R.T. -0.00 min

Lab File: BF077628.D

Acq: 6 Mar 2015 18:11

Instrument :

BNA_F

ClientSampleId :

DCW-WW-072-3415


Tgt Ion: 99 Resp: 159259

Ion Ratio Lower Upper




99 100

42 17.5 16.2 24.4

71 31.6 26.7 40.1



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.78 min Scan# 690

Delta R.T. -0.00 min

Lab File: BF077628.D

Acq: 6 Mar 2015 18:11

Tgt Ion: 136 Resp: 248304


Ion Ratio Lower Upper

136 100



137 11.5 8.6 13.0


54 9.4 6.2 9.4#

68 6.9 5.0 7.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 90.27 ng
 RT: 7.89 min Scan# 613
 Delta R.T. -0.00 min
 Lab File: BF077628.D
 Acq: 6 Mar 2015 18:11




Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-072-3415

Tgt Ion: 82 Resp: 360455
 Ion Ratio Lower Upper
 82 100
 128 43.4 43.8 65.8#
 54 50.2 36.7 55.1



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.95 min Scan# 880
 Delta R.T. -0.00 min
 Lab File: BF077628.D
 Acq: 6 Mar 2015 18:11

Tgt Ion: 164 Resp: 126061
 Ion Ratio Lower Upper
 164 100
 162 103.8 83.2 124.8
 160 45.3 34.6 52.0









#41
 2,4,6-Tribromophenol
 Concen: 134.08 ng
 RT: 11.93 min Scan# 966
 Delta R.T. -0.00 min
 Lab File: BF077628.D
 Acq: 6 Mar 2015 18:11

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-072-3415

Tgt Ion:330 Resp: 162744
 Ion Ratio Lower Upper
 330 100
 332 95.6 77.4 116.2
 141 39.4 28.8 43.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 97.44 ng
 RT: 10.13 min Scan# 808
 Delta R.T. -0.00 min
 Lab File: BF077628.D
 Acq: 6 Mar 2015 18:11

Tgt Ion:172 Resp: 787764
 Ion Ratio Lower Upper
 172 100
 171 34.8 28.9 43.3
 170 23.9 19.4 29.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.79 min Scan# 1041
Delta R.T. -0.00 min
Lab File: BF077628.D
Acq: 6 Mar 2015 18:11

Instrument :
BNA_F
ClientSampleId :
DCW-WW-072-3415

Tgt Ion:188 Resp: 250456
Ion Ratio Lower Upper
188 100
94 11.5 7.4 11.2#
80 11.8 8.0 12.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 16.09 min Scan# 1330
Delta R.T. 0.02 min
Lab File: BF077628.D
Acq: 6 Mar 2015 18:11

Tgt Ion:240 Resp: 272143
Ion Ratio Lower Upper
240 100
120 11.3 8.8 13.2
236 25.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 77.58 ng
 RT: 14.79 min Scan# 1216
 Delta R.T. 0.00 min
 Lab File: BF077628.D
 Acq: 6 Mar 2015 18:11

Instrument :
 BNA_F
 ClientSampleId :
 DCW-WW-072-3415

Tgt Ion:244 Resp: 903149
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.2 7.8
 122 12.8 7.8 11.8#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.89 min Scan# 1488
 Delta R.T. 0.13 min
 Lab File: BF077628.D
 Acq: 6 Mar 2015 18:11

Tgt Ion:264 Resp: 254083
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.3 28.9
 265 21.3 16.8 25.2

