

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF030624\
 Data File : BF137512.D
 Acq On : 06 Mar 2024 11:53
 Operator : CG\JU
 Sample : PB159466BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB159466BS

Quant Time: Mar 06 12:13:31 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF022924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 06 00:07:28 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.851	152	239113	20.000	ng	-0.01
21) Naphthalene-d8	8.128	136	974890	20.000	ng	0.00
39) Acenaphthene-d10	9.892	164	533345	20.000	ng	0.00
64) Phenanthrene-d10	11.386	188	953901	20.000	ng	0.00
76) Chrysene-d12	14.045	240	504249	20.000	ng	0.00
86) Perylene-d12	15.568	264	484445	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	1931504	122.341	ng	0.01
7) Phenol-d6	6.504	99	2669701	117.147	ng	0.00
23) Nitrobenzene-d5	7.422	82	1743793	83.111	ng	0.00
42) 2,4,6-Tribromophenol	10.686	330	656803	140.232	ng	0.00
45) 2-Fluorobiphenyl	9.216	172	2729225	80.102	ng	0.00
79) Terphenyl-d14	12.986	244	3111138	84.842	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.787	88	312055	36.149	ng	99
3) Pyridine	3.551	79	700615	33.652	ng	99
4) n-Nitrosodimethylamine	3.528	42	374637	44.705	ng	98
6) Aniline	6.522	93	688038	24.708	ng	# 65
8) 2-Chlorophenol	6.640	128	778884	46.774	ng	94
10) Phenol	6.516	94	1035574	42.219	ng	93
11) bis(2-Chloroethyl)ether	6.598	93	813648	45.267	ng	99
12) 1,3-Dichlorobenzene	6.792	146	788646	44.321	ng	100
13) 1,4-Dichlorobenzene	6.869	146	786209	43.184	ng	98
14) 1,2-Dichlorobenzene	7.022	146	757318	45.320	ng	98
15) Benzyl Alcohol	7.004	79	720543	50.787	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.128	45	1337835	43.300	ng	96
17) 2-Methylphenol	7.116	107	666291	42.761	ng	97
18) Hexachloroethane	7.357	117	279844	46.682	ng	95
19) n-Nitroso-di-n-propyla...	7.275	70	587758	41.766	ng	99
20) 3+4-Methylphenols	7.263	107	731420	40.986	ng	95
22) Acetophenone	7.263	105	1042136	44.181	ng	# 96
24) Nitrobenzene	7.439	77	906263	42.998	ng	96
25) Isophorone	7.675	82	1744517	43.765	ng	99
26) 2-Nitrophenol	7.751	139	404357	48.322	ng	94
27) 2,4-Dimethylphenol	7.792	122	622490	39.812	ng	99
28) bis(2-Chloroethoxy)met...	7.886	93	1025001	43.826	ng	99
29) 2,4-Dichlorophenol	7.992	162	645898	45.010	ng	99
30) 1,2,4-Trichlorobenzene	8.069	180	671297	44.453	ng	99
31) Naphthalene	8.151	128	2169264	41.472	ng	100
32) Benzoic acid	7.939	122	408340	45.697	ng	98
33) 4-Chloroaniline	8.204	127	206594	10.073	ng	99
34) Hexachlorobutadiene	8.269	225	387255	43.437	ng	99
35) Caprolactam	8.586	113	126862	26.072	ng	93
36) 4-Chloro-3-methylphenol	8.692	107	728955	45.445	ng	99
37) 2-Methylnaphthalene	8.845	142	1320026	39.587	ng	99
38) 1-Methylnaphthalene	8.945	142	1294361	41.219	ng	99
40) 1,2,4,5-Tetrachloroben...	9.010	216	667478	44.828	ng	98
41) Hexachlorocyclopentadiene	8.998	237	603129	97.274	ng	99
43) 2,4,6-Trichlorophenol	9.128	196	454014	46.824	ng	98
44) 2,4,5-Trichlorophenol	9.175	196	472404	42.294	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF030624\
 Data File : BF137512.D
 Acq On : 06 Mar 2024 11:53
 Operator : CG\JU
 Sample : PB159466BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB159466BS

Quant Time: Mar 06 12:13:31 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF022924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 06 00:07:28 2024
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
46) 1,1'-Biphenyl	9.310	154	1701400	43.585	ng	98
47) 2-Chloronaphthalene	9.333	162	1331827	44.749	ng	98
48) 2-Nitroaniline	9.439	65	479890	47.440	ng	99
49) Acenaphthylene	9.751	152	2098107	44.051	ng	100
50) Dimethylphthalate	9.622	163	1623463	43.727	ng	100
51) 2,6-Dinitrotoluene	9.681	165	362804	46.720	ng	98
52) Acenaphthene	9.922	154	1187321	41.756	ng	99
53) 3-Nitroaniline	9.851	138	206096	25.091	ng	91
54) 2,4-Dinitrophenol	9.963	184	368811	95.587	ng	97
55) Dibenzofuran	10.098	168	1787838	41.281	ng	98
56) 4-Nitrophenol	10.028	139	528591	89.862	ng	97
57) 2,4-Dinitrotoluene	10.092	165	440898	46.213	ng	94
58) Fluorene	10.445	166	1360354	40.900	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.222	232	413410	46.155	ng	94
60) Diethylphthalate	10.328	149	1534851	43.778	ng	99
61) 4-Chlorophenyl-phenyle...	10.433	204	674528	41.381	ng	99
62) 4-Nitroaniline	10.480	138	319281	45.226	ng	94
63) Azobenzene	10.598	77	1717092	42.533	ng	99
65) 4,6-Dinitro-2-methylph...	10.498	198	250504	47.118	ng	98
66) n-Nitrosodiphenylamine	10.563	169	1274350	41.487	ng	100
67) 4-Bromophenyl-phenylether	10.927	248	446130	42.940	ng	97
68) Hexachlorobenzene	10.992	284	482980	46.026	ng	# 91
69) Atrazine	11.092	200	433304	46.403	ng	97
70) Pentachlorophenol	11.192	266	544324	85.806	ng	99
71) Phenanthrene	11.410	178	2133541	41.098	ng	98
72) Anthracene	11.463	178	2176666	40.824	ng	99
73) Carbazole	11.622	167	1929875	42.257	ng	100
74) Di-n-butylphthalate	11.957	149	2377580	43.756	ng	98
75) Fluoranthene	12.604	202	2096223	41.310	ng	99
77) Benzidine	12.733	184	293127	23.754	ng	98
78) Pyrene	12.839	202	2147964	43.412	ng	99
80) Butylbenzylphthalate	13.468	149	706280	55.894	ng	98
81) Benzo(a)anthracene	14.033	228	1562401	44.208	ng	99
82) 3,3'-Dichlorobenzidine	14.004	252	323706	34.394	ng	99
83) Chrysene	14.074	228	1511643	42.319	ng	100
84) Bis(2-ethylhexyl)phtha...	14.033	149	870821	54.220	ng	100
85) Di-n-octyl phthalate	14.663	149	1591944	51.030	ng	98
87) Indeno(1,2,3-cd)pyrene	17.156	276	1471531	46.159	ng	99
88) Benzo(b)fluoranthene	15.121	252	1398811	48.813	ng	97
89) Benzo(k)fluoranthene	15.151	252	1301787	42.293	ng	99
90) Benzo(a)pyrene	15.510	252	1220603	43.223	ng	99
91) Dibenzo(a,h)anthracene	17.186	278	1213237	46.913	ng	99
92) Benzo(g,h,i)perylene	17.639	276	1196879	45.065	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF030624\
Data File : BF137512.D
Acq On : 06 Mar 2024 11:53
Operator : CG\JU
Sample : PB159466BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB159466BS

Quant Time: Mar 06 12:13:31 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF022924.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 06 00:07:28 2024
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.851 min Scan# 81
 Delta R.T. -0.012 min
 Lab File: BF137512.D
 Acq: 06 Mar 2024 11:53




Instrument :
 BNA_F
 ClientSampleId :
 PB159466BS


Tgt Ion:152 Resp: 239113
 Ion Ratio Lower Upper
 152 100
 150 160.5 125.8 188.6
 115 64.7 48.8 73.2



#2
 1,4-Dioxane
 Concen: 36.149 ng
 RT: 2.787 min Scan# 119
 Delta R.T. 0.112 min
 Lab File: BF137512.D
 Acq: 06 Mar 2024 11:53

Tgt Ion: 88 Resp: 312055
 Ion Ratio Lower Upper
 88 100
 58 76.1 61.8 92.8
 43 28.4 22.2 33.4









#3
Pyridine
Concen: 33.652 ng
RT: 3.551 min Scan# 24
Delta R.T. 0.088 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion: 79 Resp: 700615
Ion Ratio Lower Upper
79 100
52 71.8 57.0 85.4
51 34.2 27.5 41.3



#4
n-Nitrosodimethylamine
Concen: 44.705 ng
RT: 3.528 min Scan# 245
Delta R.T. 0.082 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion: 42 Resp: 374637
Ion Ratio Lower Upper
42 100
74 140.8 114.0 171.0
44 7.4 7.0 10.4









#5
2-Fluorophenol
Concen: 122.341 ng
RT: 5.522 min Scan# 51
Delta R.T. 0.012 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS

Tgt Ion:112 Resp: 1931504
Ion Ratio Lower Upper
112 100
64 64.7 53.4 80.2
63 32.3 26.2 39.2



#6
Aniline
Concen: 24.708 ng
RT: 6.522 min Scan# 754
Delta R.T. -0.012 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion: 93 Resp: 688038
Ion Ratio Lower Upper
93 100
66 65.1 34.0 51.0#
65 39.2 17.8 26.8#









#7
Phenol-d6
Concen: 117.147 ng
RT: 6.504 min Scan# 714
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion: 99 Resp: 2669701
Ion Ratio Lower Upper
99 100
42 18.7 14.6 21.8
71 33.0 25.3 37.9



#8
2-Chlorophenol
Concen: 46.774 ng
RT: 6.640 min Scan# 774
Delta R.T. -0.012 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion: 128 Resp: 778884
Ion Ratio Lower Upper
128 100
130 32.6 13.4 53.4
64 56.6 30.0 70.0









#10
Phenol
Concen: 42.219 ng
RT: 6.516 min Scan# 743
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion: 94 Resp: 1035574
Ion Ratio Lower Upper
94 100
65 31.3 8.7 48.7
66 43.4 18.6 58.6



#11
bis(2-Chloroethyl)ether
Concen: 45.267 ng
RT: 6.598 min Scan# 767
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion: 93 Resp: 813648
Ion Ratio Lower Upper
93 100
63 78.6 58.9 98.9
95 33.4 12.2 52.2





#12

1,3-Dichlorobenzene

Concen: 44.321 ng

RT: 6.792 min Scan# 80

Delta R.T. -0.012 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion:146 Resp: 788646

Ion Ratio Lower Upper

146 100

148 62.9 50.3 75.5

75 35.6 29.0 43.4



#13

1,4-Dichlorobenzene

Concen: 43.184 ng

RT: 6.869 min Scan# 813

Delta R.T. -0.012 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:146 Resp: 786209


Ion Ratio Lower Upper

146 100

148 63.6 51.2 76.8

111 43.7 32.4 48.6









#14
1,2-Dichlorobenzene
Concen: 45.320 ng
RT: 7.022 min Scan# 811
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:146 Resp: 757318
Ion Ratio Lower Upper
146 100
148 63.8 50.0 75.0
111 44.1 36.8 55.2



#15
Benzyl Alcohol
Concen: 50.787 ng
RT: 7.004 min Scan# 836
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion: 79 Resp: 720543
Ion Ratio Lower Upper
79 100
108 76.8 59.5 89.3
77 62.6 50.0 75.0









#16
2,2'-oxybis(1-Chloropropane)
Concen: 43.300 ng
RT: 7.128 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion: 45 Resp: 1337835
Ion Ratio Lower Upper
45 100
77 15.0 0.0 33.4
79 12.1 0.0 30.9



#17
2-Methylphenol
Concen: 42.761 ng
RT: 7.116 min Scan# 855
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:107 Resp: 666291
Ion Ratio Lower Upper
107 100
108 114.3 92.2 138.4
77 53.2 38.6 57.8
79 50.6 38.8 58.2









#18
Hexachloroethane
Concen: 46.682 ng
RT: 7.357 min Scan# 896
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:117 Resp: 279844
Ion Ratio Lower Upper
117 100
119 96.3 77.5 116.3
201 91.5 80.6 121.0



#19
n-Nitroso-di-n-propylamine
Concen: 41.766 ng
RT: 7.275 min Scan# 882
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion: 70 Resp: 587758
Ion Ratio Lower Upper
70 100
42 57.4 45.2 67.8
101 9.0 7.3 10.9
130 18.5 14.7 22.1





#20

3+4-Methylphenols

Concen: 40.986 ng

RT: 7.263 min Scan# 81

Delta R.T. -0.006 min

Lab File: BF137512.D


Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS



Tgt Ion:107 Resp: 731420




Ion Ratio Lower Upper

107 100

108 88.5 67.6 107.6

77 137.1 107.1 147.1

79 29.1 8.6 48.6



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.128 min Scan# 1027

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Tgt Ion:136 Resp: 974890




Ion Ratio Lower Upper


136 100

137 11.2 9.1 13.7

54 11.0 8.5 12.7

68 9.3 7.4 11.2









#22
Acetophenone
Concen: 44.181 ng
RT: 7.263 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:105 Resp: 1042136
Ion Ratio Lower Upper
105 100
71 5.8 7.7 11.5#
51 40.4 30.4 45.6
120 21.9 17.4 26.0



#23
Nitrobenzene-d5
Concen: 83.111 ng
RT: 7.422 min Scan# 907
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion: 82 Resp: 1743793
Ion Ratio Lower Upper
82 100
128 42.3 32.5 48.7
54 50.7 41.5 62.3





#24

Nitrobenzene

Concen: 42.998 ng

RT: 7.439 min Scan# 910

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion: 77 Resp: 906263

Ion Ratio Lower Upper

77 100

123 44.8 33.0 49.6

65 13.4 10.9 16.3



#25

Isophorone

Concen: 43.765 ng

RT: 7.675 min Scan# 950

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion: 82 Resp: 1744517


Ion Ratio Lower Upper

82 100

95 6.6 5.1 7.7

138 15.3 11.8 17.8









#26
2-Nitrophenol
Concen: 48.322 ng
RT: 7.751 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:139 Resp: 404357
Ion Ratio Lower Upper
139 100
109 27.6 22.2 33.4
65 51.6 46.2 69.2



#27
2,4-Dimethylphenol
Concen: 39.812 ng
RT: 7.792 min Scan# 970
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:122 Resp: 622490
Ion Ratio Lower Upper
122 100
107 112.4 90.9 136.3
121 58.5 47.0 70.6









#28
bis(2-Chloroethoxy)methane
Concen: 43.826 ng
RT: 7.886 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion: 93 Resp: 1025001
Ion Ratio Lower Upper
93 100
95 33.3 26.5 39.7
123 10.5 8.0 12.0



#29
2,4-Dichlorophenol
Concen: 45.010 ng
RT: 7.992 min Scan# 1004
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion: 162 Resp: 645898
Ion Ratio Lower Upper
162 100
164 64.6 44.7 84.7
98 41.1 22.0 62.0









#30
1,2,4-Trichlorobenzene
Concen: 44.453 ng
RT: 8.069 min Scan# 1009
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:180 Resp: 671297
Ion Ratio Lower Upper
180 100
182 95.0 75.0 112.6
145 29.9 23.7 35.5



#31
Naphthalene
Concen: 41.472 ng
RT: 8.151 min Scan# 1031
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:128 Resp: 2169264
Ion Ratio Lower Upper
128 100
129 11.5 9.2 13.8
127 13.7 10.8 16.2









#32
Benzoic acid
Concen: 45.697 ng
RT: 7.939 min Scan# 91
Delta R.T. 0.012 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:122 Resp: 408340
Ion Ratio Lower Upper
122 100
105 119.5 102.4 142.4
77 100.8 81.1 121.1



#33
4-Chloroaniline
Concen: 10.073 ng
RT: 8.204 min Scan# 1040
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:127 Resp: 206594
Ion Ratio Lower Upper
127 100
129 32.9 26.0 39.0
65 35.1 26.8 40.2
92 21.1 17.0 25.6









#34
Hexachlorobutadiene
Concen: 43.437 ng
RT: 8.269 min Scan# 1105
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:225 Resp: 387255
Ion Ratio Lower Upper
225 100
223 63.2 50.7 76.1
227 64.4 50.6 75.8



#35
Caprolactam
Concen: 26.072 ng
RT: 8.586 min Scan# 1105
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:113 Resp: 126862
Ion Ratio Lower Upper
113 100
55 182.7 176.7 216.7
56 135.6 120.6 160.6









#36
4-Chloro-3-methylphenol
Concen: 45.445 ng
RT: 8.692 min Scan# 1114
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:107 Resp: 728955
Ion Ratio Lower Upper
107 100
144 22.5 18.7 28.1
142 71.6 58.2 87.2



#37
2-Methylnaphthalene
Concen: 39.587 ng
RT: 8.845 min Scan# 1149
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:142 Resp: 1320026
Ion Ratio Lower Upper
142 100
141 88.8 70.4 105.6





#38

1-Methylnaphthalene

Concen: 41.219 ng

RT: 8.945 min Scan# 1166

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :





PB159466BS

Tgt Ion:142 Resp: 1294361

Ion Ratio Lower Upper

142 100

141 90.9 73.4 110.2



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.892 min Scan# 1327

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:164 Resp: 533345


Ion Ratio Lower Upper

164 100

162 100.4 79.8 119.8

160 43.9 34.4 51.6





#40

1,2,4,5-Tetrachlorobenzene

Concen: 44.828 ng

RT: 9.010 min Scan# 1177

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS

Tgt Ion:216 Resp: 667478





Ion Ratio Lower Upper

216 100

214 80.7 63.5 95.3

179 21.1 16.6 25.0

108 21.0 15.5 23.3



#41

Hexachlorocyclopentadiene

Concen: 97.274 ng

RT: 8.998 min Scan# 1175

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:237 Resp: 603129


Ion Ratio Lower Upper

237 100

235 62.5 43.6 83.6

272 12.4 0.0 31.9





#42

2,4,6-Tribromophenol

Concen: 140.232 ng

RT: 10.686 min Scan# 1453

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion:330 Resp: 656803

Ion Ratio Lower Upper

330 100

332 96.1 78.0 117.0

141 27.9 27.3 40.9



#43

2,4,6-Trichlorophenol

Concen: 46.824 ng

RT: 9.128 min Scan# 1197

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:196 Resp: 454014


Ion Ratio Lower Upper

196 100

198 95.5 75.8 113.8

200 32.0 23.5 35.3





#44

2,4,5-Trichlorophenol

Concen: 42.294 ng

RT: 9.175 min Scan# 1195

Delta R.T. 0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS

Tgt Ion:196 Resp: 472404





Ion Ratio Lower Upper

196 100

198 96.3 78.6 117.8

97 55.3 41.8 62.8

132 28.7 22.2 33.4



#45

2-Fluorobiphenyl

Concen: 80.102 ng

RT: 9.216 min Scan# 1212

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:172 Resp: 2729225


Ion Ratio Lower Upper

172 100

171 36.1 28.5 42.7

170 24.4 19.0 28.6









#46
1,1'-Biphenyl
Concen: 43.585 ng
RT: 9.310 min Scan# 1228
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:154 Resp: 1701400
Ion Ratio Lower Upper
154 100
153 41.4 21.0 61.0
76 18.2 0.0 35.8



#47
2-Chloronaphthalene
Concen: 44.749 ng
RT: 9.333 min Scan# 1232
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:162 Resp: 1331827
Ion Ratio Lower Upper
162 100
127 42.4 32.6 49.0
164 32.8 26.5 39.7





#48

2-Nitroaniline

Concen: 47.440 ng

RT: 9.439 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion: 65 Resp: 479890

Ion Ratio Lower Upper

65 100

92 70.7 55.4 83.2

138 100.7 81.0 121.6



#49

Acenaphthylene

Concen: 44.051 ng

RT: 9.751 min Scan# 1303

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion: 152 Resp: 2098107


Ion Ratio Lower Upper

152 100

151 20.5 16.2 24.4

153 13.6 10.8 16.2









#50
Dimethylphthalate
Concen: 43.727 ng
RT: 9.622 min Scan# 1281
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:163 Resp: 1623463
Ion Ratio Lower Upper
163 100
194 4.1 3.3 4.9
164 10.3 8.1 12.1



#51
2,6-Dinitrotoluene
Concen: 46.720 ng
RT: 9.681 min Scan# 1291
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:165 Resp: 362804
Ion Ratio Lower Upper
165 100
63 65.1 50.7 76.1
89 63.4 50.0 75.0









#52
Acenaphthene
Concen: 41.756 ng
RT: 9.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:154 Resp: 1187321
Ion Ratio Lower Upper
154 100
153 112.4 90.3 135.5
152 54.7 42.7 64.1



#53
3-Nitroaniline
Concen: 25.091 ng
RT: 9.851 min Scan# 1320
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:138 Resp: 206096
Ion Ratio Lower Upper
138 100
108 10.7 9.1 13.7
92 119.0 104.6 157.0





#54

2,4-Dinitrophenol

Concen: 95.587 ng

RT: 9.963 min Scan# 1339

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion:184 Resp: 368811

Ion Ratio Lower Upper

184 100

63 71.4 53.3 79.9

154 59.3 47.4 71.0



#55

Dibenzofuran

Concen: 41.281 ng

RT: 10.098 min Scan# 1362

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:168 Resp: 1787838


Ion Ratio Lower Upper

168 100

139 38.5 29.8 44.6

169 13.8 10.8 16.2









#56
4-Nitrophenol
Concen: 89.862 ng
RT: 10.028 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:139 Resp: 528591
Ion Ratio Lower Upper
139 100
109 69.3 47.1 87.1
65 108.4 85.1 125.1



#57
2,4-Dinitrotoluene
Concen: 46.213 ng
RT: 10.092 min Scan# 1361
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:165 Resp: 440898
Ion Ratio Lower Upper
165 100
63 55.8 39.0 58.6
89 78.5 60.9 91.3
182 2.6 2.2 3.2





#58

Fluorene

Concen: 40.900 ng

RT: 10.445 min Scan# 1411

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion:166 Resp: 1360354

Ion Ratio Lower Upper

166 100

165 98.8 79.2 118.8

167 13.5 11.0 16.6



#59

2,3,4,6-Tetrachlorophenol

Concen: 46.155 ng

RT: 10.222 min Scan# 1383

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Tgt Ion:232 Resp: 413410




Ion Ratio Lower Upper


232 100

131 42.3 31.2 46.8

130 2.2 1.8 2.6

166 28.1 19.1 28.7









#60
Diethylphthalate
Concen: 43.778 ng
RT: 10.328 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:149 Resp: 1534851
Ion Ratio Lower Upper
149 100
177 23.9 18.7 28.1
150 12.2 10.2 15.4



#61
4-Chlorophenyl-phenylether
Concen: 41.381 ng
RT: 10.433 min Scan# 1419
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:204 Resp: 674528
Ion Ratio Lower Upper
204 100
206 33.4 27.4 41.0
141 59.9 48.4 72.6









#62
4-Nitroaniline
Concen: 45.226 ng
RT: 10.480 min Scan# 1416
Delta R.T. 0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:138 Resp: 319281
Ion Ratio Lower Upper
138 100
92 53.0 37.9 77.9
108 68.8 53.2 93.2



#63
Azobenzene
Concen: 42.533 ng
RT: 10.598 min Scan# 1447
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion: 77 Resp: 1717092
Ion Ratio Lower Upper
77 100
182 22.9 3.2 43.2
105 21.0 1.2 41.2
51 28.8 7.8 47.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.386 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion:188 Resp: 953901

Ion Ratio Lower Upper

188 100

94 12.7 10.6 15.8

80 13.1 11.5 17.3



#65

4,6-Dinitro-2-methylphenol

Concen: 47.118 ng

RT: 10.498 min Scan# 1430

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:198 Resp: 250504


Ion Ratio Lower Upper

198 100

51 55.2 37.2 77.2

105 48.3 29.2 69.2









#66
n-Nitrosodiphenylamine
Concen: 41.487 ng
RT: 10.563 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:169 Resp: 1274350
Ion Ratio Lower Upper
169 100
168 66.6 53.8 80.6
167 37.0 29.6 44.4



#67
4-Bromophenyl-phenylether
Concen: 42.940 ng
RT: 10.927 min Scan# 1503
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:248 Resp: 446130
Ion Ratio Lower Upper
248 100
250 95.6 76.8 115.2
141 72.4 53.4 80.0









#68
Hexachlorobenzene
Concen: 46.026 ng
RT: 10.992 min Scan# 1531
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:284 Resp: 482980
Ion Ratio Lower Upper
284 100
142 27.7 29.4 44.0#
249 30.7 25.0 37.4



#69
Atrazine
Concen: 46.403 ng
RT: 11.092 min Scan# 1531
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:200 Resp: 433304
Ion Ratio Lower Upper
200 100
173 26.6 5.1 45.1
215 48.4 30.4 70.4





#70

Pentachlorophenol

Concen: 85.806 ng

RT: 11.192 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion:266 Resp: 544324

Ion Ratio Lower Upper

266 100

268 63.5 50.2 75.2

264 64.0 50.9 76.3



#71

Phenanthrene

Concen: 41.098 ng

RT: 11.410 min Scan# 1585

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:178 Resp: 2133541


Ion Ratio Lower Upper

178 100

176 20.4 15.8 23.8

179 16.0 12.2 18.2





#72

Anthracene

Concen: 40.824 ng

RT: 11.463 min Scan# 1594

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion:178 Resp: 2176666

Ion Ratio Lower Upper

178 100

176 19.9 15.7 23.5

179 16.1 12.7 19.1



#73

Carbazole

Concen: 42.257 ng

RT: 11.622 min Scan# 1621

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:167 Resp: 1929875


Ion Ratio Lower Upper

167 100

166 22.2 17.8 26.8

139 13.0 10.5 15.7





#74

Di-n-butylphthalate

Concen: 43.756 ng

RT: 11.957 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion:149 Resp: 2377580

Ion Ratio Lower Upper

149 100

150 9.7 7.4 11.0

104 5.3 3.8 5.6



#75

Fluoranthene

Concen: 41.310 ng

RT: 12.604 min Scan# 1788

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:202 Resp: 2096223


Ion Ratio Lower Upper

202 100

101 15.0 0.0 35.0

203 18.6 0.0 37.7





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.045 min Scan# 20

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion:240 Resp: 504249

Ion Ratio Lower Upper

240 100

120 14.5 10.4 15.6

236 26.3 20.9 31.3



#77

Benzidine

Concen: 23.754 ng

RT: 12.733 min Scan# 1810

Delta R.T. -0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:184 Resp: 293127


Ion Ratio Lower Upper

184 100

185 15.6 13.2 19.8

183 11.2 9.3 13.9









#78
Pyrene
Concen: 43.412 ng
RT: 12.839 min Scan# 1828
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:202 Resp: 2147964
Ion Ratio Lower Upper
202 100
200 22.3 17.4 26.2
203 18.1 14.1 21.1



#79
Terphenyl-d14
Concen: 84.842 ng
RT: 12.986 min Scan# 1853
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:244 Resp: 3111138
Ion Ratio Lower Upper
244 100
212 6.9 5.4 8.2
122 9.9 9.1 13.7









#80
Butylbenzylphthalate
Concen: 55.894 ng
RT: 13.468 min Scan# 1925
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:149 Resp: 706280
Ion Ratio Lower Upper
149 100
91 82.6 64.7 97.1
206 22.0 17.5 26.3



#81
Benzo(a)anthracene
Concen: 44.208 ng
RT: 14.033 min Scan# 2031
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:228 Resp: 1562401
Ion Ratio Lower Upper
228 100
226 27.8 22.3 33.5
229 20.0 16.3 24.5









#82
3,3'-Dichlorobenzidine
Concen: 34.394 ng
RT: 14.004 min Scan# 2038
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:252 Resp: 323706
Ion Ratio Lower Upper
252 100
254 64.0 51.4 77.2
126 12.0 10.4 15.6



#83
Chrysene
Concen: 42.319 ng
RT: 14.074 min Scan# 2038
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:228 Resp: 1511643
Ion Ratio Lower Upper
228 100
226 31.0 24.7 37.1
229 20.1 15.9 23.9









#84
Bis(2-ethylhexyl)phthalate
Concen: 54.220 ng
RT: 14.033 min Scan# 20
Delta R.T. -0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:149 Resp: 870821
Ion Ratio Lower Upper
149 100
167 26.5 21.3 31.9
279 3.3 2.6 4.0



#85
Di-n-octyl phthalate
Concen: 51.030 ng
RT: 14.663 min Scan# 2138
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:149 Resp: 1591944
Ion Ratio Lower Upper
149 100
167 1.5 1.2 1.8
43 11.1 9.6 14.4





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.568 min Scan# 21

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion:264 Resp: 484445

Ion Ratio Lower Upper

264 100

260 24.3 19.3 28.9

265 21.8 17.4 26.0



#87

Indeno(1,2,3-cd)pyrene

Concen: 46.159 ng

RT: 17.156 min Scan# 2562

Delta R.T. 0.000 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:276 Resp: 1471531


Ion Ratio Lower Upper

276 100

138 31.0 25.8 38.8

277 25.1 20.2 30.2









#88
Benzo(b)fluoranthene
Concen: 48.813 ng
RT: 15.121 min Scan# 211
Delta R.T. 0.006 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53




Instrument :
BNA_F
ClientSampleId :
PB159466BS


Tgt Ion:252 Resp: 1398811
Ion Ratio Lower Upper
252 100
253 21.3 17.8 26.8
125 11.3 10.1 15.1



#89
Benzo(k)fluoranthene
Concen: 42.293 ng
RT: 15.151 min Scan# 2221
Delta R.T. 0.000 min
Lab File: BF137512.D
Acq: 06 Mar 2024 11:53

Tgt Ion:252 Resp: 1301787
Ion Ratio Lower Upper
252 100
253 22.0 17.3 25.9
125 12.3 9.6 14.4





#90

Benzo(a)pyrene

Concen: 43.223 ng

RT: 15.510 min Scan# 21

Delta R.T. 0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS





Tgt Ion:252 Resp: 1220603

Ion Ratio Lower Upper

252 100

253 21.9 17.4 26.2

125 12.5 10.4 15.6



#91

Dibenzo(a,h)anthracene

Concen: 46.913 ng

RT: 17.186 min Scan# 2567

Delta R.T. 0.006 min

Lab File: BF137512.D

Acq: 06 Mar 2024 11:53




Tgt Ion:278 Resp: 1213237


Ion Ratio Lower Upper

278 100

139 20.1 17.0 25.6

279 23.5 18.8 28.2





#92

Benzo(g,h,i)perylene

Concen: 45.065 ng

RT: 17.639 min Scan# 20

Delta R.T. 0.000 min

Lab File: BF137512.D


Acq: 06 Mar 2024 11:53

Instrument :

BNA_F

ClientSampleId :

PB159466BS



Tgt Ion:276 Resp: 1196879

Ion Ratio Lower Upper

276 100

277 24.3 19.0 28.4

138 27.2 22.2 33.2

