

Data Path : Z:\HPCHEM1\BNA F\DATA\BF030718\
 Data File : BF103498.D
 Acq On : 7 Mar 2018 14:02
 Operator : SJ/JU
 Sample : J1699-09
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B7

Quant Time: Mar 07 14:47:12 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF022218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 07 11:40:36 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	154382	20.00	ng	0.00
21) Naphthalene-d8	8.15	136	661597	20.00	ng	0.00
38) Acenaphthene-d10	9.90	164	283173	20.00	ng	0.00
63) Phenanthrene-d10	11.40	188	417178	20.00	ng	0.00
75) Chrysene-d12	14.06	240	238843	20.00	ng	0.00
86) Perylene-d12	15.56	264	217401	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	905597	88.72	ng	0.00
7) Phenol-d6	6.50	99	1112321	89.05	ng	0.00
23) Nitrobenzene-d5	7.43	82	719509	62.11	ng	0.00
41) 2,4,6-Tribromophenol	10.70	330	175404	73.18	ng	0.00
44) 2-Fluorobiphenyl	9.22	172	1039555	58.61	ng	0.00
78) Terphenyl-d14	12.99	244	679713	68.41	ng	0.00
Target Compounds						
73) Di-n-butylphthalate	11.94	149	383747	13.081	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF030718\
Data File : BF103498.D
Acq On : 7 Mar 2018 14:02
Operator : SJ/JU
Sample : J1699-09
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
B7

Quant Time: Mar 07 14:47:12 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF022218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 07 11:40:36 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.86 min Scan# 812
Delta R.T. 0.00 min
Lab File: BF103498.D
Acq: 7 Mar 2018 14:02

Instrument :
BNA_F
ClientSampleId :
B7

Tot Ion:152 Resp: 154382
Ion Ratio Lower Upper
152 100
150 159.4 124.6 186.8
115 65.8 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 88.718 ng
RT: 5.49 min Scan# 579
Delta R.T. 0.01 min
Lab File: BF103498.D
Acq: 7 Mar 2018 14:02

Tgt Ion:112 Resp: 905597
Ion Ratio Lower Upper
112 100
64 63.8 47.9 71.9
63 33.5 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 89.054 ng

RT: 6.50 min Scan# 751

Delta R.T. 0.00 min

Lab File: BF103498.D

Acq: 7 Mar 2018 14:02

Instrument :

BNA_F

ClientSampled :

B7


Tot Ion: 99 Resp: 1112321

Ion Ratio Lower Upper

99 100

42 20.2 14.5 21.7




71 32.2 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.15 min Scan# 1030

Delta R.T. -0.01 min

Lab File: BF103498.D

Acq: 7 Mar 2018 14:02

Tgt Ion: 136 Resp: 661597


Ion Ratio Lower Upper

136 100

137 11.0 8.9 13.3

54 9.5 6.6 9.8

68 6.8 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 62.107 ng
 RT: 7.43 min Scan# 909
 Delta R.T. -0.01 min
 Lab File: BF103498.D
 Acq: 7 Mar 2018 14:02




Instrument :
 BNA_F
 ClientSampled :
 B7


Tot Ion: 82 Resp: 719509
 Ion Ratio Lower Upper
 82 100
 128 45.0 36.1 54.1
 54 58.8 41.4 62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.90 min Scan# 1329
 Delta R.T. -0.01 min
 Lab File: BF103498.D
 Acq: 7 Mar 2018 14:02

Tgt Ion:164 Resp: 283173
 Ion Ratio Lower Upper
 164 100
 162 103.1 86.1 129.1
 160 44.5 38.3 57.5









#41
 2,4,6-Tribromophenol
 Concen: 73.179 ng
 RT: 10.70 min Scan# 1465
 Delta R.T. 0.00 min
 Lab File: BF103498.D
 Acq: 7 Mar 2018 14:02

Instrument :
 BNA_F
 ClientSampleId :
 B7

Tot Ion:330 Resp: 175404
 Ion Ratio Lower Upper
 330 100
 332 101.1 77.0 115.6
 141 41.5 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 58.610 ng
 RT: 9.22 min Scan# 1213
 Delta R.T. 0.00 min
 Lab File: BF103498.D
 Acq: 7 Mar 2018 14:02

Tgt Ion:172 Resp: 1039555
 Ion Ratio Lower Upper
 172 100
 171 35.9 29.7 44.5
 170 24.7 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.40 min Scan# 1584
 Delta R.T. 0.00 min
 Lab File: BF103498.D
 Acq: 7 Mar 2018 14:02

Instrument :
 BNA_F
 ClientSampled :
 B7

Tot Ion:188 Resp: 417178
 Ion Ratio Lower Upper
 188 100
 94 10.8 8.5 12.7
 80 11.9 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1






#73
 Di-n-butylphthalate
 Concen: 13.081 ng
 RT: 11.94 min Scan# 1676
 Delta R.T. -0.01 min
 Lab File: BF103498.D
 Acq: 7 Mar 2018 14:02

Tgt Ion:149 Resp: 383747
 Ion Ratio Lower Upper
 149 100
 150 9.0 7.8 11.6
 104 4.7 3.8 5.8



Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 104.00 (103.70 to 104.70): E





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.06 min Scan# 2035

Delta R.T. -0.01 min

Lab File: BF103498.D

Acq: 7 Mar 2018 14:02

Instrument :

BNA_F

ClientSampleId :

B7


Tot Ion:240 Resp: 238843

Ion Ratio Lower Upper

240 100

120 16.2 9.5 14.3#




236 26.1 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 68.411 ng

RT: 12.99 min Scan# 1853

Delta R.T. 0.00 min

Lab File: BF103498.D

Acq: 7 Mar 2018 14:02


Tgt Ion:244 Resp: 679713

Ion Ratio Lower Upper

244 100

212 6.8 5.4 8.0



122 14.5 11.0 16.4






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.56 min Scan# 2291
Delta R.T. 0.00 min
Lab File: BF103498.D
Acq: 7 Mar 2018 14:02

Instrument :
BNA_F
ClientSampleId :
B7

Tot Ion:	264	Resp:	217401
Ion Ratio	Lower	Upper	
264	100		
260	24.1	19.2	28.8
265	21.8	17.5	26.3

