

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF030725\
 Data File : BF141888.D
 Acq On : 07 Mar 2025 11:59
 Operator : RC/JU
 Sample : Q1478-13MSD
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Mar 07 12:17:26 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF022725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 28 01:48:16 2025
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Anahy
 Claudio

03/10/2025
 Supervised By :Jagrut
 Upadhyay

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.886	152	145924	20.000	ng	0.00
21) Naphthalene-d8	8.163	136	573463	20.000	ng	-0.01
39) Acenaphthene-d10	9.916	164	303593	20.000	ng	-0.01
64) Phenanthrene-d10	11.404	188	568957	20.000	ng	0.00
76) Chrysene-d12	14.039	240	412687	20.000	ng	-0.01
86) Perylene-d12	15.509	264	369642	20.000	ng	-0.01

System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	1188951	130.118	ng	0.02
7) Phenol-d6	6.510	99	1514108	127.309	ng	0.00
23) Nitrobenzene-d5	7.445	82	1018675	113.545	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	583302	204.654	ng	0.00
45) 2-Fluorobiphenyl	9.239	172	1965727	103.821	ng	0.00
79) Terphenyl-d14	12.986	244	2284451	89.561	ng	-0.01

Target Compounds						Qvalue
2) 1,4-Dioxane	2.822	88	145332	35.053	ng	# 80
3) Pyridine	3.546	79	239986	23.264	ng	95
4) n-Nitrosodimethylamine	3.475	42	171369	34.525	ng	# 98
6) Aniline	6.551	93	153452	12.411	ng	100
8) 2-Chlorophenol	6.669	128	417987	42.287	ng	95
9) Benzaldehyde	6.439	77	91235	13.188	ng	98
10) Phenol	6.522	94	490881	38.625	ng	95
11) bis(2-Chloroethyl)ether	6.622	93	363281	37.500	ng	95
12) 1,3-Dichlorobenzene	6.828	146	355371	33.571	ng	99
13) 1,4-Dichlorobenzene	6.904	146	362700	34.005	ng	99
14) 1,2-Dichlorobenzene	7.051	146	356447	35.789	ng	99
15) Benzyl Alcohol	7.022	79	379624	39.939	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.157	45	435876	29.627	ng	94
17) 2-Methylphenol	7.128	107	348794	42.750	ng	98
18) Hexachloroethane	7.398	117	131194	32.863	ng	95
19) n-Nitroso-di-n-propyla...	7.292	70	292851	37.458	ng	97
20) 3+4-Methylphenols	7.281	107	454538	44.740	ng	92
22) Acetophenone	7.292	105	633919	45.388	ng	97
24) Nitrobenzene	7.463	77	430420	44.802	ng	98
25) Isophorone	7.704	82	810074	42.029	ng	98
26) 2-Nitrophenol	7.781	139	219989	50.950	ng	97
27) 2,4-Dimethylphenol	7.810	122	376107	53.085	ng	97
28) bis(2-Chloroethoxy)met...	7.910	93	477100	38.804	ng	98
29) 2,4-Dichlorophenol	8.016	162	371450	45.445	ng	98
30) 1,2,4-Trichlorobenzene	8.104	180	352226	39.327	ng	98
31) Naphthalene	8.186	128	1167646	39.617	ng	99
32) Benzoic acid	7.910	122	281362	47.647	ng	97
33) 4-Chloroaniline	8.233	127	44524	4.120	ng	98
34) Hexachlorobutadiene	8.304	225	217994	39.168	ng	99
35) Caprolactam	8.592	113	113794m	45.256	ng	
36) 4-Chloro-3-methylphenol	8.710	107	419747	46.229	ng	98
37) 2-Methylnaphthalene	8.875	142	779155	40.304	ng	100
38) 1-Methylnaphthalene	8.975	142	771642	41.599	ng	99
40) 1,2,4,5-Tetrachloroben...	9.039	216	434072	49.506	ng	99
41) Hexachlorocyclopentadiene	9.028	237	523947	143.187	ng	99
43) 2,4,6-Trichlorophenol	9.151	196	289710	51.151	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF030725\
 Data File : BF141888.D
 Acq On : 07 Mar 2025 11:59
 Operator : RC/JU
 Sample : Q1478-13MSD
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Mar 07 12:17:26 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF022725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 28 01:48:16 2025
 Response via : Initial Calibration


Manual Integrations APPROVED

Reviewed By :Anahy
 Claudio

03/10/2025
 Supervised By :Jagrut
 Upadhyay


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
44) 2,4,5-Trichlorophenol	9.192	196	304140	54.229	ng	98	
46) 1,1'-Biphenyl	9.339	154	1166006	50.458	ng	98	
47) 2-Chloronaphthalene	9.363	162	793175	46.505	ng	100	
48) 2-Nitroaniline	9.457	65	253809	53.790	ng	96	
49) Acenaphthylene	9.780	152	1260858	49.307	ng	100	
50) Dimethylphthalate	9.639	163	1002628	49.315	ng	100	
51) 2,6-Dinitrotoluene	9.698	165	218602	55.722	ng	95	
52) Acenaphthene	9.951	154	918161	53.212	ng	99	
53) 3-Nitroaniline	9.863	138	47916	13.818	ng	#	95
54) 2,4-Dinitrophenol	9.975	184	246319	118.427	ng	#	1
55) Dibenzofuran	10.127	168	1111678	44.265	ng	99	
56) 4-Nitrophenol	10.022	139	346309	115.329	ng	96	
57) 2,4-Dinitrotoluene	10.104	165	289053	59.902	ng	93	
58) Fluorene	10.469	166	923723	49.103	ng	99	
59) 2,3,4,6-Tetrachlorophenol	10.239	232	259346	53.169	ng	99	
60) Diethylphthalate	10.339	149	978673	48.017	ng	99	
61) 4-Chlorophenyl-phenyle...	10.457	204	463931	49.222	ng	99	
62) 4-Nitroaniline	10.480	138	200872	57.854	ng	96	
63) Azobenzene	10.622	77	909432	42.378	ng	97	
65) 4,6-Dinitro-2-methylph...	10.510	198	166889	59.870	ng	89	
66) n-Nitrosodiphenylamine	10.574	169	791239	42.352	ng	100	
67) 4-Bromophenyl-phenylether	10.951	248	296123	44.559	ng	97	
68) Hexachlorobenzene	11.016	284	338633	48.255	ng	96	
69) Atrazine	11.104	200	298445	58.090	ng	99	
70) Pentachlorophenol	11.204	266	445248	100.037	ng	99	
71) Phenanthrene	11.427	178	1414386	46.475	ng	99	
72) Anthracene	11.480	178	1441729	47.268	ng	100	
73) Carbazole	11.633	167	1257282	46.679	ng	100	
74) Di-n-butylphthalate	11.963	149	1488257	43.590	ng	99	
75) Fluoranthene	12.616	202	1454377	46.638	ng	97	
77) Benzidine	12.739	184	80335	15.466	ng	#	79
78) Pyrene	12.845	202	1530210	42.820	ng	99	
80) Butylbenzylphthalate	13.463	149	605284	46.619	ng	96	
81) Benzo(a)anthracene	14.027	228	1277832	46.878	ng	99	
82) 3,3'-Dichlorobenzidine	13.992	252	162331	20.757	ng	99	
83) Chrysene	14.068	228	1120992	44.612	ng	99	
84) Bis(2-ethylhexyl)phtha...	14.021	149	752209	46.528	ng	99	
85) Di-n-octyl phthalate	14.633	149	1043087	43.097	ng	96	
87) Indeno(1,2,3-cd)pyrene	17.003	276	1232228	52.351	ng	95	
88) Benzo(b)fluoranthene	15.080	252	951233	37.779	ng	99	
89) Benzo(k)fluoranthene	15.109	252	980242	45.803	ng	98	
90) Benzo(a)pyrene	15.451	252	960500	47.566	ng	98	
91) Dibenzo(a,h)anthracene	17.021	278	993711	51.721	ng	#	96
92) Benzo(g,h,i)perylene	17.451	276	967540	49.156	ng	96	

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.886 min Scan# 81
 Delta R.T. -0.007 min
 Lab File: BF141888.D
 Acq: 07 Mar 2025 11:59

Instrument :
 BNA_F
 ClientSampleId :






Tgt Ion:152 Resp: 145924
 Ion Ratio Lower Upper
 152 100
 150 158.1 127.5 191.3
 115 63.6 51.4 77.2

Manual Integrations
 APPROVED


Reviewed By :Anahy
 Claudio

03/10/2025
 Supervised By :Jagrut
 Upadhyay



03/10/2025




#2
 1,4-Dioxane
 Concen: 35.053 ng
 RT: 2.822 min Scan# 124
 Delta R.T. 0.135 min
 Lab File: BF141888.D
 Acq: 07 Mar 2025 11:59




Tgt Ion: 88 Resp: 145332
 Ion Ratio Lower Upper
 88 100
 58 73.7 63.9 95.9
 43 0.0 23.0 34.6#





#3
Pyridine
Concen: 23.264 ng
RT: 3.546 min Scan# 24
Delta R.T. 0.089 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion: 79 Resp: 239980
Ion Ratio Lower Upper
79 100
52 67.6 59.0 88.4
51 35.2 29.0 43.4

Manual Integrations
APPROVED


Reviewed By :Anahy
Claudio

03/10/2025
Supervised By :Jagrut
Upadhyay



03/10/2025




#4
n-Nitrosodimethylamine
Concen: 34.525 ng
RT: 3.475 min Scan# 235
Delta R.T. 0.070 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59




Tgt Ion: 42 Resp: 171369
Ion Ratio Lower Upper
42 100
74 131.4 107.1 160.7
44 6.5 6.6 9.8





#5
2-Fluorophenol
Concen: 130.118 ng
RT: 5.516 min Scan# 582
Delta R.T. 0.017 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:112 Resp: 118895
Ion Ratio Lower Upper
112 100
64 58.0 51.3 76.9
63 31.5 26.2 39.4

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#6
Aniline
Concen: 12.411 ng
RT: 6.551 min Scan# 758
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion: 93 Resp: 153452
Ion Ratio Lower Upper
93 100
66 40.3 32.3 48.5
65 20.0 15.9 23.9





#7
Phenol-d6
Concen: 127.309 ng
RT: 6.510 min Scan# 751
Delta R.T. -0.000 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion: 99 Resp: 1514108
Ion Ratio Lower Upper
99 100
42 18.5 15.2 22.8
71 38.2 28.2 42.2

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#8
2-Chlorophenol
Concen: 42.287 ng
RT: 6.669 min Scan# 778
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:128 Resp: 417987
Ion Ratio Lower Upper
128 100
130 32.8 12.6 52.6
64 45.8 31.1 71.1





#9
Benzaldehyde
Concen: 13.188 ng
RT: 6.439 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion: 77 Resp: 91235
Ion Ratio Lower Upper
77 100
105 98.5 75.3 115.3
106 93.6 72.3 112.3

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#10
Phenol
Concen: 38.625 ng
RT: 6.522 min Scan# 753
Delta R.T. -0.000 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Tgt Ion: 94 Resp: 490881
Ion Ratio Lower Upper
94 100
65 30.5 10.2 50.2
66 47.9 23.2 63.2





#11

bis(2-Chloroethyl)ether

Concen: 37.500 ng

RT: 6.622 min Scan# 771

Delta R.T. -0.006 min


Lab File: BF141888.D

Acq: 07 Mar 2025 11:59

Instrument :

BNA_F

ClientSampleId :



Tgt Ion: 93 Resp: 36328

Ion Ratio Lower Upper

93 100

63 73.3 59.3 99.3

95 32.6 13.2 53.2

Manual Integrations

APPROVED



Reviewed By :Anahy

Claudio

03/10/2025

Supervised By :Jagrut
Upadhyay

03/10/2025



#12

1,3-Dichlorobenzene

Concen: 33.571 ng

RT: 6.828 min Scan# 805

Delta R.T. -0.006 min

Lab File: BF141888.D

Acq: 07 Mar 2025 11:59




Tgt Ion:146 Resp: 355371


Ion Ratio Lower Upper

146 100

148 63.8 51.8 77.6


75 31.5 26.2 39.4





#13
1,4-Dichlorobenzene
Concen: 34.005 ng
RT: 6.904 min Scan# 819
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :





Tgt Ion:146 Resp: 362700
Ion Ratio Lower Upper
146 100
148 63.8 51.4 77.2
111 43.8 35.5 53.3

Manual Integrations
APPROVED


Reviewed By :Anahy
Claudio

03/10/2025
Supervised By :Jagrut
Upadhyay



03/10/2025




#14
1,2-Dichlorobenzene
Concen: 35.789 ng
RT: 7.051 min Scan# 843
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59




Tgt Ion:146 Resp: 356447
Ion Ratio Lower Upper
146 100
148 64.3 51.2 76.8
111 46.3 37.8 56.6





#15
Benzyl Alcohol
Concen: 39.939 ng
RT: 7.022 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion: 79 Resp: 379624
Ion Ratio Lower Upper
79 100
108 74.9 60.2 90.2
77 62.8 50.2 75.2

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay

03/10/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 29.627 ng
RT: 7.157 min Scan# 861
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Tgt Ion: 45 Resp: 435876
Ion Ratio Lower Upper
45 100
77 16.6 0.0 34.4
79 13.1 0.0 30.9






#17
2-Methylphenol
Concen: 42.750 ng
RT: 7.128 min Scan# 857
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :

BNA_F

ClientSampleId :



Tgt Ion:107 Resp: 348794
Ion Ratio Lower Upper
107 100
108 111.4 90.6 135.8
77 48.8 37.7 56.5
79 48.2 37.2 55.8




Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio

03/10/2025




Supervised By :Jagrut
Upadhyay


03/10/2025



#18
Hexachloroethane
Concen: 32.863 ng
RT: 7.398 min Scan# 902
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:117 Resp: 131194
Ion Ratio Lower Upper
117 100
119 96.3 75.8 113.8
201 103.7 76.7 115.1





#19
n-Nitroso-di-n-propylamine
Concen: 37.458 ng
RT: 7.292 min Scan# 884
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion: 70 Resp: 29285
Ion Ratio Lower Upper
70 100
42 54.6 45.4 68.0
101 10.1 7.8 11.8
130 22.3 16.6 24.8

Manual Integrations
APPROVED


Reviewed By :Anahy
Claudio

03/10/2025
Supervised By :Jagrut
Upadhyay



03/10/2025




#20
3+4-Methylphenols
Concen: 44.740 ng
RT: 7.281 min Scan# 882
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59




Tgt Ion:107 Resp: 454538
Ion Ratio Lower Upper
107 100
108 87.2 69.7 109.7
77 92.7 58.3 98.3
79 30.5 10.3 50.3





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.163 min Scan# 1032
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:136 Resp: 57346
Ion Ratio Lower Upper
136 100
137 11.0 8.9 13.3
54 7.6 6.9 10.3
68 5.4 5.1 7.7

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#22
Acetophenone
Concen: 45.388 ng
RT: 7.292 min Scan# 884
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Tgt Ion:105 Resp: 633919
Ion Ratio Lower Upper
105 100
71 7.7 5.4 8.0
51 29.5 26.1 39.1
120 22.0 17.5 26.3





#23

Nitrobenzene-d5

Concen: 113.545 ng

RT: 7.445 min Scan# 911

Delta R.T. -0.006 min


Lab File: BF141888.D

Acq: 07 Mar 2025 11:59

Instrument :

BNA_F

ClientSampleId :



Tgt Ion: 82 Resp: 101867

Ion	Ratio	Lower	Upper
82	100		
128	45.0	33.5	50.3
54	49.3	42.7	64.1




Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio

03/10/2025

Supervised By :Jagrut
Upadhyay

03/10/2025



#24

Nitrobenzene

Concen: 44.802 ng

RT: 7.463 min Scan# 913




Delta R.T. -0.012 min


Lab File: BF141888.D

Acq: 07 Mar 2025 11:59

Tgt Ion: 77 Resp: 430420


Ion	Ratio	Lower	Upper
77	100		
123	46.3	35.8	53.8
65	13.9	11.2	16.8





#25
Isophorone
Concen: 42.029 ng
RT: 7.704 min Scan# 910
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion: 82 Resp: 810074
Ion Ratio Lower Upper
82 100
95 7.9 5.8 8.8
138 18.6 14.0 21.0

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#26
2-Nitrophenol
Concen: 50.950 ng
RT: 7.781 min Scan# 967
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:139 Resp: 219989
Ion Ratio Lower Upper
139 100
109 32.6 24.1 36.1
65 51.2 42.3 63.5





#27
2,4-Dimethylphenol
Concen: 53.085 ng
RT: 7.810 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:122 Resp: 37610
Ion Ratio Lower Upper
122 100
107 119.9 92.5 138.7
121 59.8 47.1 70.7

Manual Integrations
APPROVED


Reviewed By :Anahy
Claudio

03/10/2025
Supervised By :Jagrut
Upadhyay



03/10/2025




#28
bis(2-Chloroethoxy)methane
Concen: 38.804 ng
RT: 7.910 min Scan# 989
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59



Tgt Ion: 93 Resp: 477100
Ion Ratio Lower Upper
93 100
95 32.3 26.5 39.7
123 13.4 10.0 15.0





#29

2,4-Dichlorophenol

Concen: 45.445 ng

RT: 8.016 min Scan# 1007

Delta R.T. -0.006 min


Lab File: BF141888.D

Acq: 07 Mar 2025 11:59

Instrument :

BNA_F

ClientSampleId :



Tgt Ion:162 Resp: 371450

Ion	Ratio	Lower	Upper
162	100		
164	65.2	44.3	84.3
98	37.7	19.6	59.6




Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio

03/10/2025

Supervised By :Jagrut
Upadhyay

03/10/2025



#30

1,2,4-Trichlorobenzene

Concen: 39.327 ng

RT: 8.104 min Scan# 1022




Delta R.T. -0.006 min


Lab File: BF141888.D

Acq: 07 Mar 2025 11:59

Tgt Ion:180 Resp: 352226


Ion	Ratio	Lower	Upper
180	100		
182	97.0	76.8	115.2
145	31.3	26.4	39.6





#31
Naphthalene
Concen: 39.617 ng
RT: 8.186 min Scan# 1036
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:128 Resp: 1167640
Ion Ratio Lower Upper
128 100
129 11.0 9.2 13.8
127 13.2 11.0 16.4

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#32
Benzoic acid
Concen: 47.647 ng
RT: 7.910 min Scan# 989
Delta R.T. -0.024 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Tgt Ion:122 Resp: 281362
Ion Ratio Lower Upper
122 100
105 125.4 105.8 145.8
77 93.7 79.9 119.9






#33
4-Chloroaniline
Concen: 4.120 ng
RT: 8.233 min Scan# 1044
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :

BNA_F

ClientSampleId :



Tgt Ion:127 Resp: 44524
Ion Ratio Lower Upper
127 100
129 33.3 26.1 39.1
65 30.4 25.7 38.5
92 19.7 16.1 24.1




Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio

03/10/2025




Supervised By :Jagrut
Upadhyay


03/10/2025



#34
Hexachlorobutadiene
Concen: 39.168 ng
RT: 8.304 min Scan# 1056
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:225 Resp: 217994
Ion Ratio Lower Upper
225 100
223 62.5 51.4 77.2
227 64.0 51.6 77.4





#35
Caprolactam
Concen: 45.256 ng m
RT: 8.592 min Scan# 1105
Delta R.T. -0.018 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:113 Resp: 113794
Ion Ratio Lower Upper
113 100
55 147.2 155.6 195.6
56 118.5 114.6 154.6

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#36
4-Chloro-3-methylphenol
Concen: 46.229 ng
RT: 8.710 min Scan# 1125
Delta R.T. -0.000 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:107 Resp: 419747
Ion Ratio Lower Upper
107 100
144 24.9 19.4 29.0
142 75.5 59.4 89.0





#37
2-Methylnaphthalene
Concen: 40.304 ng
RT: 8.875 min Scan# 1154
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:142 Resp: 77915
Ion Ratio Lower Upper
142 100
141 89.1 71.1 106.7

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#38
1-Methylnaphthalene
Concen: 41.599 ng
RT: 8.975 min Scan# 1170
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:142 Resp: 771642
Ion Ratio Lower Upper
142 100
141 92.5 73.1 109.7





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.916 min Scan# 1181
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:164 Resp: 30359
Ion Ratio Lower Upper
164 100
162 103.5 80.6 120.8
160 45.6 36.3 54.5

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 49.506 ng
RT: 9.039 min Scan# 1181
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:216 Resp: 434072
Ion Ratio Lower Upper
216 100
214 78.7 63.5 95.3
179 22.4 18.1 27.1
108 21.0 16.4 24.6





#41
Hexachlorocyclopentadiene
Concen: 143.187 ng
RT: 9.028 min Scan# 1179
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:237 Resp: 52394
Ion Ratio Lower Upper
237 100
235 64.2 43.3 83.3
272 12.6 0.0 31.9

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#42
2,4,6-Tribromophenol
Concen: 204.654 ng
RT: 10.710 min Scan# 1465
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Tgt Ion:330 Resp: 583302
Ion Ratio Lower Upper
330 100
332 96.2 76.6 115.0
141 31.2 29.0 43.4






#43
2,4,6-Trichlorophenol
Concen: 51.151 ng
RT: 9.151 min Scan# 1201
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:196 Resp: 289710
Ion Ratio Lower Upper
196 100
198 98.2 80.4 120.6
200 31.8 25.7 38.5

Manual Integrations
APPROVED


Reviewed By :Anahy
Claudio

03/10/2025
Supervised By :Jagrut
Upadhyay



03/10/2025




#44
2,4,5-Trichlorophenol
Concen: 54.229 ng
RT: 9.192 min Scan# 1207
Delta R.T. -0.000 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59




Tgt Ion:196 Resp: 304140
Ion Ratio Lower Upper
196 100
198 99.7 79.7 119.5
97 52.2 44.2 66.2
132 29.2 24.3 36.5





#45
2-Fluorobiphenyl
Concen: 103.821 ng
RT: 9.239 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:172 Resp: 196572
Ion Ratio Lower Upper
172 100
171 36.0 29.2 43.8
170 23.9 19.7 29.5

Manual Integrations
APPROVED


Reviewed By :Anahy
Claudio

03/10/2025
Supervised By :Jagrut
Upadhyay



03/10/2025




#46
1,1'-Biphenyl
Concen: 50.458 ng
RT: 9.339 min Scan# 1232
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59




Tgt Ion:154 Resp: 1166006
Ion Ratio Lower Upper
154 100
153 40.7 21.4 61.4
76 11.9 0.0 33.4





#47
2-Chloronaphthalene
Concen: 46.505 ng
RT: 9.363 min Scan# 1236
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:162 Resp: 79317
Ion Ratio Lower Upper
162 100
127 43.9 35.0 52.6
164 33.3 26.6 40.0

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#48
2-Nitroaniline
Concen: 53.790 ng
RT: 9.457 min Scan# 1252
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Tgt Ion: 65 Resp: 253809
Ion Ratio Lower Upper
65 100
92 70.1 55.7 83.5
138 107.0 80.6 121.0






#49
Acenaphthylene
Concen: 49.307 ng
RT: 9.780 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :

BNA_F

ClientSampleId :



Tgt Ion:152 Resp: 126085
Ion Ratio Lower Upper
152 100
151 20.6 16.6 24.8
153 14.0 11.2 16.8




Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio


03/10/2025

Supervised By :Jagrut
Upadhyay



03/10/2025




#50
Dimethylphthalate
Concen: 49.315 ng
RT: 9.639 min Scan# 1283
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59




Tgt Ion:163 Resp: 1002628
Ion Ratio Lower Upper
163 100
194 3.9 3.1 4.7
164 10.4 8.4 12.6





#51
2,6-Dinitrotoluene
Concen: 55.722 ng
RT: 9.698 min Scan# 1295
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:165 Resp: 218602
Ion Ratio Lower Upper
165 100
63 57.6 49.5 74.3
89 57.4 49.0 73.4

Manual Integrations
APPROVED


Reviewed By :Anahy
Claudio

03/10/2025
Supervised By :Jagrut
Upadhyay



03/10/2025




#52
Acenaphthene
Concen: 53.212 ng
RT: 9.951 min Scan# 1336
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59




Tgt Ion:154 Resp: 918161
Ion Ratio Lower Upper
154 100
153 111.9 88.7 133.1
152 50.4 40.9 61.3





#53
3-Nitroaniline
Concen: 13.818 ng
RT: 9.863 min Scan# 1321
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:138 Resp: 47910
Ion Ratio Lower Upper
138 100
108 12.4 12.7 19.1
92 117.8 97.9 146.9

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#54
2,4-Dinitrophenol
Concen: 118.427 ng
RT: 9.975 min Scan# 1340
Delta R.T. -0.000 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:184 Resp: 246319
Ion Ratio Lower Upper
184 100
63 65.4 79.0 118.6#
154 74.1 335.8 503.8#





#55
Dibenzenofuran
Concen: 44.265 ng
RT: 10.127 min Scan# 1366
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:168 Resp: 1111678
Ion Ratio Lower Upper
168 100
139 41.3 32.9 49.3
169 13.5 11.1 16.7

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#56
4-Nitrophenol
Concen: 115.329 ng
RT: 10.022 min Scan# 1348
Delta R.T. -0.000 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:139 Resp: 346309
Ion Ratio Lower Upper
139 100
109 81.6 53.4 93.4
65 101.6 82.1 122.1





#57
2,4-Dinitrotoluene
Concen: 59.902 ng
RT: 10.104 min Scan# 1362
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:165 Resp: 28905
Ion Ratio Lower Upper
165 100
63 44.2 38.8 58.2
89 71.8 62.6 94.0
182 2.9 2.2 3.2

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#58
Fluorene
Concen: 49.103 ng
RT: 10.469 min Scan# 1424
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:166 Resp: 923723
Ion Ratio Lower Upper
166 100
165 96.8 78.6 117.8
167 13.3 11.0 16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 53.169 ng
RT: 10.239 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:232 Resp: 259340
Ion Ratio Lower Upper
232 100
131 46.7 37.8 56.8
130 2.3 2.0 3.0
166 30.7 25.0 37.4

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#60
Diethylphthalate
Concen: 48.017 ng
RT: 10.339 min Scan# 1402
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:149 Resp: 978673
Ion Ratio Lower Upper
149 100
177 22.4 18.3 27.5
150 12.7 10.3 15.5





#61
4-Chlorophenyl-phenylether
Concen: 49.222 ng
RT: 10.457 min Scan# 1422
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:204 Resp: 46393
Ion Ratio Lower Upper
204 100
206 33.0 26.2 39.4
141 65.4 51.7 77.5

Manual Integrations
APPROVED


Reviewed By :Anahy
Claudio

03/10/2025
Supervised By :Jagrut
Upadhyay



03/10/2025




#62
4-Nitroaniline
Concen: 57.854 ng
RT: 10.480 min Scan# 1426
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59




Tgt Ion:138 Resp: 200872
Ion Ratio Lower Upper
138 100
92 51.4 34.9 74.9
108 83.2 59.6 99.6





#63
Azobenzene
Concen: 42.378 ng
RT: 10.622 min Scan# 1451
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion: 77 Resp: 90943
Ion Ratio Lower Upper
77 100
182 27.8 4.2 44.2
105 21.7 1.5 41.5
51 29.7 10.4 50.4

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 1583
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:188 Resp: 568957
Ion Ratio Lower Upper
188 100
94 9.1 8.9 13.3
80 10.0 9.7 14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 59.870 ng
RT: 10.510 min Scan# 1431
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:198 Resp: 166889
Ion Ratio Lower Upper
198 100
51 42.6 32.1 72.1
105 42.3 28.5 68.5

Manual Integrations
APPROVED


Reviewed By :Anahy
Claudio

03/10/2025
Supervised By :Jagrut
Upadhyay



03/10/2025




#66
n-Nitrosodiphenylamine
Concen: 42.352 ng
RT: 10.574 min Scan# 1442
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59




Tgt Ion:169 Resp: 791239
Ion Ratio Lower Upper
169 100
168 66.5 53.0 79.6
167 36.7 29.3 43.9





#67
4-Bromophenyl-phenylether
Concen: 44.559 ng
RT: 10.951 min Scan# 1506
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:248 Resp: 29612
Ion Ratio Lower Upper
248 100
250 98.6 78.1 117.1
141 75.3 64.3 96.5

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#68
Hexachlorobenzene
Concen: 48.255 ng
RT: 11.016 min Scan# 1517
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:284 Resp: 338633
Ion Ratio Lower Upper
284 100
142 31.7 28.2 42.2
249 30.7 25.5 38.3





#69
 Atrazine
 Concen: 58.090 ng
 RT: 11.104 min Scan# 1549
 Delta R.T. -0.006 min
 Lab File: BF141888.D
 Acq: 07 Mar 2025 11:59

Instrument :
 BNA_F
 ClientSampleId :






Tgt Ion:200 Resp: 298449
 Ion Ratio Lower Upper
 200 100
 173 25.2 5.6 45.6
 215 44.6 25.3 65.3

Manual Integrations
 APPROVED

Reviewed By :Anahy
 Claudio




03/10/2025
 Supervised By :Jagrut
 Upadhyay


03/10/2025



#70
 Pentachlorophenol
 Concen: 100.037 ng
 RT: 11.204 min Scan# 1549
 Delta R.T. -0.006 min
 Lab File: BF141888.D
 Acq: 07 Mar 2025 11:59


Tgt Ion:266 Resp: 445248
 Ion Ratio Lower Upper
 266 100
 268 62.6 50.9 76.3
 264 62.8 50.2 75.4





#71
Phenanthrene
Concen: 46.475 ng
RT: 11.427 min Scan# 1589
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:178 Resp: 1414380
Ion Ratio Lower Upper
178 100
176 19.4 16.0 24.0
179 15.6 12.6 19.0

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#72
Anthracene
Concen: 47.268 ng
RT: 11.480 min Scan# 1596
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:178 Resp: 1441729
Ion Ratio Lower Upper
178 100
176 18.9 15.4 23.0
179 16.0 12.8 19.2





#73
 Carbazole
 Concen: 46.679 ng
 RT: 11.633 min Scan# 1623
 Delta R.T. -0.006 min
 Lab File: BF141888.D
 Acq: 07 Mar 2025 11:59

Instrument :
 BNA_F
 ClientSampleId :






Tgt Ion:167 Resp: 125728
 Ion Ratio Lower Upper
 167 100
 166 21.8 17.5 26.3
 139 13.9 11.3 16.9

Manual Integrations
 APPROVED

Reviewed By :Anahy
 Claudio




03/10/2025
 Supervised By :Jagrut
 Upadhyay


03/10/2025



#74
 Di-n-butylphthalate
 Concen: 43.590 ng
 RT: 11.963 min Scan# 1678
 Delta R.T. -0.012 min
 Lab File: BF141888.D
 Acq: 07 Mar 2025 11:59


Tgt Ion:149 Resp: 1488257
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.7 11.5
 104 5.4 4.4 6.6





#75
Fluoranthene
Concen: 46.638 ng
RT: 12.616 min Scan# 1789
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:202 Resp: 145437
Ion Ratio Lower Upper
202 100
101 9.9 0.0 32.8
203 17.9 0.0 38.0

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.039 min Scan# 2031
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Tgt Ion:240 Resp: 412687
Ion Ratio Lower Upper
240 100
120 10.5 9.7 14.5
236 26.3 21.0 31.4





#77

Benzidine

Concen: 15.466 ng

RT: 12.739 min Scan# 1810

Delta R.T. 0.000 min

Lab File: BF141888.D

Acq: 07 Mar 2025 11:59

Instrument :

BNA_F

ClientSampleId :

Tgt Ion:184	Resp: 8033
Ion Ratio	Lower Upper
184	100
185	29.8 11.6 17.4
183	11.9 9.4 14.0





Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio

03/10/2025

Supervised By :Jagrut
Upadhyay

03/10/2025



#78

Pyrene

Concen: 42.820 ng




RT: 12.845 min Scan# 1828


Delta R.T. -0.006 min

Lab File: BF141888.D

Acq: 07 Mar 2025 11:59


Tgt Ion:202	Resp: 1530210
Ion Ratio	Lower Upper
202	100
200	21.2 17.4 26.0
203	17.9 14.6 22.0





#79
Terphenyl-d14
Concen: 89.561 ng
RT: 12.986 min Scan# 1852
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:244 Resp: 228445
Ion Ratio Lower Upper
244 100
212 7.2 6.0 9.0
122 10.0 9.0 13.6

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#80
Butylbenzylphthalate
Concen: 46.619 ng
RT: 13.463 min Scan# 1933
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:149 Resp: 605284
Ion Ratio Lower Upper
149 100
91 70.8 60.1 90.1
206 21.3 16.8 25.2





#81
Benzo(a)anthracene
Concen: 46.878 ng
RT: 14.027 min Scan# 2031
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:228 Resp: 127783
Ion Ratio Lower Upper
228 100
226 27.1 22.1 33.1
229 20.0 16.1 24.1

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#82
3,3'-Dichlorobenzidine
Concen: 20.757 ng
RT: 13.992 min Scan# 2023
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:252 Resp: 162331
Ion Ratio Lower Upper
252 100
254 65.0 51.4 77.0
126 11.0 9.8 14.6





#83
Chrysene
Concen: 44.612 ng
RT: 14.068 min Scan# 2036
Delta R.T. -0.006 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:228 Resp: 1120992
Ion Ratio Lower Upper
228 100
226 29.9 24.6 37.0
229 19.8 16.1 24.1

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 46.528 ng
RT: 14.021 min Scan# 2028
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59


Tgt Ion:149 Resp: 752209
Ion Ratio Lower Upper
149 100
167 26.7 21.2 31.8
279 4.5 3.3 4.9





#85
 Di-n-octyl phthalate
 Concen: 43.097 ng
 RT: 14.633 min Scan# 2132
 Delta R.T. -0.012 min
 Lab File: BF141888.D
 Acq: 07 Mar 2025 11:59

Instrument :
 BNA_F
 ClientSampleId :



Tgt Ion:149 Resp: 104308




Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.2	1.8
43	8.8	8.6	12.8

Manual Integrations
 APPROVED

Reviewed By :Anahy
 Claudio

03/10/2025
 Supervised By :Jagrut
 Upadhyay




03/10/2025




#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.509 min Scan# 2281
 Delta R.T. -0.012 min
 Lab File: BF141888.D
 Acq: 07 Mar 2025 11:59

Tgt Ion:264 Resp: 369642


Ion	Ratio	Lower	Upper
264	100		
260	23.1	18.9	28.3
265	21.2	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 52.351 ng
RT: 17.003 min Scan# 2108
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:276 Resp: 1232228
Ion Ratio Lower Upper
276 100
138 23.5 22.5 33.7
277 25.3 20.3 30.5

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio




03/10/2025
Supervised By :Jagrut
Upadhyay


03/10/2025



#88
Benzo(b)fluoranthene
Concen: 37.779 ng
RT: 15.080 min Scan# 2208
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Tgt Ion:252 Resp: 951233
Ion Ratio Lower Upper
252 100
253 22.1 17.7 26.5
125 9.1 8.6 13.0





#89

Benzo(k)fluoranthene

Concen: 45.803 ng

RT: 15.109 min Scan# 21

Delta R.T. -0.012 min

Lab File: BF141888.D

Acq: 07 Mar 2025 11:59

Instrument :

BNA_F

ClientSampleId :

Tgt Ion:252 Resp: 98024
 Ion Ratio Lower Upper
 252 100
 253 22.3 17.8 26.8
 125 9.3 8.8 13.2





Manual Integrations
 APPROVED

Reviewed By :Anahy
 Claudio

03/10/2025

Supervised By :Jagrut
 Upadhyay

03/10/2025



#90

Benzo(a)pyrene

Concen: 47.566 ng




RT: 15.451 min Scan# 2271


Delta R.T. -0.012 min

Lab File: BF141888.D

Acq: 07 Mar 2025 11:59


Tgt Ion:252 Resp: 960500
 Ion Ratio Lower Upper
 252 100
 253 21.8 17.5 26.3
 125 10.0 9.4 14.2





#91
Dibenzo(a,h)anthracene
Concen: 51.721 ng
RT: 17.021 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Instrument :
BNA_F
ClientSampleId :






Tgt Ion:278 Resp: 99371
Ion Ratio Lower Upper
278 100
139 14.8 14.9 22.3
279 23.4 19.3 28.9

Manual Integrations
APPROVED

Reviewed By :Anahy
Claudio

03/10/2025
Supervised By :Jagrut
Upadhyay

03/10/2025



#92
Benzo(g,h,i)perylene
Concen: 49.156 ng
RT: 17.451 min Scan# 2611
Delta R.T. -0.018 min
Lab File: BF141888.D
Acq: 07 Mar 2025 11:59

Tgt Ion:276 Resp: 967540
Ion Ratio Lower Upper
276 100
277 23.9 19.4 29.0
138 20.1 19.3 28.9

