

Data Path : Z:\HPCHEM1\BNA F\DATA\BF030817\
 Data File : BF093463.D
 Acq On : 9 Mar 2017 8:33
 Operator : SJ/MA
 Sample : I2127-24
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 D-12

Quant Time: Mar 09 10:19:11 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF030717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 07 15:55:22 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.77	152	174631	20.00	ng	0.00
21) Naphthalene-d8	8.06	136	661144	20.00	ng	0.00
38) Acenaphthene-d10	9.81	164	279929	20.00	ng	0.00
63) Phenanthrene-d10	11.29	188	413647	20.00	ng	0.01
75) Chrysene-d12	13.93	240	359637	20.00	ng	0.01
86) Perylene-d12	15.35	264	277311	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	1432109	136.49	ng	0.02
7) Phenol-d6	6.42	99	1814184	137.11	ng	0.01
23) Nitrobenzene-d5	7.34	82	1098032	92.15	ng	0.00
41) 2,4,6-Tribromophenol	10.60	330	237648	130.30	ng	0.00
44) 2-Fluorobiphenyl	9.13	172	1827050	121.40	ng	0.00
78) Terphenyl-d14	12.87	244	1083409	78.32	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF030817\
Data File : BF093463.D
Acq On : 9 Mar 2017 8:33
Operator : SJ/MA
Sample : I2127-24
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
D-12

Quant Time: Mar 09 10:19:11 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF030717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 07 15:55:22 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.77 min Scan# 427
Delta R.T. -0.00 min
Lab File: BF093463.D
Acq: 9 Mar 2017 8:33

Instrument :
BNA_F
ClientSampled :
D-12




Tot Ion:152 Resp: 174631
Ion Ratio Lower Upper
152 100
150 157.7 124.9 187.3
115 56.9 46.0 69.0




#5

2-Fluorophenol
Concen: 136.49 ng
RT: 5.37 min Scan# 305
Delta R.T. 0.02 min
Lab File: BF093463.D
Acq: 9 Mar 2017 8:33

Tgt Ion:112 Resp: 1432109
Ion Ratio Lower Upper
112 100
64 60.7 46.1 69.1
63 30.9 23.8 35.6





#7

Phenol-d6

Concen: 137.11 ng

RT: 6.42 min Scan# 397

Delta R.T. 0.01 min

Lab File: BF093463.D

Acq: 9 Mar 2017 8:33

Instrument :

BNA_F

ClientSampleId :

D-12


Tot Ion: 99 Resp: 1814184

Ion Ratio Lower Upper

99 100

42 17.9 15.6 23.4




71 30.4 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.06 min Scan# 540

Delta R.T. -0.00 min

Lab File: BF093463.D

Acq: 9 Mar 2017 8:33

Tgt Ion: 136 Resp: 661144


Ion Ratio Lower Upper

136 100

137 10.4 8.4 12.6

54 7.1 4.5 6.7#

68 5.4 3.6 5.4#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0








#23
Nitrobenzene-d5
Concen: 92.15 ng
RT: 7.34 min Scan# 477
Delta R.T. -0.00 min
Lab File: BF093463.D
Acq: 9 Mar 2017 8:33

Instrument :
BNA_F
ClientSampleID :
D-12

Tot Ion: 82 Resp: 1098032
Ion Ratio Lower Upper
82 100
128 39.7 34.6 52.0
54 59.4 39.5 59.3#




Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.81 min Scan# 693
Delta R.T. -0.00 min
Lab File: BF093463.D
Acq: 9 Mar 2017 8:33

Tgt Ion: 164 Resp: 279929
Ion Ratio Lower Upper
164 100
162 104.4 80.2 120.2
160 47.5 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 130.30 ng
 RT: 10.60 min Scan# 762
 Delta R.T. -0.00 min
 Lab File: BF093463.D
 Acq: 9 Mar 2017 8:33

Instrument :
 BNA_F
 ClientSampleId :
 D-12

Tot Ion:330 Resp: 237648
 Ion Ratio Lower Upper
 330 100
 332 98.1 77.4 116.2
 141 42.5 34.1 51.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 121.40 ng
 RT: 9.13 min Scan# 634
 Delta R.T. -0.00 min
 Lab File: BF093463.D
 Acq: 9 Mar 2017 8:33

Tgt Ion:172 Resp: 1827050
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.4 44.0
 170 24.6 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.29 min Scan# 823
Delta R.T. 0.01 min
Lab File: BF093463.D
Acq: 9 Mar 2017 8:33

Instrument :
BNA_F
ClientSampleId :
D-12

Tot Ion:188 Resp: 413647
Ion Ratio Lower Upper
188 100
94 8.0 10.0 15.0#
80 8.8 11.2 16.8#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.93 min Scan# 1054
Delta R.T. 0.01 min
Lab File: BF093463.D
Acq: 9 Mar 2017 8:33

Tgt Ion:240 Resp: 359637
Ion Ratio Lower Upper
240 100
120 11.2 12.9 19.3#
236 27.0 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 78.32 ng

RT: 12.87 min Scan# 961

Delta R.T. -0.00 min

Lab File: BF093463.D

Acq: 9 Mar 2017 8:33

Instrument :

BNA_F

ClientSampleId :

D-12


Tot Ion:244 Resp: 1083409

Ion Ratio Lower Upper

244 100

212 8.2 6.2 9.2




122 15.9 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.35 min Scan# 1178

Delta R.T. 0.02 min

Lab File: BF093463.D

Acq: 9 Mar 2017 8:33


Tgt Ion:264 Resp: 277311

Ion Ratio Lower Upper

264 100

260 24.0 19.2 28.8

265 21.7 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

